Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 16
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer has written an AWS Lambda function. The function is CPU-bound. The developer wants to ensure that the function returns responses quickly.
How can the developer improve the function's performance?

A. Increase the function's CPU core count.

B. Increase the function's memory.

C. Increase the function's reserved concurrency.

D. Increase the function's timeout.

Show Suggested Answer

---

by Untamables at *March 21, 2023, 7:20 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

ihta_2031 Highly Voted 3 years ago

Selected Answer: B

Cpu utilisation => increase memory

upvoted 15 times

Kashan6109 Highly Voted 2 years, 8 months ago

Selected Answer: B

Option B is correct, the only adjustable parameter (in terms of hardware) is lambda memory. Increasing lambda memory will result in automatic adjustment of CPU.

Lambda memory is adjustable from 128 MB upto 10 GB

upvoted 10 times

lebbar Most Recent 3 days, 2 hours ago

Selected Answer: B

B is Correct — In Lambda, CPU power is allocated proportionally to memory. More memory = more vCPU automatically assigned. For a CPU-bound function, increasing memory directly increases CPU performance.

upvoted 1 times

sumanshu 1 year, 3 months ago

Selected Answer: B

A) Eliminated - We cannot directly control the CPU core count.
B) Correct - increasing memory not only gives more memory but also allocates more CPU power to the function.
C) Eliminated - Reserved concurrency controls how many instances of the function can run at the same time, but it doesn't improve the performance of a single function execution
D) Eliminated - Increasing the timeout allows the function to run longer, but it doesn't improve the speed of the function

upvoted 2 times

trieudo 1 year, 3 months ago

Selected Answer: B

==> discard A: can't directly increase lambda CPU
==> discard C: concurrecny for handling many tasks at same time capacibility, not increase speed response when CPU-bound
=> discard D: be not relevant, increase maximum time to wait function to finish

B: with lambda, you can increase memory, implicity CPU usage for lambda also up too

upvoted 1 times

rue_ 1 year, 5 months ago

Selected Answer: B

the only way to adjust the vCPU assigned to your function, is through an increase in memory

upvoted 1 times

tgood 1 year, 8 months ago

Selected Answer: B

B is correct

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

leonardoliveros 2 years, 4 months ago

Selected Answer: B

If you increase the memory on a Lambda Function hence your vCPU also increased

upvoted 1 times

james2033 2 years, 4 months ago

Selected Answer: B

Quote 'If a function is CPU-, network- or memory-bound, then changing the memory setting can dramatically improve its performance.' at https://docs.aws.amazon.com/lambda/latest/operatorguide/computing-power.html

upvoted 3 times

Majong 2 years, 10 months ago

Selected Answer: B

Lambda allocates CPU power in proportion to the amount of memory configured. You can read more here:

https://docs.aws.amazon.com/lambda/latest/dg/configuration-function-common.html#configuration-memory-console

upvoted 5 times

Devon_Fazekas 2 years, 10 months ago

Increasing the function's CPU core count is not an option in AWS Lambda. AWS Lambda automatically manages the allocation of CPU power and only allows scaling of memory.

upvoted 2 times

Bibay 2 years, 11 months ago

Selected Answer: B

. Increase the function's memory.

The performance of an AWS Lambda function is primarily determined by the amount of allocated memory. When you increase the memory, you also increase the available CPU and network resources. This can result in faster execution times, especially for CPU-bound functions. Increasing the CPU core count, reserved concurrency, or timeout may not have as significant an impact on performance as increasing memory.

upvoted 1 times

blathul 2 years, 11 months ago

Selected Answer: B

Adding more memory proportionally increases the amount of CPU, increasing the overall computational power available. If a function is CPU-, network- or memory-bound, then changing the memory setting can dramatically improve its performance. https://docs.aws.amazon.com/lambda/latest/operatorguide/computing-power.html

upvoted 1 times

Syre 2 years, 11 months ago

Selected Answer: A

On this particular question the answer is A.
while increasing memory can indirectly improve CPU performance, it's not always the most effective solution for CPU-bound functions, and increasing the CPU core count is usually a better option for improving performance in such cases. Please note - CPU-Bound functions. This question is to trick you

upvoted 1 times

Majong 2 years, 10 months ago

In this particular question it is B. You are right that in normal question it might be A but for a Lambda function you are not able to change the CPU. Lambda allocates CPU power in proportion to the amount of memory configured. You can read more here:

https://docs.aws.amazon.com/lambda/latest/dg/configuration-function-common.html#configuration-memory-console

upvoted 4 times

Untamables 3 years ago

Selected Answer: B

B
https://docs.aws.amazon.com/lambda/latest/dg/configuration-function-common.html#configuration-memory-console

upvoted 3 times