Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02

Question #: 17

Topic #: 1

[All AWS Certified Developer - Associate DVA-C02 Questions]

For a deployment using AWS Code Deploy, what is the run order of the hooks for in-place deployments?

A. BeforeInstall -> ApplicationStop -> ApplicationStart -> AfterInstall

B. ApplicationStop -> BeforeInstall -> AfterInstall -> ApplicationStart

C. BeforeInstall -> ApplicationStop -> ValidateService -> ApplicationStart

D. ApplicationStop -> BeforeInstall -> ValidateService -> ApplicationStart

Show Suggested Answer

---

by aragon_saa at *March 15, 2023, 11:35 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

pratchatcap Highly Voted 3 years ago

Selected Answer: B

It's B. Check the image in the link.

https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#appspec-hooks-server

upvoted 24 times

awsdummie 2 years, 10 months ago

Answer A For InPlace deployment

upvoted 2 times

thanhch Most Recent 5 months, 1 week ago

Selected Answer: B

No mention about load balancer. So choice answer B. Moreover, if answer has hook ValidateService, it must be final step.

upvoted 2 times

sumanshu 1 year, 3 months ago

Selected Answer: B

ApplicationStop: Stops the currently running application (if any) on the instance.
BeforeInstall: Runs tasks or scripts before the new application revision is installed.
Install: Deploys the new application revision.
AfterInstall: Runs tasks or scripts after the new application revision is installed.
ApplicationStart: Starts the application after installation.
ValidateService: Validates that the service is running as expected after the application starts.

upvoted 1 times

sumanshu 1 year, 3 months ago

A) Eliminated - The ApplicationStop hook must be the first step to stop the currently running application

C) BeforeInstall cannot occur before ApplicationStop because the application needs to be stopped first.

D) Eliminated - ValidateService should run after the application starts, not before.

upvoted 1 times

trieudo 1 year, 3 months ago

Selected Answer: B

==> discard C, D: ValidateService is invalid lifecycle in In-place CodeDeploy
==> discard A: it is not logic, cuz install --> then stop app => pointless

So I choose B

upvoted 1 times

Anandesh 1 year, 8 months ago

Selected Answer: B

https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#appspec-hooks-server

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

SD_CS 2 years, 2 months ago

Selected Answer: B

Answer is B. There is no doubt - please go to the URL
https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html
and search with "In-place deployments"

In fact none of the deployments follow the order mentioned in A

upvoted 2 times

ez_24 2 years, 3 months ago

B

In AWS CodeDeploy for in-place deployments, the hooks run in the following order:

ApplicationStop: Executed before the new application revision is downloaded.
DownloadBundle: The new application revision is downloaded.
BeforeInstall: Executed after the new revision is downloaded but before the new version is installed.
Install: The application revision specified in the deployment is installed.
AfterInstall: Executed after the application revision is installed.
ApplicationStart: Invoked to start any services that were stopped during ApplicationStop.
ValidateService: Ensures the service is operating correctly after the new deployment.
This sequence ensures a smooth deployment process by systematically stopping, updating, and restarting the application.

upvoted 4 times

quanbui 2 years, 5 months ago

ApplicationStop -> BeforeInstall -> AfterInstall -> ApplicationStart -> ValidateService.
Ref:
https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html

upvoted 1 times

Skywalker23 2 years, 6 months ago

Selected Answer: B

Application must be stopped before installation. Otherwise the installation may corrupt the running application's files and cause damages. Not good.

upvoted 2 times

Tony88 2 years, 7 months ago

Selected Answer: B

Stopped -> Installed -> Started -> Validated
Go with B.

upvoted 3 times

ninomfr64 2 years, 7 months ago

Selected Answer: B

I's B as per doc https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#appspec-hooks-server:~:text=a%20load%20balancer.-,Lifecycle%20event%20hook%20availability,-The%20following%20table

upvoted 1 times

sp323 2 years, 7 months ago

Application start is after install

upvoted 1 times

fcbc62d 2 years, 8 months ago

Selected Answer: B

For in-place deployment B is correct. https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html

upvoted 1 times

jipark 2 years, 8 months ago

Selected Answer: B

this image explain all : https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#appspec-hooks-server

upvoted 1 times

ScherbakovMike 2 years, 10 months ago

Definitely, B: the order is the same in case of InPlace and Blue/Green deployment: https://docs.aws.amazon.com/codedeploy/latest/userguide/reference-appspec-file-structure-hooks.html#reference-appspec-file-structure-hooks-availability

upvoted 1 times

Nagendhar 2 years, 11 months ago

Ans: A

For an in-place deployment using AWS CodeDeploy, the run order of the hooks is option A, "BeforeInstall -> ApplicationStop -> ApplicationStart -> AfterInstall."

This is the correct order of hooks for an in-place deployment, where the deployment package is installed on the same set of Amazon EC2 instances that are running the current version of the application.

upvoted 2 times