Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 56
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company is using an AWS Lambda function to process records from an Amazon Kinesis data stream. The company recently observed slow processing of the records. A developer notices that the iterator age metric for the function is increasing and that the Lambda run duration is constantly above normal. Which actions should the developer take to increase the processing speed? (Choose two.)

A. Increase the number of shards of the Kinesis data stream.

B. Decrease the timeout of the Lambda function.

C. Increase the memory that is allocated to the Lambda function.

D. Decrease the number of shards of the Kinesis data stream.

E. Increase the timeout of the Lambda function.

Show Suggested Answer

---

by Untamables at *March 26, 2023, 7:03 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

Untamables Highly Voted 3 years ago

Selected Answer: AC

A and C
https://repost.aws/knowledge-center/lambda-iterator-age

upvoted 15 times

sumanshu Most Recent 1 year, 3 months ago

Selected Answer: AC

A) Kinesis uses shards to process data in parallel. If the data stream has a high volume of records, increasing the number of shards enables parallelism, allowing more Lambda instances to process data simultaneously

C) Allocating more memory to a Lambda function also increases the available CPU power

upvoted 2 times

nbxyzd 1 year, 5 months ago

AC
For those wondering why A is correct, quote:
Increasing the number of shards in a stream increases the number of concurrent Lambda functions consuming from your stream, which decreases a function's iterator age.

upvoted 2 times

65703c1 1 year, 10 months ago

Selected Answer: AC

AC is the correct answer.

upvoted 1 times

KarBiswa 2 years, 3 months ago

Selected Answer: AC

As the lambda has no timing issue

upvoted 1 times

gcmrjbr 2 years, 4 months ago

CE
Shards (option A) works on the parallelism part and not on the function's execution time.

upvoted 1 times

gcmrjbr 2 years, 4 months ago

A and C.
I would like to change my answer. More shards means more parallel processing.

upvoted 2 times