Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 59
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is using AWS Amplify Hosting to build and deploy an application. The developer is receiving an increased number of bug reports from users. The developer wants to add end-to-end testing to the application to eliminate as many bugs as possible before the bugs reach production.
Which solution should the developer implement to meet these requirements?

A. Run the amplify add test command in the Amplify CLI.

B. Create unit tests in the application. Deploy the unit tests by using the amplify push command in the Amplify CLI.

C. Add a test phase to the amplify.yml build settings for the application.

D. Add a test phase to the aws-exports.js file for the application.

Show Suggested Answer

---

by Untamables at *March 27, 2023, 1:32 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

gpt_test Highly Voted 3 years ago

Selected Answer: C

Explanation: Adding a test phase to the amplify.yml build settings allows the developer to define and execute end-to-end tests as part of the build and deployment process in AWS Amplify Hosting. This will help ensure that bugs are caught and fixed before the application reaches production, improving the overall quality of the application.

upvoted 17 times

Untamables Highly Voted 3 years ago

Selected Answer: C

C
https://docs.aws.amazon.com/amplify/latest/userguide/running-tests.html

upvoted 10 times

jipark 2 years, 8 months ago

ton of thanks !!
document commented 'End to End Test'

upvoted 2 times

Dadasar Most Recent 1 year, 1 month ago

Selected Answer: C

A. Eliminado: Esse comando não existe na Amplify CLI. O Amplify não tem um comando direto para adicionar testes, então essa alternativa está errada.
B. Eliminado: Testes unitários são importantes, mas eles não são testes de ponta a ponta (E2E). Além disso, amplify push serve para implantar mudanças na infraestrutura, não para rodar testes.
D. Eliminado: O arquivo aws-exports.js contém configurações do Amplify para conectar o front-end aos serviços da AWS. Ele não é usado para definir fases de teste.
Portanto, a melhor solução é a alternativa C, pois ela permite adicionar testes ao processo de build e evitar que bugs cheguem à produção.

upvoted 1 times

Dadasar 1 year, 1 month ago

Selected Answer: C

A. Eliminado: Esse comando não existe na Amplify CLI. O Amplify não tem um comando direto para adicionar testes, então essa alternativa está errada.
B. Eliminado: Testes unitários são importantes, mas eles não são testes de ponta a ponta (E2E). Além disso, amplify push serve para implantar mudanças na infraestrutura, não para rodar testes.
D. Eliminado: O arquivo aws-exports.js contém configurações do Amplify para conectar o front-end aos serviços da AWS. Ele não é usado para definir fases de teste.
Portanto, a melhor solução é a alternativa C, pois ela permite adicionar testes ao processo de build e evitar que bugs cheguem à produção.

upvoted 1 times

sumanshu 1 year, 3 months ago

Selected Answer: C

To implement end-to-end (E2E) testing before deployment, you can add a test phase to the amplify.yml file.

A) Eliminated - Amplify CLI does not have a command named amplify add test.

upvoted 2 times

tsangckl 1 year, 9 months ago

This appear at 17 Jun exam

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: C

C is the correct answer.

upvoted 1 times

ninomfr64 2 years, 7 months ago

Selected Answer: B

B as per https://docs.aws.amazon.com/amplify/latest/userguide/running-tests.html
You can run end-to-end (E2E) tests in the test phase of your Amplify app to catch regressions before pushing code to production. The test phase can be configured in the build specification YAML. Currently, you can run only the Cypress testing framework during a build.

build specification is provided in the amplify.yml file

upvoted 1 times

SachinR28 2 years, 8 months ago

Selected Answer: B

I'LL GO WITH B

upvoted 1 times

rlnd2000 2 years, 10 months ago

Selected Answer: B

We can use amplify.yml file to run any test commands at build time. Since the test must run while the program is being deployed (E2E) I'll go with B.

upvoted 1 times