Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 72
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer creates a VPC named VPC-A that has public and private subnets. The developer also creates an Amazon RDS database inside the private subnet of VPC-A. To perform some queries, the developer creates an AWS Lambda function in the default VPC. The Lambda function has code to access the RDS database. When the Lambda function runs, an error message indicates that the function cannot connect to the RDS database.

How can the developer solve this problem?

A. Modify the RDS security group. Add a rule to allow traffic from all the ports from the VPC CIDR block.

B. Redeploy the Lambda function in the same subnet as the RDS instance. Ensure that the RDS security group allows traffic from the Lambda function.

C. Create a security group for the Lambda function. Add a new rule in the RDS security group to allow traffic from the new Lambda security group.

D. Create an IAM role. Attach a policy that allows access to the RDS database. Attach the role to the Lambda function.

Show Suggested Answer

by Fyssy at *April 17, 2023, 4:23 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

MrTee Highly Voted 2 years, 11 months ago

Selected Answer: B

To solve this problem, the developer should redeploy the Lambda function in the same subnet as the RDS instance and ensure that the RDS security group allows traffic from the Lambda function. This will allow the Lambda function to access the RDS database within the private subnet of VPC-A. The developer should also make sure that the Lambda function is configured with the appropriate network settings and permissions to access resources within the VPC.

upvoted 16 times

Fyssy Highly Voted 2 years, 11 months ago

Selected Answer: B

Redeploy

upvoted 13 times

Filly Most Recent 3 weeks, 4 days ago

Selected Answer: C

Not B, Even if you put Lambda in the same subnet, you still need security group rules.
Option C is the precise, correct mechanism.

upvoted 1 times

sumanshu 1 year, 3 months ago

Selected Answer: B

Lambda function in the default VPC cannot communicate with the RDS in VPC-A, because they are in different VPCs with no connection (like a VPC peering or transit gateway).

upvoted 1 times

mallikarjun_angadi 1 year, 4 months ago

Selected Answer: C

B is InCorrect because Deploying the Lambda function in the same private subnet as the RDS instance is not feasible, Lambda function needs to access other resources or services outside the VPC.

upvoted 3 times

mallikarjun_angadi 1 year, 4 months ago

B is incorrect because deploying lambda in private subnet. Cannot access other resources

upvoted 1 times

raasankar 1 year, 7 months ago

Selected Answer: B

C would need a vpc peering,
So B is the best option as we are redeploying to same subnet.

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

[Removed] 1 year, 11 months ago

they are in different VPC, hence C is not possible unless there is VPC Peering.

upvoted 1 times

badsati 1 year, 11 months ago

Selected Answer: B

By deploying the Lambda function in the same subnet as the RDS instance (VPC-A), the Lambda function will have access to the resources within the same VPC, including the RDS database.
Additionally, the RDS security group should be configured to allow inbound traffic from the Lambda function's security group.
Therefore, the correct solution is Option B.

upvoted 2 times

DeaconStJohn 2 years ago

Selected Answer: B

Redeploy as no access has been set up between VPCs

upvoted 1 times

maurice2005 2 years ago

Selected Answer: B

A and B wont work since lambda is on default vpc which is not vpc-a
D won't work since since it's network access in the first place.

upvoted 1 times

SerialiDr 2 years, 1 month ago

Selected Answer: B

Option B ("Redeploy the Lambda function in the same subnet as the RDS instance. Ensure that the RDS security group allows traffic from the Lambda function.") is the most accurate approach if the Lambda function and RDS are to communicate within the same VPC. It directly addresses the need for the Lambda function to access the VPC and the security group configuration.

upvoted 2 times

cauchy06 2 years, 2 months ago

Selected Answer: C

No need for redeploy. ChatGPT also says C.

upvoted 1 times

toan_nguyen 2 years, 1 month ago

ChatGPT don't know anything. It's only read data

upvoted 5 times

SerialiDr 2 years, 2 months ago

Selected Answer: B

B. Redeploy the Lambda function in the same subnet as the RDS instance. Ensure that the RDS security group allows traffic from the Lambda function: This is a viable solution. Placing the Lambda function in the same VPC as the RDS instance (preferably in a private subnet for security reasons) and ensuring the security groups are correctly configured to allow traffic between the Lambda function and the RDS instance will enable connectivity.

C. Create a security group for the Lambda function. Add a new rule in the RDS security group to allow traffic from the new Lambda security group: This option would be correct if the Lambda function and the RDS instance were in the same VPC. However, since they are in different VPCs, simply adjusting security groups won't address the cross-VPC connectivity issue.

upvoted 6 times

nickolaj 2 years, 3 months ago

Selected Answer: B

Option C would be the correct choice, but it doesn't include the route configuration between subnets needed to access the RDS. I chose option B, but according to architectural best practices, it's not the ideal solution.

upvoted 2 times

a_win 2 years, 3 months ago

Selected Answer: C

Seems more efficient solution.

upvoted 1 times