Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 75
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is writing unit tests for a new application that will be deployed on AWS. The developer wants to validate all pull requests with unit tests and merge the code with the main branch only when all tests pass.

The developer stores the code in AWS CodeCommit and sets up AWS CodeBuild to run the unit tests. The developer creates an AWS Lambda function to start the CodeBuild task. The developer needs to identify the CodeCommit events in an Amazon EventBridge event that can invoke the Lambda function when a pull request is created or updated.

Which CodeCommit event will meet these requirements?

A.

```
{
    "source": ["aws.codecommit"],
    "detail": {
        "event": ["pullRequestMergeStatusUpdated"],
    }
}
```

B.

```
{
    "source": ["aws.codecommit"],
    "detail": {
        "event": ["pullRequestApprovalRuleCreated"]
    }
}
```

C.

```
{
    "source": ["aws.codecommit"],
    "detail": {
        "event": ["pullRequestSourceBranchUpdated", "pullRequestCreated"]
    }
}
```

D.

```
{
    "source": ["aws.codecommit"],
    "detail": {
        "event": ["pullRequestUpdated", "pullRequestSourceBranchCreated"]
    }
}
```

Show Suggested Answer

by Fyssy at *April 19, 2023, 1:58 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

csG13 Highly Voted 2 years, 3 months ago

Selected Answer: C

It's definitely C. Events in answer D are not real. A & B are clearly wrong since two events are required.

upvoted 8 times

sumanshu Most Recent 1 year, 3 months ago

Selected Answer: C

Using both events together ensures that the Lambda function is invoked for both new pull requests and updates to existing pull requests.

upvoted 1 times

65703c1 1 year, 4 months ago

Selected Answer: C

C is the correct answer.

upvoted 1 times

[Removed] 1 year, 5 months ago

https://aws.amazon.com/blogs/devops/automated-code-review-on-pull-requests-using-aws-codecommit-and-aws-codebuild/

upvoted 2 times

Dushank 2 years ago

Answer is C. There's no event call pullRequestUpdated

upvoted 4 times

Majong 2 years, 4 months ago

Selected Answer: C

Two events is needed so A and B is no.
The events mentioned in D does not exist as Zodraz says (just look in the link)

upvoted 4 times

Prem28 2 years, 4 months ago

Selected Answer: C

its c ,Event mentioned in D not Exist

upvoted 3 times

zodraz 2 years, 4 months ago

Selected Answer: C

It' s C. Any of the events mentioned on D exist.
https://docs.aws.amazon.com/codecommit/latest/userguide/monitoring-events.html#pullRequestSourceBranchUpdated

upvoted 3 times

zodraz 2 years, 4 months ago

It' s C. Any of the events mentioned on D exist.
https://docs.aws.amazon.com/codecommit/latest/userguide/monitoring-events.html#pullRequestSourceBranchUpdated

upvoted 2 times

Fyssy 2 years, 5 months ago

Selected Answer: D

"detail": {
"event": ["pullRequestCreated", "pullRequestSourceBranchUpdated"]

upvoted 3 times

Arktos 1 year, 4 months ago

you create a pull request and update a branch so the answer is C

upvoted 1 times