Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 145
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is creating an AWS Lambda function that searches for items from an Amazon DynamoDB table that contains customer contact information. The DynamoDB table items have the customer's email_address as the partition key and additional properties such as customer_type, name and job_title.

The Lambda function runs whenever a user types a new character into the customer_type text input. The developer wants the search to return partial matches of all the email_address property of a particular customer_type. The developer does not want to recreate the DynamoDB table.

What should the developer do to meet these requirements?

A. Add a global secondary index (GSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key. Perform a query operation on the GSI by using the begins_with key condition expression with the email_address property.

B. Add a global secondary index (GSI) to the DynamoDB table with email_address as the partition key and customer_type as the sort key. Perform a query operation on the GSI by using the begins_with key condition expression with the email_address property.

C. Add a local secondary index (LSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key. Perform a query operation on the LSI by using the begins_with key condition expression with the email_address property.

D. Add a local secondary index (LSI) to the DynamoDB table with job_title as the partition key and email_address as the sort key. Perform a query operation on the LSI by using the begins_with key condition expression with the email_address property.

Show Suggested Answer

by fordiscussionstwo at *Oct. 6, 2023, 1:36 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

Saurabh04 1 year, 7 months ago

Option B (Global Secondary Index with email_address as Partition Key):
Add a global secondary index (GSI) to the DynamoDB table.
Set email_address as the partition key and customer_type as the sort key for the GSI.
Perform a query operation on the GSI using the begins_with key condition expression with the email_address property.

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 3 times

Examenee 2 years, 1 month ago

Selected Answer: A

Only global secondary indices can be added after a table has been created.

upvoted 3 times

SerialiDr 2 years, 2 months ago

Selected Answer: A

A. Add a global secondary index (GSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key. Perform a query operation on the GSI by using the begins_with key condition expression with the email_address property: This approach is correct. By creating a GSI with customer_type as the partition key and email_address as the sort key, the developer can efficiently query items based on customer_type. The begins_with condition can be applied to the sort key (email_address) in the GSI, allowing for searches that return partial matches.

upvoted 1 times

RamyaMunipala 2 years, 2 months ago

Selected Answer: A

A is correct

upvoted 1 times

Jing2023 2 years, 5 months ago

A is correct

upvoted 1 times

Patel_ajay745 2 years, 5 months ago

A

Add a global secondary index (GSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key. Perform a query operation on the GSI by using the begins_with key condition expression with the email_address property.

upvoted 2 times

Digo30sp 2 years, 5 months ago

Selected Answer: A

The correct answer is (A).

By adding a global secondary index (GSI) to the DynamoDB table with customer_type as the partition key and email_address as the sort key, the developer can perform a query operation on the GSI using the Begins_with key condition expression with the email_address property. This will return partial matches of all email_address properties of a specific customer_type.

upvoted 4 times