Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 151
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A team of developers is using an AWS CodePipeline pipeline as a continuous integration and continuous delivery (CI/CD) mechanism for a web application. A developer has written unit tests to programmatically test the functionality of the application code. The unit tests produce a test report that shows the results of each individual check. The developer now wants to run these tests automatically during the CI/CD process.

Which solution will meet this requirement with the LEAST operational effort?

A. Write a Git pre-commit hook that runs the tests before every commit. Ensure that each developer who is working on the project has the pre-commit hook installed locally. Review the test report and resolve any issues before pushing changes to AWS CodeCommit.

B. Add a new stage to the pipeline. Use AWS CodeBuild as the provider. Add the new stage after the stage that deploys code revisions to the test environment. Write a buildspec that fails the CodeBuild stage if any test does not pass. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console. View the test results in CodeBuild. Resolve any issues.

C. Add a new stage to the pipeline. Use AWS CodeBuild as the provider. Add the new stage before the stage that deploys code revisions to the test environment. Write a buildspec that fails the CodeBuild stage if any test does not pass. Use the test reports feature of CodeBuild to integrate the report with the CodeBuild console. View the test results in CodeBuild. Resolve any issues.

D. Add a new stage to the pipeline. Use Jenkins as the provider. Configure CodePipeline to use Jenkins to run the unit tests. Write a Jenkinsfile that fails the stage if any test does not pass. Use the test report plugin for Jenkins to integrate the report with the Jenkins dashboard. View the test results in Jenkins. Resolve any issues.

Show Suggested Answer

by fordiscussionstwo at *Oct. 6, 2023, 1:46 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

SerialiDr Highly Voted 2 years, 2 months ago

Selected Answer: C

This is the most efficient and integrated approach. AWS CodeBuild is fully integrated with AWS CodePipeline and can be used to run unit tests as part of the CI/CD process. Placing the testing stage before deployment ensures that only tested code is deployed. The buildspec can be configured to fail the build if tests do not pass, and CodeBuild's test reports feature allows for easy viewing and analysis of test results.

upvoted 6 times

65703c1 Most Recent 1 year, 10 months ago

Selected Answer: C

C is the correct answer.

upvoted 1 times

xxxx1 2 years ago

c is the correct answer

upvoted 1 times

NinjaCloud 2 years, 5 months ago

Correct answer: B

upvoted 1 times

Gold07 2 years, 5 months ago

c is the correct answer

upvoted 1 times

Cerakoted 2 years, 5 months ago

Selected Answer: C

I think C is correct.
Typical consists of stages are..
Build -> Test -> Deploy(test) -> Load Test -> and others

upvoted 2 times

dilleman 2 years, 5 months ago

Selected Answer: C

C should be correct.

upvoted 3 times

Digo30sp 2 years, 5 months ago

Selected Answer: B

The correct answer is (B).

Solution (B) is the simplest and requires the least operational effort. It involves adding a new stage to the CodePipeline pipeline that uses AWS CodeBuild to run the unit tests. The CodeBuild stage can be configured to fail if any tests fail. The CodeBuild test report can be integrated into the CodeBuild console so that developers can view test results.

upvoted 1 times

dilleman 2 years, 5 months ago

This does not make sense. Why run the tests after the deploy when you can choose option C, to run the tests before the deploy? C should be best practice and the same amount of effort as B.

upvoted 5 times

Dibaal 2 years, 5 months ago

funny 😁

upvoted 1 times

04075e0 1 year, 5 months ago

definitely not B, since nobody doing tests after deployment. No sense

upvoted 1 times