Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 152
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company has multiple Amazon VPC endpoints in the same VPC. A developer needs to configure an Amazon S3 bucket policy so users can access an S3 bucket only by using these VPC endpoints.

Which solution will meet these requirements?

A. Create multiple S3 bucket polices by using each VPC endpoint ID that have the aws:SourceVpce value in the StringNotEquals condition.

B. Create a single S3 bucket policy that has the aws:SourceVpc value and in the StringNotEquals condition to use VPC ID.

C. Create a single S3 bucket policy that has the aws:SourceVpce value and in the StringNotEquals condition to use vpce*.

D. Create a single S3 bucket policy that has multiple aws:sourceVpce value in the StringNotEquals condition. Repeat for all the VPC endpoint IDs.

Show Suggested Answer

---

by fordiscussionstwo at *Oct. 6, 2023, 1:55 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.

- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

dilleman Highly Voted 2 years, 5 months ago

Selected Answer: D

C works as well but It is a broad solution I think it's better practice to use D and specify the exact endpoints that the user can access from.
"aws:sourceVpce": ["vpce-id1", "vpce-id2", "..."]

upvoted 7 times

CrescentShared Highly Voted 2 years, 4 months ago

I don't think any of the options is correct. Seriously StringNotEquals not StringEquals?

upvoted 7 times

shake76 2 years, 3 months ago

I think the same "A developer needs to configure an Amazon S3 bucket policy so users can access an S3 bucket only by using these VPC endpoints"

upvoted 1 times

vipyodha 2 years ago

StringNotEqual is for the deny of outher that mentioned vpce.

```
{
"Version": "2012-10-17",
"Id": "Policy1415115909152",
"Statement": [
{
"Sid": "Access-to-specific-VPCE-only",
"Principal": "*",
"Action": "s3:*",
"Effect": "Deny",
"Resource": ["arn:aws:s3:::awsexamplebucket1",
"arn:aws:s3:::awsexamplebucket1/*"],
"Condition": {
"StringNotEquals": {
"aws:SourceVpce": "vpce-1a2b3c4d"
}
}
}
]
}
```

upvoted 2 times

examtopics111 1 year, 8 months ago

for bucket policy, if vpce isnt explicitly allowed, it's by default denied anyway so it should have been allow string equal vpce?

upvoted 1 times

albert_kuo Most Recent 1 year, 6 months ago

Selected Answer: D

```
{
"Version": "2012-10-17",
```

```
"Statement": [
{
"Sid": "DenyAccessIfNotFromSpecificVPCEndpoints",
"Effect": "Deny",
"Principal": "*",
"Action": "s3:*",
"Resource": [
"arn:aws:s3:::your-bucket-name",
"arn:aws:s3:::your-bucket-name/*"
],
"Condition": {
"StringNotEquals": {
"aws:SourceVpce": [
"vpce-0123456789abcdef0",
"vpce-0fedcba9876543210",
"vpce-0a1b2c3d4e5f6a7b8"
]
}
}
}
]
}
```

upvoted 3 times

65703c1 1 year, 10 months ago

Selected Answer: D

D is the correct answer.

upvoted 1 times

KarBiswa 2 years, 1 month ago

Selected Answer: D

https://docs.aws.amazon.com/AmazonS3/latest/userguide/example-bucket-policies-vpc-endpoint.html typically explained the same scenario. D beyond doubt.

upvoted 3 times

joshnort 2 years, 2 months ago

Selected Answer: D

D, based on the following documentation:

https://docs.aws.amazon.com/AmazonS3/latest/userguide/example-bucket-policies-vpc-endpoint.html#example-bucket-policies-restrict-accesss-vpc-endpoint

upvoted 1 times

CrescentShared 2 years, 2 months ago

Why it's StringNotEquals instead of StringEquals? Is the question wrong or my English is too bad to understand this?

upvoted 2 times

vipyodha 2 years ago

It is StringNotEqual, means if source vpce is not this then deny access

```
{
"Version": "2012-10-17",
"Id": "Policy1415115909152",
```

```
"Statement": [
{
"Sid": "Access-to-specific-VPCE-only",
"Principal": "*",
"Action": "s3:*",
"Effect": "Deny",
"Resource": ["arn:aws:s3:::awsexamplebucket1",
"arn:aws:s3:::awsexamplebucket1/*"],
"Condition": {
"StringNotEquals": {
"aws:SourceVpce": "vpce-1a2b3c4d"
}
}
}
]
}
```

upvoted 4 times

SerialiDr 2 years, 2 months ago

Selected Answer: D

This option is the closest to being correct, but it should use StringEquals instead of StringNotEquals. The correct approach is to use a single S3 bucket policy with a condition that includes aws:SourceVpce with StringEquals for the specific VPC endpoint IDs. This will ensure that access is allowed only from those specified endpoints.

upvoted 2 times

rrshah83 2 years, 3 months ago

Selected Answer: B

https://docs.aws.amazon.com/AmazonS3/latest/userguide/example-bucket-policies-vpc-endpoint.html#example-bucket-policies-restrict-access-vpc

upvoted 2 times

Certified101 2 years, 3 months ago

Selected Answer: D

D is correct

upvoted 1 times

PrakashM14 2 years, 5 months ago

Selected Answer: D

in option C :
Condition": {
"StringNotEqualsIfExists": {
"aws:sourceVpce": "vpce*",
}
}
it might Deny access from all VPC endpoints.

so the ans is D

upvoted 2 times

ekutas 2 years, 5 months ago

D says "aws:sourceVpce value in the StringNotEquals condition". StringNotEquals won't work, it deny access for specified VPC ids

upvoted 1 times

ekutas 2 years, 5 months ago

Od course if we use "Effect": "Allow"))

upvoted 2 times

Digo30sp 2 years, 5 months ago

Selected Answer: C

The correct answer is (C).

Solution (C) is the simplest and will meet the company's requirements. It creates a single S3 bucket policy that has the value aws:SourceVpce and the StringNotEquals condition to use vpce*. This will only allow users who are using a VPC endpoint in the same VPC to access the S3 bucket.

upvoted 1 times