Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 166
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer has code that is stored in an Amazon S3 bucket. The code must be deployed as an AWS Lambda function across multiple accounts in the same AWS Region as the S3 bucket. An AWS CloudFormation template that runs for each account will deploy the Lambda function.

What is the MOST secure way to allow CloudFormation to access the Lambda code in the S3 bucket?

A. Grant the CloudFormation service role the S3 ListBucket and GetObject permissions. Add a bucket policy to Amazon S3 with the principal of “AWS”: [account numbers].

B. Grant the CloudFormation service role the S3 GetObject permission. Add a bucket policy to Amazon S3 with the principal of “*”.

C. Use a service-based link to grant the Lambda function the S3 ListBucket and GetObject permissions by explicitly adding the S3 bucket’s account number in the resource.

D. Use a service-based link to grant the Lambda function the S3 GetObject permission. Add a resource of “*” to allow access to the S3 bucket.

Show Suggested Answer

---

by fordiscussionstwo at *Oct. 6, 2023, 2:13 a.m.*

Disclaimers:

- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

NSA_Poker 1 year, 6 months ago

Selected Answer: B

(CD) eliminated. service-based link is not supported by Lambda.
(A) S3 ListBucket permission violates the principle of least privilege and therefore is not the most secure. Bucket policy to list principles of multiple accounts requires additional overhead. The list can change.
(B) allows the CloudFormation service role to access the S3 bucket from any account, as
long as it has the S3 GetObject permission. The bucket policy grants access to any principal with the GetObject permission, which is the least privilege needed to deploy the Lambda code.

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

SerialiDr 2 years, 2 months ago

Selected Answer: A

This approach is secure and provides a granular level of control. By granting the CloudFormation service role in each account the necessary S3 permissions and specifying the account numbers in the S3 bucket policy, you ensure that only the specified accounts can access the Lambda code. However, the ListBucket permission is not necessary if the CloudFormation template already knows the exact S3 object key.

upvoted 4 times

TanTran04 2 years, 3 months ago

Selected Answer: A

Following ChatGPT 3.5, Option A is the best choice. I guess.
- Follows the principle of least privilege by granting only the necessary permissions (ListBucket and GetObject) to the CloudFormation service role.
- Adding a bucket policy with the principal of "AWS": [account numbers] restricts access to only the specified AWS accounts, providing a more secure access control mechanism.
- This ensures that only the CloudFormation service role in the specified AWS accounts can access the Lambda code in the S3 bucket.

upvoted 2 times

Digo30sp 2 years, 5 months ago

Selected Answer: A

The correct answer is (A).

Option (A) is the safest way to allow CloudFormation to access the Lambda code in the S3 bucket because it limits access to the specific accounts that need to deploy the Lambda functions. The bucket policy

grants S3 ListBucket and GetObject permissions to the CloudFormation service role only for the accounts specified in the principal.

upvoted 4 times