Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 182
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company developed an API application on AWS by using Amazon CloudFront, Amazon API Gateway, and AWS Lambda. The API has a minimum of four requests every second. A developer notices that many API users run the same query by using the POST method. The developer wants to cache the POST request to optimize the API resources.

Which solution will meet these requirements?

A. Configure the CloudFront cache. Update the application to return cached content based upon the default request headers.

B. Override the cache method in the selected stage of API Gateway. Select the POST method.

C. Save the latest request response in Lambda /tmp directory. Update the Lambda function to check the /tmp directory.

D. Save the latest request in AWS Systems Manager Parameter Store. Modify the Lambda function to take the latest request response from Parameter Store.

Show Suggested Answer

---

by fordiscussionstwo at *Oct. 6, 2023, 2:41 a.m.*

Disclaimers:

- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

kr5031 Highly Voted 2 years, 5 months ago

Selected Answer: B

A is incorrect, because of

CloudFront always caches responses to GET and HEAD requests. You can also configure CloudFront to cache responses to OPTIONS requests. CloudFront does not cache responses to requests that use the other methods. (https://docs.aws.amazon.com/AmazonCloudFront/latest/DeveloperGuide/RequestAndResponseBehaviorCustomOrigin.html)

upvoted 7 times

dilleman 2 years, 5 months ago

I agree, I think B is correct as well looking into it more.

upvoted 2 times

Jing2023 Highly Voted 2 years, 5 months ago

Selected Answer: B

Why A is not correct

Amazon CloudFront does not cache the responses to POST, PUT, DELETE, and PATCH requests – these requests are proxied back to the origin server. You may enable caching for the responses to OPTIONS requests.

upvoted 5 times

Anandesh Most Recent 1 year, 8 months ago

Selected Answer: B

https://docs.aws.amazon.com/apigateway/latest/developerguide/api-gateway-caching.html#override-api-gateway-stage-cache-for-method-cache

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

KarBiswa 2 years, 1 month ago

Selected Answer: B

https://docs.aws.amazon.com/apigateway/latest/developerguide/api-gateway-caching.html#:~:text=When%20you%20enable,caching%20is%20disabled.

upvoted 2 times

SerialiDr 2 years, 2 months ago

Selected Answer: B

API Gateway allows caching of responses, and you can enable caching for specific methods, including POST. This option is a viable solution as it

leverages the built-in capabilities of API Gateway to cache responses. By configuring caching at the API Gateway stage level, the developer can cache responses to POST requests based on defined parameters.

upvoted 5 times

dilleman 2 years, 5 months ago

Selected Answer: A

A is the correct answer here. CloudFront can be configured to cache based on request headers, query strings, and POST request bodies. Option B might work but it does not work by default and it's not an effective way to solve this.

upvoted 1 times

Digo30sp 2 years, 5 months ago

Selected Answer: B

The correct answer is (B).

Solution (B) is the best option because it uses the Amazon API Gateway cache to cache POST requests.

upvoted 2 times