Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 203
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

An IT department uses Amazon S3 to store sensitive images. After more than 1 year, the company moves the images into archival storage. The company rarely accesses the images, but the company wants a storage solution that maximizes resiliency. The IT department needs access to the images that have been moved to archival storage within 24 hours.

Which solution will meet these requirements MOST cost-effectively?

A. Use S3 Standard-Infrequent Access (S3 Standard-IA) to store the images. Use S3 Glacier Deep Archive with standard retrieval to store and retrieve archived images.

B. Use S3 Standard-Infrequent Access (S3 Standard-IA) to store the images. Use S3 Glacier Deep Archive with bulk retrieval to store and retrieve archived images.

C. Use S3 Intelligent-Tiering to store the images. Use S3 Glacier Deep Archive with standard retrieval to store and retrieve archived images.

D. Use S3 One Zone-Infrequent Access (S3 One Zone-IA) to store the images. Use S3 Glacier Deep Archive with bulk retrieval to store and retrieve archived images.

Show Suggested Answer

---

by fordiscussionstwo at *Oct. 6, 2023, 3:06 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

Learning4life Highly Voted 2 years, 5 months ago

A is correct. The requirement of maximizing resiliency rules out One Zone. Standard recover is within 12 hours, which fits the requirement of within 24 hours.
https://docs.aws.amazon.com/AmazonS3/latest/userguide/restoring-objects-retrieval-options.html

upvoted 8 times

f271c23 Most Recent 1 year, 3 months ago

Selected Answer: A

I had incorrectly selected B but the right option is A. the main reason is the retrieval time in the standard way is within 12 hours which meets the requirement

upvoted 1 times

MasoudK 1 year, 5 months ago

Option A is not most Cost effective the standard approach maximize resiliency but is more expensive than Option B. Option B handles both goals.

upvoted 1 times

albert_kuo 1 year, 6 months ago

Selected Answer: B

The average retrieval time for bulk retrievals typically ranges from 5 to 12 hours, but it can take up to 48 hours. This method is suitable for cold storage data, making it a highly cost-effective option when retrieval frequency is low, and there are no stringent requirements on retrieval time.

upvoted 2 times

lambdaFun 1 year, 5 months ago

bulk retrievals take 48 hours
standard retrievals take 24hours
https://docs.aws.amazon.com/AmazonS3/latest/userguide/restoring-objects-retrieval-options.html
Refer the table 2 row

upvoted 1 times

Saurabh04 1 year, 7 months ago

Selected Answer: B

MOST cost-effective solution is:

B. Use S3 Standard-Infrequent Access (S3 Standard-IA) to store the images. Use S3 Glacier Deep Archive with bulk retrieval to store and retrieve archived images.

Here's why:

S3 Standard-Infrequent Access (S3 Standard-IA):

Provides a balance between cost and retrieval speed.
Suitable for long-lived, less frequently accessed data.
Accessible within hours.

upvoted 3 times

Anandesh 1 year, 8 months ago

Selected Answer: A

https://docs.aws.amazon.com/AmazonS3/latest/userguide/glacier-storage-classes.html#archival-storage

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

KarBiswa 2 years, 1 month ago

Selected Answer: C

https://docs.aws.amazon.com/AmazonS3/latest/userguide/restoring-objects-retrieval-options.html#:~:text=Deep%20Archive%20or-,S3%20Intelligent%2DTiering%20Deep%20Archive%20Access,-Not%20available

upvoted 1 times

DeaconStJohn 2 years ago

Initially I thought C also. However, lifecycle policies seem to be better for this use case. S3-IT will start at standard pricing, after 30 days > IA, after 90 days > archive instant retrieval. None of these are the most cost effective. S3-IT works well for use cases were there is no defined policy in place, i.e. after 1 year move to archive. reqs state archive after 365 days. s3-IT will action this after 90 days depending on access patterns.

upvoted 1 times

SerialiDr 2 years, 2 months ago

Selected Answer: A

S3 Standard-IA is designed for data that is accessed less frequently but requires rapid access when needed. It offers a lower storage cost while still providing high durability, availability, and performance.
S3 Glacier Deep Archive is the most cost-effective option for archival storage in AWS and is designed for data that is accessed very rarely. The standard retrieval option in Glacier Deep Archive typically returns data within 12 hours, meeting the requirement of access within 24 hours.

upvoted 3 times

_YaWeb 2 years, 2 months ago

ChatGPT goes with B

upvoted 2 times

DeaconStJohn 2 years ago

As a society we need to learn to challenge AI models.

https://aws.amazon.com/s3/faqs/#Amazon_S3_Glacier_Deep_Archive
When restoring an archived object, you can specify one of the following options in the Tier element of the request body: Standard is the default tier and lets you access any of your archived objects

within 12 hours, with retrievals typically starting within 9 hours when initiated using S3 Batch Operations. Bulk lets you retrieve large amounts of data, even petabytes of data, inexpensively and typically completes within 48 hours.

upvoted 2 times

dostonbekabdullaev 2 years, 2 months ago

Selected Answer: A

AAAAAAAAA

upvoted 1 times

Certified101 2 years, 3 months ago

Selected Answer: A

A is correct -Bulk retrival is 48hours

upvoted 1 times

TanTran04 2 years, 3 months ago

Selected Answer: B

With Option A: Standard retrieval would provide faster access to the archived images (typically within 3-5 hours), it is more expensive than Bulk retrieval. Since the company has indicated they can wait up to 24 hours for access, the slower but cheaper

=> Option B is the best choice.

upvoted 1 times

Hanny 2 years, 3 months ago

Selected Answer: C

C. Use S3 Intelligent-Tiering to store the images. Use S3 Glacier Deep Archive with standard retrieval to store and retrieve archived images.

upvoted 2 times

tqiu654 2 years, 3 months ago

Selected Answer: B

GPT: B. Use S3 Standard-Infrequent Access (S3 Standard-IA) to store the images. Use S3 Glacier Deep Archive and select Batch Retrieval to store and retrieve archived images.

upvoted 2 times

hcsaba1982 2 years, 5 months ago

Selected Answer: C

A : Glacier Deep Archive is cheaper than Standard-IA.
C : Standard archival is 12h.
B : bulk retrieval is 48h
D : S3 One Zone-IA - cross-out due to "maximizes resiliency"

upvoted 4 times

ut18 2 years, 5 months ago

Check the requirement :
The IT department needs access to the images that have been moved to archival storage within 24 hours.

upvoted 1 times

Cerakoted 2 years, 5 months ago

Selected Answer: A

It is A

upvoted 2 times