Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 206
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is setting up infrastructure by using AWS CloudFormation. If an error occurs when the resources described in the Cloud Formation template are provisioned, successfully provisioned resources must be preserved. The developer must provision and update the CloudFormation stack by using the AWS CLI.

Which solution will meet these requirements?

A. Add an --enable-termination-protection command line option to the create-stack command and the update-stack command.

B. Add a --disable-rollback command line option to the create-stack command and the update-stack command.

C. Add a --parameters ParameterKey=PreserveResources,ParameterValue=True command line option to the create-stack command and the update-stack command.

D. Add a --tags Key=PreserveResources,Value=True command line option to the create-stack command and the update-stack command.

Show Suggested Answer

---

by fordiscussionstwo at *Oct. 6, 2023, 3:10 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

Digo30sp Highly Voted 2 years, 5 months ago

Selected Answer: B

The correct answer is (B).

The --disable-rollback command-line option will prevent CloudFormation from rolling back the stack to the previous state if an error occurs. This will ensure that successfully provisioned resources are preserved.

upvoted 7 times

albert_kuo Most Recent 1 year, 6 months ago

Selected Answer: B

aws cloudformation create-stack \
--stack-name my-app-stack \
--template-body file://my-template.yaml \
--parameters ParameterKey=InstanceType,ParameterValue=t2.micro \
--disable-rollback

aws cloudformation update-stack \
--stack-name my-app-stack \
--template-body file://my-template-updated.yaml \
--parameters ParameterKey=InstanceType,ParameterValue=t2.medium \
--disable-rollback

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 1 times

KarBiswa 2 years, 1 month ago

Selected Answer: B

https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/stack-failure-options.html

upvoted 1 times

joshnort 2 years, 2 months ago

Selected Answer: B

It should look like this:

aws cloudformation create-stack --stack-name myteststack --template-body file://DOC-EXAMPLE-BUCKET.json --disable-rollback

https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/stack-failure-options.html#stack-failure-options-cli

upvoted 3 times

kaes 2 years, 4 months ago

Selected Answer: B

"Specify the disable-rollback option or on-failure DO_NOTHING enumeration during a create-stack operation"
https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/stack-failure-options.html

upvoted 3 times

dilleman 2 years, 5 months ago

Selected Answer: B

B is correct

upvoted 3 times

kashtelyan 2 years, 5 months ago

Selected Answer: B

https://www.cloudhesive.com/blog-posts/cloudformation-disable-rollback/

upvoted 4 times

fordiscussionstwo 2 years, 6 months ago

BBBBBBBBBBBBBBBBB

upvoted 3 times