Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 211
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is creating an AWS Lambda function that will generate and export a file. The function requires 100 MB of temporary storage for temporary files while running. These files will not be needed after the function is complete.

How can the developer MOST efficiently handle the temporary files?

A. Store the files in Amazon Elastic Block Store (Amazon EBS) and delete the files at the end of the Lambda function.

B. Copy the files to Amazon Elastic File System (Amazon EFS) and delete the files at the end of the Lambda function.

C. Store the files in the /tmp directory and delete the files at the end of the Lambda function.

D. Copy the files to an Amazon S3 bucket with a lifecycle policy to delete the files.

Show Suggested Answer

---

by LemonGremlin at *Oct. 27, 2023, 9:55 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

tsangckl 1 year, 9 months ago

This appear at 17 Jun exam

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: C

C is the correct answer.

upvoted 2 times

RPRAMSUBU 2 years, 1 month ago

C is the correct answer

upvoted 2 times

SerialiDr 2 years, 2 months ago

Selected Answer: C

This is the most efficient and straightforward option. AWS Lambda provides a /tmp directory in its execution environment with a storage limit of 512 MB. This space can be used for temporary storage during the function execution. Since the requirement is 100 MB, it falls well within the limits of the /tmp directory.

upvoted 3 times

JohnPl 2 years, 2 months ago

Selected Answer: C

C is the correct answer

upvoted 1 times

sankhagg 2 years, 3 months ago

Starting March 2022, Lambda now supports increasing /tmp directory's maximum size limit up to 10,240MB. More information available. https://aws.amazon.com/blogs/aws/aws-lambda-now-supports-up-to-10-gb-ephemeral-storage/

upvoted 4 times

Claire_KMT 2 years, 5 months ago

C. Store the files in the /tmp directory and delete the files at the end of the Lambda function.
The /tmp directory is a dedicated temporary storage location provided by AWS Lambda for storing temporary files during the execution of the function.

It's cost-effective and efficient because it doesn't involve additional AWS services or storage costs.

AWS Lambda automatically manages the /tmp directory for you, including clearing its contents after the function execution is complete. You don't need to explicitly delete the files; Lambda takes care of it.

upvoted 3 times

LemonGremlin 2 years, 5 months ago

Selected Answer: C

Option C is the best choice for efficient handling of temporary files within an AWS Lambda function.

upvoted 2 times