## Exam AWS Certified Developer - Associate DVA-C02 All Questions

**View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam**

Go to Exam

## EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 243
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

---

A developer is building a serverless application by using AWS Serverless Application Model (AWS SAM) on multiple AWS Lambda functions. When the application is deployed, the developer wants to shift 10% of the traffic to the new deployment of the application for the first 10 minutes after deployment. If there are no issues, all traffic must switch over to the new version.

Which change to the AWS SAM template will meet these requirements?

A. Set the Deployment Preference Type to Canary10Percent10Minutes. Set the AutoPublishAlias property to the Lambda alias.

B. Set the Deployment Preference Type to Linear10PercentEvery10Minutes. Set AutoPublishAlias property to the Lambda alias.

C. Set the Deployment Preference Type to Canary10Percent10Minutes. Set the PreTraffic and PostTraffic properties to the Lambda alias.

D. Set the Deployment Preference Type to Linear10PercentEvery10Minutes. Set PreTraffic and PostTraffic properties to the Lambda alias.

Show Suggested Answer

---

by LemonGremlin at *Oct. 27, 2023, 9:39 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

## Comments

**didorins** Highly Voted 2 years, 5 months ago

Selected Answer: C

C should be it.

Shift traffic in two batches is Canary
Validation is done with hooks

https://docs.aws.amazon.com/serverless-application-model/latest/developerguide/automating-updates-to-serverless-apps.html

upvoted 9 times

**aws_god** Most Recent 1 year, 4 months ago

Selected Answer: A

A

upvoted 1 times

**Saudis** 1 year, 5 months ago

Selected Answer: A

A. Set the Deployment Preference Type to Canary10Percent10Minutes. Set the AutoPublishAlias property to the Lambda alias. Most Voted

upvoted 1 times

**MasoudK** 1 year, 5 months ago

A is the answer. The PreTraffic and PostTraffic properties are used for specifying validation Lambda functions to run before and after traffic shifting, respectively. They are not required for the basic canary deployment scenario described.

upvoted 1 times

**albert_kuo** 1 year, 6 months ago

Selected Answer: A

MyFunction:
Type: AWS::Serverless::Function
Properties:
# ... other properties ...
AutoPublishAlias: live
DeploymentPreference:
Type: Canary10Percent10Minutes

upvoted 1 times

**wh1t4k3r** 1 year, 7 months ago

Selected Answer: A

I will go with A since the question only mentions switch traffic gradually. Ideally A and C should be used as a combination.

upvoted 1 times

**Anandesh** 1 year, 8 months ago

Selected Answer: C

I feel it should be C.
https://docs.aws.amazon.com/serverless-application-model/latest/developerguide/automating-updates-to-serverless-apps.html

upvoted 1 times

**ahadh7621** 1 year, 8 months ago

Selected Answer: A

Answer is A:
https://docs.aws.amazon.com/serverless-application-model/latest/developerguide/automating-updates-to-serverless-apps.html
When deploying a Lambda function gradually, CodeDeploy requires a previously deployed function version to shift traffic from. Therefore, your first deployment should be accomplished in two steps:

Step 1: Deploy your Lambda function and automatically create aliases with AutoPublishAlias.

Step 2: Perform your gradual deployment with DeploymentPreference.

upvoted 2 times

**65703c1** 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

**41eb566** 2 years ago

Selected Answer: A

This configuration specifies a canary deployment strategy where 10% of the traffic is directed to the new deployment for the first 10 minutes after deployment. If there are no issues, all traffic will automatically switch over to the new version. Setting the AutoPublishAlias property to the Lambda alias ensures that the specified alias is automatically updated after the canary period.

upvoted 3 times

**Abdullah22** 2 years, 1 month ago

I am going with C

upvoted 1 times

**Abdullah22** 2 years, 1 month ago

change to A

upvoted 1 times

**KarBiswa** 2 years, 1 month ago

Selected Answer: C

https://docs.aws.amazon.com/serverless-application-model/latest/developerguide/automating-updates-to-serverless-apps.html
The success or failure of the deployment is determined by hooks

upvoted 1 times

**Jisking** 2 years, 1 month ago

Selected Answer: A

I go with A!

upvoted 2 times

**konieczny69** 2 years, 2 months ago

Selected Answer: A

AutoPublishAlias is a requirement.
Pre and Post traffic handlers are nice to have

upvoted 3 times

**SerialiDr** 2 years, 2 months ago

Selected Answer: A

This configuration will ensure that during deployment, 10% of the traffic is shifted to the new version for 10 minutes as a "canary" release. If no issues are detected during this period, AWS SAM will automatically shift the rest of the traffic to the new version. The AutoPublishAlias property is used to specify the alias that the AWS SAM deployment process will update to point to the new version of the function.

upvoted 3 times

**Snape** 2 years, 2 months ago

Selected Answer: A

set the Deployment Preference Type to Canary10Percent10Minutes and set the AutoPublishAlias property to the Lambda alias.

upvoted 2 times

**rrshah83** 2 years, 3 months ago

Selected Answer: A

https://docs.aws.amazon.com/serverless-application-model/latest/developerguide/automating-updates-to-serverless-apps.html

upvoted 2 times