Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 279
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A photo sharing application uses Amazon S3 to store image files. All user images are manually audited for inappropriate content by a third-party company. The audits are completed 1-24 hours after user upload and the results are written to an Amazon DynamoDB table, which uses the S3 object key as a primary key. The database items can be queried by using a REST API created by the third-party company.

An application developer needs to implement an automated process to tag all S3 objects with the results of the content audit.

What should the developer do to meet these requirements in the MOST operationally efficient way?

A. Create an AWS Lambda function to run in response to the s3:ObjectCreated event type. Write the S3 key to an Amazon Simple Queue Service (Amazon SQS) queue with a visibility timeout of 24 hours. Create and configure a second Lambda function to read items from the queue. Retrieve the results for each item from the DynamoDB table. Tag each S3 object accordingly.

B. Create an AWS Lambda function to run in response to the s3:ObjectCreated event type. Integrate the function into an AWS Step Functions standard workflow. Define an AWS Step Functions Wait state and set the value to 24 hours. Create and configure a second Lambda function to retrieve the audit results and tag the S3 objects accordingly after the Wait state is over.

C. Create an AWS Lambda function to load all untagged S3 objects. Retrieve the results for each item from the REST API and tag each S3 object accordingly. Create and configure an Amazon EventBridge rule to run at regular intervals. Set the Lambda function as a target for the EventBridge rule.

D. Launch an Amazon EC2 instance. Deploy a script to the EC2 instance to use the external database results to tag the S3 objects accordingly. Configure a crontab file to run the script at regular intervals.

Show Suggested Answer

by CrescentShared at *Feb. 21, 2024, 5:40 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

AssessmentKing Highly Voted 2 years ago

Selected Answer: B

Images are first uploaded to S3 bucket.
Then, manual audit is performed that lasts 1-24 hours.
Only after the audit of the image is finished we can run our Lambda function.
If we run event at regular intervals (what does it mean?) should we run it every hour and then we would have bunch of untagged objects that haven't been audited and we would add a tag to them which doesn't make sense.

- In option B they explicitly mention that the Wait period will be 24 hours thus insuring that the audit of those objects has been completed. Only then we run the Lambda function.

upvoted 8 times

SerialiDr Highly Voted 2 years ago

Selected Answer: C

C. Create an AWS Lambda function to load all untagged S3 objects. Retrieve the results for each item from the REST API and tag each S3 object accordingly. Create and configure an Amazon EventBridge rule to run at regular intervals. Set the Lambda function as a target for the EventBridge rule.

This solution leverages AWS Lambda for processing and tagging S3 objects based on the audit results available through the REST API. By using Amazon EventBridge to trigger the Lambda function at regular intervals, the developer ensures that the process runs automatically without manual intervention, efficiently handling the tagging of S3 objects once the audit results are available. This approach minimizes operational effort and does not require the continuous monitoring of S3 object creation or the management of complex workflows.

upvoted 6 times

egosselin Most Recent 10 months, 1 week ago

Selected Answer: C

C is the best anwser. B is wrong, because it induce unnecessary latency, if the image is audited after an hour, the app will still wait for 23 hours to tag the image.

upvoted 1 times

mooncake1 1 year, 2 months ago

Selected Answer: B

C will take too long... Each img will takd 24 hrs, and it will wait for all imgs. I do not understand why people are confused.. It needs to be triggered when the img is uploaded.

upvoted 1 times

mooncake1 1 year, 2 months ago

Also SQS max VT is 12 hr. 24 hr is impossible, A not right

upvoted 1 times

Arad 1 year, 2 months ago

Selected Answer: C

C is the right answer.
Lambda+EvenBridge is operationally more efficient than Step Function.

upvoted 1 times

ShakthiGCP 1 year, 3 months ago

Selected Answer: B

Ans: B . We have to wait for 1- 24 hrs .we cant just run the lambda functions to get untagged objects .

upvoted 1 times

Saudis 1 year, 5 months ago

Selected Answer: C

I am confuse because the chatGPT Says C

upvoted 1 times

devmo 1 year, 5 months ago

Selected Answer: C

With option B, what if the external company doesn't complete the audit in 24 hours Least operational over head and long term solution would be going with 1 lambda and event bridge is what I feel.

upvoted 1 times

devmo 1 year, 5 months ago

Changing my mind to B as a lambda might time out if number of untagged items are a lot. Good use case for dynamodb streams.

upvoted 1 times

MasoudK 1 year, 5 months ago

C coz of operationally efficient words

upvoted 3 times

tsangckl 1 year, 9 months ago

Selected Answer: C

This solution leverages AWS Lambda, which is a serverless compute service that runs your code in response to events and automatically manages the underlying compute resources for you1. By using Lambda

in conjunction with Amazon EventBridge, which can trigger events at regular intervals, you can create a system that periodically checks for new audit results and applies tags to S3 objects without the need for managing server instances or handling queue visibility timeouts. This approach is not only operationally efficient but also cost-effective, as you pay only for the compute time you consume with Lambda21.

upvoted 3 times

65703c1 1 year, 10 months ago

Selected Answer: B

B is the correct answer.

upvoted 2 times

DeaconStJohn 2 years ago

Selected Answer: B

I'm still not sure if B is correct.
However, I think this use case is very similar to a feature that exists in step functions. Although the wording doesn't answer the question directly and I think waiting 24 hours is the opposite of operationally efficient. The GetTaskToken feature that is part of service integration in step functions would be a perfect match for this scenario, removing the 24 hour wait while maintaining operational efficiency using AWS Step functions.
I can only hope this is what they are getting at when I answer this on the exam.

https://docs.aws.amazon.com/step-functions/latest/dg/connect-to-resource.html

upvoted 4 times

KarBiswa 2 years ago

Selected Answer: C

Best option considering the question conditions. Reading from Rest API

upvoted 2 times

monishvster 2 years, 1 month ago

Selected Answer: A

Should be A

upvoted 1 times

Jisking 2 years, 1 month ago

Selected Answer: B

I may choose B.

upvoted 3 times

CrescentShared 2 years, 1 month ago

Selected Answer: C

A does not make any sense.

upvoted 3 times