Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 294
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company's developer has deployed an application in AWS by using AWS CloudFormation. The CloudFormation stack includes parameters in AWS Systems Manager Parameter Store that the application uses as configuration settings. The application can modify the parameter values.

When the developer updated the stack to create additional resources with tags, the developer noted that the parameter values were reset and that the values ignored the latest changes made by the application. The developer needs to change the way the company deploys the CloudFormation stack. The developer also needs to avoid resetting the parameter values outside the stack.

Which solution will meet these requirements with the LEAST development effort?

A. Modify the CloudFormation stack to set the deletion policy to Retain for the Parameter Store parameters.

B. Create an Amazon DynamoDB table as a resource in the CloudFormation stack to hold configuration data for the application. Migrate the parameters that the application is modifying from Parameter Store to the DynamoDB table.

C. Create an Amazon RDS DB instance as a resource in the CloudFormation stack. Create a table in the database for parameter configuration. Migrate the parameters that the application is modifying from Parameter Store to the configuration table.

D. Modify the CloudFormation stack policy to deny updates on Parameter Store parameters.

Show Suggested Answer

by CrescentShared at *Feb. 21, 2024, 7:12 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

9e9dea4 6 months, 2 weeks ago

Selected Answer: D

A - Deletion policy only affects stack deletes not update
B/C - requires an overhead code change and infrastructure change
D - Require minimal effort

upvoted 1 times

fsk8 7 months, 2 weeks ago

Selected Answer: A

A - Least development effort. Retain deletion policy prevents CloudFormation from deleting and recreating the parameters, preserving their values across updates.
B - More effort. Requires significant migration and application code changes to use DynamoDB.
C - Most effort - Requires setting up and managing a database, significant migration, and application code changes. Perhaps also not optimal for DB load.
D - Denying updates prevents CloudFormation from managing the parameters at all, which might not be desired for initial deployment or future controlled updates.

upvoted 1 times

teban0130 1 year ago

Selected Answer: D

La opción de DeletionPolicy: Retain aplica solo para la eliminacion de los recursos, la pregunta habla de la actualización del valor de SSM Parameter, una politica que haga el deny de poder actualizar los valores, permitirá proteger el cloudformation

upvoted 2 times

albert_kuo 1 year, 6 months ago

Selected Answer: A

Resources:
MyAppParameter:
Type: "AWS::SSM::Parameter"
Properties:
Name: "MyAppParameter"
Type: "String"
Value: "InitialValue"
DeletionPolicy: Retain

upvoted 1 times

Saurabh04 1 year, 7 months ago

Selected Answer: B

Option B (Use Amazon DynamoDB for Configuration Data):
Create a DynamoDB table as a resource in the CloudFormation stack.
Migrate the parameters from Parameter Store to the DynamoDB table.
Allows the application to modify parameter values without affecting the stack.

upvoted 2 times

Anandesh 1 year, 8 months ago

Selected Answer: D

There is no evidence from the wording in question that resources have been deleted from outside. Also, resetting the values does not mean factory reset wherein, somebody deleted the resource from outside and recreated it with default values. There is no evidence of that either. So, as per https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/protect-stack-resources.html#stack-policy-reference I would choose D

upvoted 2 times

BrainFried 1 year, 7 months ago

The stack deletes resources on updates. See https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-attribute-deletionpolicy.html

The wording in the question states "The application can modify the parameter values"

Given this, it is unlikely that Option D would be suitable. It would prevent the application from making updates to the parameter store, leading to potential errors.

Option D is also unsuitable as it as it would mean the parameter store would still be reset for any future stack updates - which is precisely the root cause of the original issue stated in this question. D does not solve the problem here. A does.

upvoted 1 times

ahadh7621 1 year, 8 months ago

I don't understand why it would be A. Reading the question again, "The developer "updated the stack to create additional resources with tags...noted that the parameter values were reset". A deletion policy only protects resources when a stack is deleted or "This capability also applies to stack update operations that lead to resources being deleted from stacks." (https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-attribute-deletionpolicy.html) The parameters aren't being deleted but simply overwritten.

In this case, to prevent the parameter store values from being overwritten, we can use a stack policy to prevent updates to a stack resource. "You can prevent stack resources from being unintentionally updated or deleted during a stack update by using a stack policy." (https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/protect-stack-resources.html#stack-policy-intro-example)

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

yingying920928 2 years ago

Selected Answer: A

Option A is the most straightforward approach to ensure that the parameters are not deleted or reset to their original values when the stack is deleted or updated.

Option D Modifying the stack policy to deny updates on Parameter Store parameters could prevent necessary updates and is not recommended as it could lead to stack update failures.

upvoted 3 times

KarBiswa 2 years ago

Selected Answer: A

This solution allows the developer to avoid resetting the parameter values stored in AWS Systems Manager Parameter Store when updating the CloudFormation stack. By setting the deletion policy to Retain for those parameters, CloudFormation will preserve their values during stack updates instead of deleting and recreating them.

upvoted 3 times

SerialiDr 2 years ago

Selected Answer: A

A. Modify the CloudFormation stack to set the deletion policy to Retain for the Parameter Store parameters.

This solution allows the developer to avoid resetting the parameter values stored in AWS Systems Manager Parameter Store when updating the CloudFormation stack. By setting the deletion policy to Retain for those parameters, CloudFormation will preserve their values during stack updates instead of deleting and recreating them.

It changes the way the company deploys the CloudFormation stack by modifying the deletion policy for the relevant parameters.
It avoids resetting the parameter values outside the stack, as the values modified by the application will be retained during stack updates.

upvoted 4 times

Abdullah22 2 years ago

Selected Answer: D

I am going with D.

upvoted 2 times

monishvster 2 years, 1 month ago

Selected Answer: A

Should be A. As the developer also needs to avoid resetting the parameter values outside the stack.

upvoted 3 times

CrescentShared 2 years, 1 month ago

Selected Answer: D

It is D

upvoted 4 times