Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 301
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is building a serverless application on AWS for a workflow that processes high volumes of data. In the workflow, an AWS Step Functions state machine invokes several AWS Lambda functions.

One of the Lambda functions occasionally fails because of timeout errors during periods of high demand. The developer must ensure that the workflow automatically retries the failed function invocation if a timeout error occurs.

Which solution will meet this requirement?

A. Add a Retry field in the Step Functions state machine definition. Configure the state machine with the maximum number of retry attempts and the timeout error type to retry on.

B. Add a Timeout field in the Step Functions state machine definition. Configure the state machine with the maximum number of retry attempts.

C. Add a Fail state to the Step Functions state machine definition. Configure the state machine with the maximum number of retry attempts.

D. Update the Step Functions state machine to pass the invocation request to an Amazon Simple Notification Service (Amazon SNS) topic. Subscribe a Lambda function to the SNS topic. Configure the Lambda function with the maximum number of retry attempts for a timeout error type.

Show Suggested Answer

by CrescentShared at *Feb. 22, 2024, 6:27 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

CrescentShared Highly Voted 2 years, 1 month ago

Selected Answer: A

A is correct.

upvoted 5 times

KarBiswa Highly Voted 2 years ago

Selected Answer: A

https://docs.aws.amazon.com/step-functions/latest/dg/concepts-error-handling.html#:~:text=Task%2C%20Parallel%2C%20and%20Map%20states%20can%20have%20a%20field%20named%20Retry%2C%20whose%20value%20must%20be%20an%20array%20of%20objects%20known%20as%20retriers.%20An%20individual%20retrier%20represents%20a%20certain%20number%20of%20retries%2C%20usually%20at%20increasing%20time%20intervals.

upvoted 5 times

albert_kuo Most Recent 1 year, 6 months ago

Selected Answer: A

```
{
"Type": "Task",
"Resource": "arn:aws:lambda:region:account-id:function:function-name",
"Retry": [
{
"ErrorEquals": ["States.Timeout"],
"IntervalSeconds": 2,
"MaxAttempts": 3,
"BackoffRate": 2.0
}
],
"End": true
}
```

upvoted 1 times

preachr 1 year, 6 months ago

Selected Answer: A

https://docs.aws.amazon.com/step-functions/latest/dg/concepts-error-handling.html#error-handling-examples

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

SerialiDr 2 years ago

Selected Answer: A

AWS Step Functions allows you to handle errors and automate retry policies directly within your state machine definition. By adding a Retry field to the state definition of the Lambda function within the Step Functions state machine, you can specify the error types for which retries should occur, including timeout errors. You can also configure the maximum number of retry attempts, the interval between retries, backoff rate, and more. This solution directly addresses the need for automatic retry in case of specific errors such as timeouts, making it an efficient way to enhance the resilience of serverless workflows.

upvoted 4 times