Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 313
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company has a mobile app. The app includes an Amazon API Gateway REST API that invokes AWS Lambda functions. The Lambda functions process data from the app.

The company needs to test updated Lambda functions that have new features. The company must conduct these tests with a subset of users before deployment. The tests must not affect other users of the app.

Which solution will meet these requirements with the LEAST amount of operational effort?

A. Create a new version of each Lambda function with a weighted alias. Configure a weight value for each version of the Lambda function. Update the new weighted alias Amazon Resource Name (ARN) in the REST API.

B. Create a new REST API in API Gateway. Set up a Lambda proxy integration to connect to multiple Lambda functions. Enable canary settings on the deployment stage. Specify a smaller percentage of API traffic to go to the new version of the Lambda function.

C. Create a new version of each Lambda function. Integrate a predefined canary deployment in AWS CodeDeploy to slowly shift the traffic to the new versions automatically.

D. Create a new REST API in API Gateway. Set up a Lambda non-proxy integration to connect to multiple Lambda functions. Specify the necessary parameters and properties in API Gateway. Enable

canary settings on the deployment stage. Specify a smaller percentage of API traffic to go to the new version of the Lambda function.

Show Suggested Answer

by Americo32 at *Feb. 12, 2024, 2:16 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

DeaconStJohn Highly Voted 2 years ago

Selected Answer: A

The wording is screaming out weighted alias. During a canary deployment, we are moving code from testing to prod. We can define a subset of users i.e. 10% for a set period of time. After this the other users will be impacted as the percentage will increment or the deployment will push new code to 100% of users.

With a weighted alias we can define a subset of users and use this as our guinea pigs to test new code. As this isn't a canary deployment we have no risk of more users becoming impacted. Operational overhead is minimal as we only need to point to a new alias.

With weighted alias we can deploy for testing purposes. From my understanding lambda proxy is grouping lambda functions. the traffic splitting would need to be set at the lambda level as this is testing prior to deployment.

upvoted 13 times

albert_kuo 1 year, 8 months ago

1. create new version
aws lambda publish-version --function-name MyFunction

2. create weighted alias
aws lambda create-alias --function-name MyFunction \
--name MyAlias \
--function-version 1 \
--routing-config '{"AdditionalVersionWeights": {"2": 0.1}}'

upvoted 2 times

monishvster Highly Voted 2 years, 1 month ago

Selected Answer: B

Should be B

upvoted 5 times

Shamalka Most Recent 1 year ago

Selected Answer: A

The simple answer is A. The Simple reason for the answer to not be D is why you would need to create a new Rest API endpoint.?

upvoted 1 times

examuserss 1 year, 3 months ago

Selected Answer: A

Best Solution:
Option A: Create a new version of each Lambda function with a weighted alias. Configure a weight value for each version of the Lambda function. Update the new weighted alias Amazon Resource Name (ARN) in the REST API.

This is the least complex and most efficient solution. By using weighted aliases for Lambda versions, you can control the traffic sent to the new version of the function, and it can be done with minimal operational overhead, without the need to create a new API or involve other services like AWS CodeDeploy.

upvoted 1 times

ShakthiGCP 1 year, 4 months ago

Selected Answer: A

Weight ed alias

upvoted 1 times

ShakthiGCP 1 year, 4 months ago

Selected Answer: A

Yes. Answer is Option A. B will eventually push all users to new alias as part of canary deployment.

upvoted 1 times

Saudis 1 year, 5 months ago

Selected Answer: B

B provides the least operational effort

upvoted 1 times

abdulla203 1 year, 6 months ago

Selected Answer: A

I think A is direct

upvoted 1 times

wh1t4k3r 1 year, 7 months ago

I am going with A, not sure if creating a new rest api is less effort then just managing the existing API config for the weight.

upvoted 2 times

tomchandler077 1 year, 8 months ago

Option A is typically the most straightforward and requires the least operational effort while providing high control over traffic distribution directly from the Lambda configuration. This method avoids the overhead of managing additional services or creating new APIs and is directly supported by AWS services for testing purposes with actual users.

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

a1971h 1 year, 11 months ago

Selected Answer: B

It says: with the LEAST amount of operational effort
B --- NEVER A!!!

upvoted 3 times

ethanluvsbooks 2 years ago

Selected Answer: B

This is the least amount of effort.
I originally thought answer A but then you will have more effort because will have to update API Gateway configuration to use new ARN etc.
Unless there are other thoughts on this?

upvoted 5 times

yingying920928 2 years ago

Selected Answer: A

Prefer A, because creating a new REST API (B) involves more operational overhead and complexity compared to using weighted aliases. Moreover, setting up a Lambda proxy integration to connect to multiple Lambda functions can increase complexity, especially when handling different versions for canary testing.

upvoted 4 times

KarBiswa 2 years, 1 month ago

Selected Answer: B

https://docs.aws.amazon.com/apigateway/latest/developerguide/set-up-lambda-proxy-integrations.html

upvoted 3 times

be1dca8 1 year, 11 months ago

This is possible but the question stated less operational effort.

upvoted 1 times

ANDRES715 2 years, 1 month ago

Selected Answer: D

}
El desarrollador debe crear una nueva API REST en Amazon API Gateway y configurar una integración Lambda sin proxy para conectarse a múltiples funciones Lambda. Luego, debe especificar los parámetros y propiedades necesarios en API Gateway y habilitar la configuración canary en la etapa de implementación. Especifique un porcentaje menor de tráfico API para ir a la nueva versión de la función Lambda.

Al utilizar una nueva API REST en API Gateway con una configuración canary, el desarrollador puede probar las funciones Lambda actualizadas con nuevas características con un subconjunto de usuarios antes de la implementación completa. Esto permite realizar pruebas sin afectar a otros usuarios de la aplicación y con un menor esfuerzo operativo.

upvoted 1 times

CrescentShared 2 years, 1 month ago

Selected Answer: B

Option A involves using weighted aliases for Lambda functions, which is a valid approach but requires more effort to manage and update the aliases in the API Gateway configuration.

upvoted 5 times