Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 320
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer built an application that calls an external API to obtain data, processes the data, and saves the result to Amazon S3. The developer built a container image with all of the necessary dependencies to run the application as a container.

The application runs locally and requires minimal CPU and RAM resources. The developer has created an Amazon ECS cluster. The developer needs to run the application hourly in Amazon Elastic Container Service (Amazon ECS).

Which solution will meet these requirements with the LEAST amount of infrastructure management overhead?

A. Add a capacity provider to manage instances.

B. Add an Amazon EC2 instance that runs the application.

C. Define a task definition with an AWS Fargate launch type.

D. Create an Amazon ECS cluster and add the managed node groups feature to run the application.

Show Suggested Answer

---

by tgv at *Feb. 18, 2024, 12:29 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

tgv Highly Voted 2 years, 1 month ago

Selected Answer: C

Always ECS with Fargate for the least management.

upvoted 10 times

Saudis Most Recent 1 year, 5 months ago

Selected Answer: C

AWS Fargate Serverless Container management

upvoted 1 times

preachr 1 year, 6 months ago

Selected Answer: C

Fargate is suitable for the following workloads:
- Large workloads that require low operational overhead
- Small workloads that have an occasional burst
- Tiny workloads
- Batch workloads

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: C

C is the correct answer.

upvoted 1 times

KarBiswa 2 years, 1 month ago

Selected Answer: C

https://docs.aws.amazon.com/AmazonECS/latest/developerguide/launch_types.html

upvoted 3 times

ANDRES715 2 years, 1 month ago

Selected Answer: C

El desarrollador debe definir una definición de tarea con un tipo de lanzamiento de AWS Fargate. Al utilizar AWS Fargate, el desarrollador puede ejecutar la aplicación en un clúster de Amazon ECS sin tener que administrar la infraestructura subyacente. Fargate se encarga de aprovisionar y escalar automáticamente los recursos necesarios para ejecutar la tarea de la aplicación, lo que reduce la carga operativa y los gastos generales de administración.

Al ejecutar la aplicación en AWS Fargate, el desarrollador puede aprovechar los recursos mínimos de CPU y RAM necesarios para la aplicación, lo que garantiza un uso eficiente de los recursos y minimiza los costos.

upvoted 4 times