Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 321
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company runs its website on AWS. The company posts daily polls on its website and publishes the poll results next day. The website stores user responses in an Amazon DynamoDB table. After the poll results are published, the company does not need to keep the user responses.

A developer needs to implement a solution that will automatically remove old user responses from the DynamoDB table. The developer adds a new expiration_date attribute to the DynamoDB table. The developer plans to use the expiration_date attribute for the automation.

Which solution will meet these requirements with the LEAST development effort?

A. Create an AWS Lambda function to delete old user responses based on the expiration_date attribute. Create an Amazon EventBridge schedule to run the Lambda function daily.

B. Create an AWS Fargate task in Amazon Elastic Container Service (Amazon ECS) to delete old user responses based on the expiration_date attribute. Create an Amazon EventBridge schedule to run the Fargate task daily.

C. Create an AWS Glue job to delete old user responses based on the expiration_date attribute. Create an AWS Glue trigger schedule to run the job daily.

D. Enable TTL on the DynamoDB table and specify the expiration_date attribute. Expire old user responses by using DynamoDB TTL.

Show Suggested Answer

by Americo32 at *Feb. 12, 2024, 6:08 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

albert_kuo 1 year, 8 months ago

Selected Answer: D

1. enable ttl
aws dynamodb update-time-to-live \
--table-name <your-table-name> \
--time-to-live-specification "Enabled=true, AttributeName=expiration_date"

2.Set TTL
aws dynamodb describe-time-to-live --table-name <your-table-name>

upvoted 1 times

tomchandler077 1 year, 8 months ago

To deploy an AWS Lambda function using AWS CloudFormation, especially when the function code is stored in an Amazon S3 bucket, the developer should reference the S3 location directly in the CloudFormation template. The best option to achieve this with the least development effort is:

Option D directly links the Lambda function's deployment package stored in S3 to the CloudFormation template, which automates the deployment process without requiring additional steps for handling the function code.

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: D

D is the correct answer.

upvoted 1 times

monishvster 2 years, 1 month ago

Selected Answer: D

Always TTL

upvoted 4 times

CrescentShared 2 years, 1 month ago

Selected Answer: D

It's D.

upvoted 3 times

Americo32 2 years, 1 month ago

Opção A

upvoted 1 times

tgv 2 years, 1 month ago

it says "the least development effort". in this case the TTL would be best practice

upvoted 5 times