Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02

Question #: 341

Topic #: 1

[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is deploying an application in the AWS Cloud by using AWS CloudFormation. The application will connect to an existing Amazon RDS database. The hostname of the RDS database is stored in AWS Systems Manager Parameter Store as a plaintext value. The developer needs to incorporate the database hostname into the CloudFormation template to initialize the application when the stack is created.

How should the developer reference the parameter that contains the database hostname?

A. Use the ssm dynamic reference.

B. Use the Ref intrinsic function.

C. Use the Fn::ImportValue intrinsic function.

D. Use the ssm-secure dynamic reference.

Show Suggested Answer

---

by KarBiswa at *March 23, 2024, 4:05 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

DeaconStJohn Highly Voted 2 years ago

Selected Answer: A

As it is the DB hostname and not sensitive credentials I think ssm dynamic is the correct answer.
Option D - is for secure string whereas this parameter is currently stored in plain text.
For option C, I opted against this because for an import value, I believe there needs to be an export value from another template. The question didn't state that anything else was created via CF template.
Option B - I understand to be used to reference another resource block that is in the same YAML template.

upvoted 6 times

teban0130 Most Recent 1 year ago

Selected Answer: A

Parameters:
Environment:
Type: AWS::SSM::Parameter::Value<String>
Default: env

upvoted 1 times

preachr 1 year, 6 months ago

Selected Answer: A

To reference a plaintext value stored in Parameter Store in your template, you use the ssm dynamic reference pattern. This pattern allows you to reference values from parameters of type String or StringList in Parameter Store.

upvoted 1 times

Anandesh 1 year, 8 months ago

Selected Answer: A

https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

be1dca8 1 year, 11 months ago

A since the question stated that the value is just plain text, not a secureString type

upvoted 3 times

KarBiswa 2 years ago

Selected Answer: D

https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/dynamic-references.html#dynamic-references-ssm-secure-strings

upvoted 1 times