Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 343
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer is building a new containerized application by using AWS Copilot. The developer uses the AWS Copilot command line interface (CLI) to deploy the application during development. The developer committed the application code to a new AWS CodeCommit repository. The developer must create an automated deployment process before releasing the new application to production.

What should the developer do to meet these requirements in the MOST operationally efficient way?

A. Create a buildspec file that invokes the AWS Copilot CLI commands to build and deploy the application. Use the AWS Copilot CLI to create an AWS CodePipeline that uses the CodeCommit repository in the source stage and AWS CodeBuild in the build stage.

B. Use the AWS Serverless Application Model (AWS SAM) CLI to bootstrap and initialize an AWS CodePipeline configuration. Use the CodeCommit repository as the source. Invoke the AWS Copilot CLI to build and deploy the application.

C. Use the AWS Copilot CLI to define the AWS Copilot pipeline and to deploy the AWS CodePipeline. Select CodeCommit as the source for the AWS CodePipeline.

D. Define an AWS CloudFormation template for an AWS CodePipeline with CodeCommit as the source. Configure the template as an AWS Copilot CLI add-on. Use the AWS Copilot CLI to deploy the application.

Show Suggested Answer

by KarBiswa at *March 23, 2024, 4:24 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

examuserss 1 year, 3 months ago

Selected Answer: C

Correct Answer:
C. Use the AWS Copilot CLI to define the AWS Copilot pipeline and to deploy the AWS CodePipeline. Select CodeCommit as the source for the AWS CodePipeline.

This option is the most operationally efficient solution, as it makes full use of AWS Copilot's built-in capabilities to define and deploy the automated pipeline with minimal effort.

upvoted 2 times

preachr 1 year, 6 months ago

Selected Answer: C

https://aws.github.io/copilot-cli/docs/concepts/pipelines/

upvoted 3 times

wh1t4k3r 1 year, 7 months ago

Selected Answer: C

Both A and C work, the key word is efficiency. C is the most efficient way.

upvoted 1 times

65703c1 1 year, 10 months ago

Selected Answer: A

A is the correct answer.

upvoted 2 times

Lucky4Life 1 year, 10 months ago

Selected Answer: C

Per Chatgpt

upvoted 1 times

a1971h 1 year, 11 months ago

Selected Answer: C

C ,,,,,,,,,,,,,,,,,,

upvoted 1 times

DeaconStJohn 2 years ago

Selected Answer: C

https://ecsworkshop.com/microservices/frontend/#deploy-frontend-0:~:text=on%20the%20pipeline.-,Creating%20the%20pipeline,-Generally%2C%20when%20we

This workshop is linked from AWS docs @ https://docs.aws.amazon.com/AmazonECS/latest/developerguide/getting-started-aws-copilot-cli.html#:~:text=Step%206.%20Learn%20to%20create%20a%20CI/CD%20Pipeline

Co-pilot CLI is a substitute for AWS console. As the question states the dev is using co-pilot I think this is the best answer, although option A is more suited to my experience.

upvoted 2 times

komorebi 2 years ago

Selected Answer: A

The correct answer to ChetGPT is A

upvoted 2 times