Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 359
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A company has an application that uses an AWS Lambda function to process data. A developer must implement encryption in transit for all sensitive configuration data, such as API keys, that is stored in the application. The developer creates an AWS Key Management Service (AWS KMS) customer managed key.

What should the developer do next to meet the encryption requirement?

A. Create parameters of the String type in AWS Systems Manager Parameter Store. For each parameter, specify the KMS key ID to encrypt the parameter in transit. Reference the GetParameter API call in the Lambda environment variables.

B. Create secrets in AWS Secrets Manager by using the customer managed KMS key. Create a new Lambda function and set up a Lambda layer. Configure the Lambda layer to retrieve the values from Secrets Manager.

C. Create objects in Amazon S3 for each sensitive data field. Specify the customer managed KMS key to encrypt the object. Configure the Lambda function to retrieve the objects from Amazon S3 during data processing.

D. Create encrypted Lambda environment variables. Specify the customer managed KMS key to encrypt the variables. Enable encryption helpers for encryption in transit. Grant permission to the Lambda function's execution role to access the KMS key.

Show Suggested Answer

by cachac at *June 30, 2024, 11:54 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

cachac Highly Voted 1 year, 9 months ago

Selected Answer: D

Considering: "API keys, that is stored in the application".

D is the most direct approach. Lambda supports encrypting environment variables with a KMS key, eliminating the need for additional services or layers.

upvoted 8 times

08dc0cf Most Recent 9 months, 3 weeks ago

Selected Answer: B

D is incorrect - encrypting environment variables cannot be done in transit

upvoted 1 times

AlmeroSenior 9 months, 3 weeks ago

Selected Answer: B

Question is regarding encryption in TRANSIT, not REST guys. So answer is B.

Lambda vars : These can be encrypted at rest using KMS, but are decrypted and stored in plaintext in memory during function execution.

upvoted 1 times

alemaricame 10 months, 2 weeks ago

Selected Answer: D

Create encrypted Lambda environment variables. Specify the customer managed KMS key to encrypt the variables. Enable encryption helpers for encryption in transit. Grant permission to the Lambda function's execution role to access the KMS key.

upvoted 1 times

lak_83 1 year, 1 month ago

Selected Answer: B

Answer is B and it does provide more flexibility than D

upvoted 1 times

bp07 1 year, 2 months ago

Selected Answer: A

I feel it should be A.
D can't be used as this approach does not use encryption in transit when retrieving sensitive data, as the data is embedded directly in the Lambda configuration.

upvoted 1 times

CloudChingon 1 year, 4 months ago

Selected Answer: B

AWS Secret Manager and pulling the secrets from it using layers sounds reasonable to me. I have seen that implementation in real life.

upvoted 1 times

preachr 1 year, 6 months ago

Selected Answer: D

https://docs.aws.amazon.com/lambda/latest/dg/configuration-envvars-encryption.html

upvoted 1 times

tomchandler077 1 year, 8 months ago

OPTION B ---CORRECT . To meet the requirement of encrypting sensitive configuration data in transit while using it within an AWS Lambda function, the developer should leverage AWS Secrets Manager. Secrets Manager is specifically designed for handling and securing sensitive information like API keys, database credentials, and similar data, making it suitable for this scenario.

upvoted 1 times