Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 423
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A development team wants to immediately build and deploy an application whenever there is a change to the source code.

Which approaches could be used to trigger the deployment? (Choose two.)

A. Store the source code in an Amazon S3 bucket. Configure AWS CodePipeline to start whenever a file in the bucket changes.

B. Store the source code in an encrypted Amazon EBS volume. Configure AWS CodePipeline to start whenever a file in the volume changes.

C. Store the source code in an AWS CodeCommit repository. Configure AWS CodePipeline to start whenever a change is committed to the repository.

D. Store the source code in an Amazon S3 bucket. Configure AWS CodePipeline to start every 15 minutes.

E. Store the source code in an Amazon EC2 instance's ephemeral storage. Configure the instance to start AWS CodePipeline whenever there are changes to the source code.

Show Suggested Answer

---

by wh1t4k3r at *Sept. 3, 2024, 6:04 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

tullio85 1 year, 2 months ago

Selected Answer: AC

both A and C are correct

upvoted 1 times

Saudis 1 year, 4 months ago

Selected Answer: AC

Answer is AC

upvoted 1 times

aragon_saa 1 year, 6 months ago

Selected Answer: AC

Answer is AC

upvoted 1 times

wh1t4k3r 1 year, 7 months ago

Selected Answer: AC

https://docs.aws.amazon.com/codepipeline/latest/userguide/reference-pipeline-structure.html#:~:text=When%20you%20create%20a%20pipeline,commit%20a%20source%20code%20change.

Only A and C present valid repository types for codepipeline. D also does, but it is not automatic.

upvoted 1 times