Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 433
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer uses Amazon S3 Event Notifications to invoke AWS Lambda functions. The Lambda functions process images after the images are uploaded to S3 buckets. The developer has set up a development S3 bucket, a production S3 bucket, a development Lambda function, and a production Lambda function in the same AWS account.

The developer notices that uploads to the development S3 bucket wrongly invoke the production Lambda function. The developer must prevent development data from affecting the production Lambda function.

What should the developer do to meet these requirements?

A. Update the execution role for the production Lambda function. Add a policy that allows the execution role to read from only the production S3 bucket.

B. Update the S3 bucket policy for the production S3 bucket to invoke the production Lambda function. Update the S3 bucket policy for the development S3 bucket to invoke the development Lambda function.

C. Separate the development environment and the production environment into their own AWS accounts. Update the execution role for each Lambda function. Add a policy that allows the execution role to read from only the S3 bucket that is in the same account.

D. Separate the development environment and the production environment into their own AWS accounts. Add a resource policy to the Lambda functions to allow only S3 bucket events in the same account to invoke the functions.

Show Suggested Answer

by albert_kuo at *Oct. 10, 2024, 7:43 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

examuserss 1 year, 3 months ago

Selected Answer: B

The best solution is B.
The issue stems from incorrectly configured S3 bucket policies. Each bucket's policy should explicitly specify which Lambda function to invoke when an event occurs in that bucket. By updating the policies to correctly map each bucket to its corresponding Lambda function, you ensure that events from the development bucket only trigger the development function, preventing accidental invocation of the production function.

upvoted 1 times

devmo 1 year, 4 months ago

Selected Answer: D

D is the answer. @Moderator, please correct the answer from B to D.

upvoted 3 times

Saudis 1 year, 4 months ago

Selected Answer: D

DDDDDDDDDDDDDDDDD

upvoted 2 times

Saudis 1 year, 4 months ago

Selected Answer: D

D is the correct answer

upvoted 1 times

ogogundare 1 year, 5 months ago

D is the correct answer

upvoted 1 times

albert_kuo 1 year, 5 months ago

Selected Answer: D

Account Separation: By separating development and production environments into different AWS accounts, you create a strong boundary between the two. This is a best practice for security and resource management.
Resource Policy: Adding a resource policy to the Lambda functions that

allows only S3 bucket events from the same account to invoke them
ensures that cross-account invocations cannot occur accidentally.

upvoted 3 times