Exam AWS Certified Developer - Associate DVA-C02 All Questions

View all questions & answers for the AWS Certified Developer - Associate DVA-C02 exam

Go to Exam

EXAM AWS CERTIFIED DEVELOPER - ASSOCIATE DVA-C02 TOPIC 1 QUESTIO...

Exam question from Amazon's AWS Certified Developer - Associate DVA-C02
Question #: 516
Topic #: 1
[All AWS Certified Developer - Associate DVA-C02 Questions]

A developer needs to configure an AWS Lambda function to make HTTP POST requests to an internal application. The application is in the same AWS account that hosts the function. The internal application runs on Amazon EC2 instances in a private subnet within a VPC.

Which solution will meet these requirements?

A. Configure a VPC endpoint to connect to the private subnet. Attach the endpoint to the Lambda function.

B. Attach the Lambda function to the VPC and to the private subnet.

C. Configure a VPN connection between the Lambda function and the private subnet. Attach the VPN to the Lambda function.

D. Configure the VPC route table to include the Lambda function's IP address.

Show Suggested Answer

---

by YUICH at *Dec. 16, 2024, 6:33 a.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

xdeveloper Highly Voted 1 year, 3 months ago

Selected Answer: B

When your Lambda function needs to access resources within a VPC, such as Amazon EC2 instances in a private subnet, you need to configure the Lambda function to run within that VPC. This is done by specifying the VPC, subnet(s), and security group(s) in the Lambda configuration. Once attached to the VPC and subnet, the Lambda function can make HTTP requests to the internal application running on the EC2 instances in the private subnet.

upvoted 5 times

thalasi Most Recent 10 months, 2 weeks ago

Selected Answer: B

Lambda functions do not have fixed IP addresses, making it impractical to add them to a route table

upvoted 1 times

YUICH 1 year, 3 months ago

Selected Answer: D

Lambda Function logs request information (e.g., timestamp, processing time, status) using the default logging mechanism.
Create custom CloudWatch metrics in a specific namespace based on these logs.

upvoted 1 times

YUICH 1 year, 3 months ago

Sorry I changed my opinion. The answer is B. Lambda functions do not have fixed IP addresses, making it impractical to add them to a route table. Instead, attaching the Lambda function to the VPC and configuring security groups appropriately is the recommended approach.

upvoted 3 times