Exam AWS Certified AI Practitioner AIF-C01 All Questions

View all questions & answers for the AWS Certified AI Practitioner AIF-C01 exam

Go to Exam

EXAM AWS CERTIFIED AI PRACTITIONER AIF-C01 TOPIC 1 QUESTION 9 DISC...

Exam question from Amazon's AWS Certified AI Practitioner AIF-C01
Question #: 9
Topic #: 1
[All AWS Certified AI Practitioner AIF-C01 Questions]

A company wants to create a chatbot by using a foundation model (FM) on Amazon Bedrock. The FM needs to access encrypted data that is stored in an Amazon S3 bucket. The data is encrypted with Amazon S3 managed keys (SSE-S3).
The FM encounters a failure when attempting to access the S3 bucket data.
Which solution will meet these requirements?

A. Ensure that the role that Amazon Bedrock assumes has permission to decrypt data with the correct encryption key.

B. Set the access permissions for the S3 buckets to allow public access to enable access over the internet.

C. Use prompt engineering techniques to tell the model to look for information in Amazon S3.

D. Ensure that the S3 data does not contain sensitive information.

Show Suggested Answer

---

by tccusa at *Nov. 3, 2024, 11:26 p.m.*

Disclaimers:
- ExamTopics website is **not** related to, affiliated with, endorsed or authorized by Amazon.
- Trademarks, certification & product names are used for reference only and belong to Amazon.

Comments

Jessiii Highly Voted 1 year, 1 month ago

Selected Answer: A

Amazon S3 managed keys (SSE-S3) encrypt your data using an Amazon-managed key, and to access this encrypted data, the IAM role that the service (in this case, Amazon Bedrock) assumes must have the appropriate permissions to decrypt the data. This includes permissions to read the object from the S3 bucket and decrypt it using the SSE-S3 encryption key.

upvoted 5 times

Rayenwalid Most Recent 7 months ago

Selected Answer: A

A: to access to encrypted data in amazon s3 bucket using a fm on aws bedrock , you can use aws key managlent service aws kms to manage encryption key and configure permissions that allow the fm to decrypt and access the data.

upvoted 1 times

65703c1 8 months, 1 week ago

Selected Answer: A

A is the correct answer.

upvoted 1 times

Nagen_007 10 months, 2 weeks ago

Selected Answer: A

A. Ensure that the role that Amazon Bedrock assumes has permission to decrypt data with the correct encryption key.

upvoted 1 times

Moon 1 year, 3 months ago

Selected Answer: A

A: Ensure that the role that Amazon Bedrock assumes has permission to decrypt data with the correct encryption key.

Explanation:
When data in an Amazon S3 bucket is encrypted using SSE-S3 (Server-Side Encryption with Amazon S3 managed keys), the IAM role used by the application (in this case, Amazon Bedrock) must have permissions to access and decrypt the data. Assigning the correct permissions to the role ensures that the Foundation Model (FM) can access the encrypted data.

upvoted 4 times

87ebc7d 1 year, 4 months ago

Selected Answer: A

None of the options are correct. To retrieve an object encrypted via SSE-S3, you just need GetObject permission. If I had this question on the exam, I'd be ticked.

upvoted 4 times

elf78 1 year, 4 months ago

A) The correct Answer!
B) Not a security best practice. never open the access to public!

C) Has nothing to do with security
D) Doesn't solve the access permission issue

upvoted 1 times