


| # | Feature Name | T | P | F | S | Duration |
|---|--------------------|---|---|---|---|----------|
| 1 | Checklist features | 1 | 1 | 0 | 0 | 40.962 s |
| 2 | Log in Clickcar | 4 | 3 | 1 | 0 | 49.249 s |
| 3 | Checkout complete | 1 | 0 | 1 | 0 | 36.596 s |

SCENARIOS SUMMARY -- 3 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------|--|---|---|---|---|----------|
| 1 | Checklist features | User can check Checklist | 2 | 2 | 0 | 0 | 40.962 s |
| 2 | Log in Clickcar | User login with data driven file | 1 | 1 | 0 | 0 | 49.249 s |
| 3 | Log in Clickcar | User login successfully with default credentials | 4 | 4 | 0 | 0 | 32.627 s |
| 4 | Log in Clickcar | User login with specific credentials | 4 | 4 | 0 | 0 | 22.368 s |
| 5 | Log in Clickcar | User login with specific credentials | 4 | 0 | 1 | 3 | 28.616 s |
| 6 | Checkout complete | User search car and checkout successfully | 5 | 3 | 1 | 1 | 36.596 s |


DETAILED SECTION

(F)- Checklist features

| PASSED | DURATION - 40.962 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 2 | |
| / 12:13:00.865 Pi | M // 12:13:41.827 PM / | Pass - 1 | 1 | Pass - 2 | 2 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |


-- 4 --

(S)- User can check Checklist




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User login successfully with default credentials | PASSED | 23.182 s |
| 2 | When Write data to excel | PASSED | 10.161 s |

(F)- Log in Clickcar




DETAILED SECTION -- 5 --

(S)- User login with data driven file



| | # | Step / Hook Details | Status | Duration |
|---|---|--|--------|----------|
| 1 | L | When User login with data from excel with file name "loginData.xlsx" and sheet name "Sheet1" | PASSED | 41.764 s |


(S)- User login successfully with default credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Login page | PASSED | 13.581 s |
| 2 | When User input default email and password | PASSED | 0.947 s |
| 3 | And User click Login button | PASSED | 0.126 s |
| 4 | Then User login successfully | PASSED | 11.036 s |


DETAILED SECTION -- 6 --

(S)- User login with specific credentials



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User is on Login page | PASSED | 12.830 s |
| 2 | When User input email "hoangnd1@smartosc.com" and password "Hoang1234" | PASSED | 0.581 s |
| 3 | And User click Login button | PASSED | 0.154 s |
| 4 | Then Verify that log in status is "Failed" | PASSED | 0.684 s |

(S)- User login with specific credentials




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User is on Login page | FAILED | 21.515 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: (//button//*[text()='Login'])[1] (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utilities.ElementUtils.waitForElementPresent(ElementUtils.java:101) at utilities.ElementUtils.doClick(ElementUtils.java:46) at pageObjects.HomePage.clickLoginStart(HomePage.java:42) at stepsDefinition.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:22) at ?.User is on Login page(file:///C:/Users/hienht/eclipse-workspace/QAClickcar/src/test/resources/features/LoginPage.feature:14) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//button/ | | |
| | /*[text()='Login'])[1]"} (Session info: headless chrome=97.0.4692.71) For documentation on this error, please visit: https://selenium.dev/ | | |
| | exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'FCA-00019', ip: '192.168.16.179', os.name: | | |
| | 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_301' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6d7cd9e3d5f47dfa58432f180f8f2fb, findElement {using=xpath, value=(//button//*[text()='Login'])[1]}] Capabilities {acceptInsecureCerts: false, | | |
| | browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a, userDataDir: | | |
| | C:\Users\hienht\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:57087}, javascriptEnabled: true, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: | | |
| | ws://localhost:57087/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c6d7cd9e3d5f47dfa58432f180f8f2fb | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) | | |
| | at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.lang.reflect.Constructor.newInstance(Constructor.java:423) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at utilities.ElementUtils.waitForElementPresent(ElementUtils.java:101) | | |
| | at utilities.ElementUtils.doClick(ElementUtils.java:46) | | |
| | at pageObjects.HomePage.clickLoginStart(HomePage.java:42) at stepsDefinition.LoginPageSteps.user_is_on_login_page(LoginPageSteps.java:22) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invokeo(NativeMethodAccessorImpl.java:62) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java.43) | | |
| | at sun.reflect. Delegating wethou Accessoring invoke (Delegating wethou Accessoring i.java. 43) at java.lang.reflect. Method.invoke (Method.java: 498) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:498) | | |
| | at io.cucumber.java.invoker.invoke(invoker.java.co) at io.cucumber.java.invoker.invoke(invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokemetriou(AbstractGlueDefinition.java.47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at 10.000 at 11.00.00 to per intermittent and to per intermittent and to per intermittent per at 10.000 at | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.lang.reflect.Method.invoke(Method.java:498) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) | | |
| | at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) | | |
| | at java.util.concurrent.FutureTask.run(FutureTask.java:266) | | |
| | at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) | | |
| | at java.util.concurrent.FutureTask.run(FutureTask.java:266) | | |
| | at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) | | |
| | at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) | | |
| | at java.lang.Thread.run(Thread.java:748) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 2 | When User input email "hoangnd1@smartosc.com" and password "Hoang123" | SKIPPED | 0.000 s |
| 3 | And User click Login button | SKIPPED | 0.000 s |
| 4 | Then Verify that log in status is "Success" | SKIPPED | 0.001 s |
| | AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.260 s |
| | User_login_with_specific_credentials | | |
| | Car buying as smooth as the ride. That's Carma. That's Carma. The Manual Proof that I have been a single proof that I have b | | |

DETAILED SECTION -- 9 --

(F)- Checkout complete



(S)- User search car and checkout successfully

| FAILED | DURATION - 36.596 s | 20 - | 1 | | _ | | <u>_</u> | | | | | | | Steps | | | |
|---------------|----------------------------|------|---|-------|-------|---|----------|------|----------|------|----------|------|---|---------------|------------|---|---|
| / 12:13:00.88 | 81 PM // 12:13:37.477 PM / | 15 | - | ı | - | | ļ. - | | | | ! | | | Total - 5 | | | |
| | | 10 - | # | H | - | | ļ | | | | | | | Pass - 3 | | 5 | |
| Checkout con | nplete | 5 - | ╬ | H | | | - | | | | | | | Fail - 1 | | | J |
| @e2eflow @c | checkout | 0 - | 1 | Ŧ | | _ | - | | <u> </u> | | <u> </u> | | | Skip - 1 | \ \ | | |
| | | | | 1 | | | 2 | | 3 | | 4 | | 5 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User login successfully with default credentials | PASSED | 22.454 s |
| 2 | When User go to Catalogue page | PASSED | 0.132 s |
| 3 | And Search and select car by keyword "Toyota rav4" | PASSED | 2.217 s |
| 4 | And User buy current car | FAILED | 3.282 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element s2347 MuiButton-contained buyNow MuiButton-containedPrimary jss2354 MuiButton-containedSizeSmall jss2351 MuiButton-sizeSmall MuiButton-disableElevation" tabindex="0" type="button"> is not clickable at point (1031, 740). Other element would receive the click: <iframe <br="" allow="camera; microphone" class="widget-border-radius dialog-shadow" id="sp-chat-iframe" lang="en-US" title="Chat widget"></iframe> frameborder="0" scrolling="no" src="https://carma.brightpattern.com/clientweb/chat-client-v4/client-chat-page.html?tenantUrl=carma. brightpattern.com&appld=1&referrer=https%3A%2F%2Fdevelop.d6w1nkpc3z1lk.amplifyapp. com%2F&referrerTitle=Carma%20%7C%20The%20easy%20way%20to%20buy%20used%20cars%20in%20Australia&webServer=https%3A%2F%2Fcarma.brightpattern. com%2Fclientweb%2Fapi%2Fv1&logging=&phone_number=&from=&email=&account_number=&first_name=&last_name=&togetherjs_enabled=&autostartVideocall="> (Session info: headless chrome=97.0.4692.71) Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'FCA-00019', ip: '192.168.16.179', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '1.8.0_301' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bfd6989ba1ffce3c594d46a125dffc94, clickElement {id=82ab2a1d-8e37-4159-b043-35ce6e63b7f4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a, userDataDir: C:\Users\hienht\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:57088}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | ws://localhost:57088/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bfd6989ba1ffce3c594d46a125dffc94)] -> xpath: //span[lext()='Buy now]/parent::button] Session ID: bfd6989ba1ffce3c594d46a125dffc94 at sun.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at utilities.ElementUtils.doClick(ElementUtils.java:49) at pageObjects.ProductDetailPage.buyProduct(ProductDetailPage.java:45) at sepsDefinition.ProductDetailPageSteps.user_buy_current_car(ProductDetailPageSteps.java:14) at ?User buy current car(file:///C:/Users/hienht/eclipse-workspace/QAClickcar/src/test/resources/features/CheckoutPage.feature:12) * Not displayable characters are replaced by '?'. | | |
| 5 | Then Verify check out page is displayed | SKIPPED | 0.000 s |
| | AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.106 s |
| | User_search_car_and_checkout_successfully | | |
| | Complete Complete | | |

EXPANDED SECTION -- 11 --

(Step) AFTER - appHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario) Car buying as Find your next pre-loved car smooth as the ride. Add Ø That's Carma. All Browse, inspect and buy your Search for model next car completely online with (S) User login with specific credentials free delivery to your door. Search all cars (F) Log in Clickcar

(Step) AFTER - appHooks.
ApplicationHooks.tearDown(io.cucumber. java.Scenario)

(S) User search car and checkout successfully

(F) Checkout complete

