



FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Checklist features	1	1	0	0	27.981 s
2	Log in Clickcar	4	4	0	0	34.541 s
3	Checkout complete	1	0	1	0	34.219 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checklist features	User can check Checklist	2	2	0	0	27.981 s
2	Log in Clickcar	User login with specific credentials	4	4	0	0	29.958 s
3	Log in Clickcar	User login with specific credentials	4	4	0	0	20.568 s
4	Log in Clickcar	User login successfully with default credentials	4	4	0	0	29.717 s
5	Log in Clickcar	User login with data driven file	1	1	0	0	34.526 s
6	Checkout complete	User search car and checkout successfully	5	4	1	0	34.219 s

DETAILED SECTION -- 4 --

### (F)- Checklist features

PASSED	DURATION - 27.981 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 10:33:14.577 A	M // 10:33:42.558 AM /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

### (S)- User can check Checklist




#	Step / Hook Details	Status	Duration
1	Given User login successfully with default credentials	PASSED	6.847 s
2	When Write data to excel	PASSED	10.709 s
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.121 s
	User_can_check_Checklist		
	We make great cars awesome. Here's how.  ***The state of the state of		

DETAILED SECTION -- 5 --

### (F)- Log in Clickcar


PASSED	DURATION - 34.541 s	Scenarios		Steps	
		Total - 4		Total - 13	
/ 10:33:14.577 A	M // 10:33:49.118 AM /	Pass - 4	4	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- User login with specific credentials



#	Step / Hook Details	Status	Duration
1	Given User is on Login page	PASSED	6.528 s
2	When User input email "hoangnd1@smartosc.com" and password "Hoang123"	PASSED	1.246 s
3	And User click Login button	PASSED	0.193 s
4	Then Verify that log in status is "Success"	PASSED	11.167 s
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.134 s
	User_login_with_specific_credentials		
	Car buying as smooth as the ride. That's Carma.  Brown function by got for the state of the stat		

### **(S)-** User login with specific credentials



#	Step / Hook Details	Status	Duration
1	Given User is on Login page	PASSED	5.387 s
2	When User input email "hoangnd1@smartosc.com" and password "Hoang1234"	PASSED	0.760 s
3	And User click Login button	PASSED	0.187 s
4	Then Verify that log in status is "Failed"	PASSED	1.009 s
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.249 s
	User_login_with_specific_credentials		
	Car buying smooth as the That's Carr buying smooth as the That's Carr buying smooth as the Carr		

### (S)- User login successfully with default credentials

PASSED DURATION - 29.717 s	40	Steps	
/ 10:33:14.592 AM // 10:33:44.309 AM /	10 -	Total - 4	
	5 -	Pass - 4	4
Log in Clickcar		Fail - Ö	
@smoke @login	0 -	Skip - 0	
		1 2 3 4	

#	Step / Hook Details	Status	Duration
1	Given User is on Login page	PASSED	5.827 s

#	Step / Hook Details	Status	Duration
2	When User input default email and password	PASSED	1.668 s
3	And User click Login button	PASSED	0.178 s
4	Then User login successfully	PASSED	11.125 s
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.155 s
	User_login_successfully_with_default_credentials		
	Car buying as smooth as the ride. That's Carma.  Bone Report and only your office.  That's Carma.  Company the print of the ride of the ri		

## (S)- User login with data driven file



#	Step / Hook Details	Status	Duration
1	When User login with data from excel with file name "loginData.xlsx" and sheet name "Sheet1"	PASSED	23.978 s
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.137 s
	User_login_with_data_driven_file		
	Car buying smooth ast the street of the stre		

DETAILED SECTION -- 8 --

# (F)- Checkout complete

FAILED	DURATION - 34.219 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 10:33:14.592	? AM // 10:33:48.811 AM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

# (S)- User search car and checkout successfully

FAILED DURATION - 34.219 s	10 -			 -		-	-	-	-		-			-  -	-	-		-	-	-	- 1	-	-	-		-	-		-	-	-	-		- 1	7	-		-	5	tep	S								
/ 10:33:14.592 AM // 10:33:48.811 AM /	8 -	+	╬	 -		-		-	-			-	-	-  -	-	-	-	-		-	-	-	-	-	-	-	-		-	-	-	-	-	-		ŀ	-	-	T	ota	l - 5	5	4		1				
7 10:30:17:3027:3077 10:30:10:0117:307	6 -	1	1	 -	ı		ŀ	-	-	-		-	-	i	-	-	-	-		-	_	-	-	-	-	-	-	-	-	-	-	-	-	1		ŀ	-	-	F	ass		4		7	5	١		١	
Checkout complete	2 -	1	1		ı			_						Ţ							ı	ı	_							_									F				۱	١	•	J	J		
@e2eflow @checkout	0 -	1	1		<u> </u>		L	_	_	_	_	_				_	_	_	_	_	<u>_</u>	l	_	_	_	_	_	<u>_</u>	_	_	_	_				L			5	kip	- 0			\			7		
gozonon gonomur						1								2							2	3.						å	4						5														

#	Step / Hook Details	Status	Duration
1	Given User login successfully with default credentials	PASSED	6.904 s
2	When User go to Catalogue page	PASSED	1.107 s
3	And Search and select car by keyword "Toyota rav4"	PASSED	4.637 s
4	And User buy current car	PASSED	2.352 s
5	Then Verify check out page is displayed	FAILED	10.038 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //span[text()='Take me back home']/parent::button (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utilities.ElementUtils.waitForElementPresent(ElementUtils.java:101) at pageObjects.CheckoutPage.isPageDisplayed(CheckoutPage.java:22) at stepsDefinition.CheckoutPageSteps.check_out_page_is_displayed(CheckoutPageSteps.java:13) at ?.Verify check out page is displayed(file:///C:/Users/hienht/eclipse-workspace/QAClickcar/src/test/resources/features/CheckoutPage.feature:13)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath","selector":"//span[text()='Take me back home']/parent::button"} (Session info: headless chrome=97.0.4692.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'FCA-00019', ip: '192.168.16.179', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_301' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b67c2c590f75c6bbbef3a58d838dbdce, findElement {using=xpath,		


#	Step / Hook Details	Status	Duration
	value=//span[text()='Take me back home']/parent::button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a, userDataDir: C:\Users\hienht\AppData\Loc}, goog:chromeOptions: {debuggerAddress: localhost:57876}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57876/devtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b67c2c590f75c6bbbef3a58d838dbdce		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at utilities.ElementUtils.waitForElementPresent(ElementUtils.java:101)		
	at pageObjects.CheckoutPage.isPageDisplayed(CheckoutPage.java:22)		
	at stepsDefinition.CheckoutPageSteps.check_out_page_is_displayed(CheckoutPageSteps.java:13)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.TestInvoker.invokeMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.FreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutors.Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748)		
	* Not displayable characters are replaced by '?'.  AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.145 s
	User_search_car_and_checkout_successfully		0.2.0
	Company to control to receive the control to the co		

EXPANDED SECTION -- 11 --

Carma (Step) AFTER - appHooks. Search makes, models, or keywords Q Login ApplicationHooks.tearDown(io.cucumber. java. Scenario) We make great cars awesome. Here's how. Let's talk. With the right attention, pre-loved can feel good as new. First Name Every car we sell has been put through its paces in our state-of-the-a test facility, and certified by a team of mechanical and technical exper so you can buy with confidence. (S) User can check Checklist Email for receiving chat transcript \* Refers to Required Fields (F) Checklist features




EXPANDED SECTION -- 12 --

(Step) AFTER - appHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

(S) User login with specific credentials


(F) Log in Clickcar



(Step) AFTER - appHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

(S) User login successfully with default credentials

(F) Log in Clickcar




EXPANDED SECTION -- 13 --

(Step) AFTER - appHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

(S) User login with data driven file

(F) Log in Clickcar



(Step) AFTER - appHooks. ApplicationHooks.tearDown(io.cucumber. java.Scenario)

(S) User search car and checkout successfully

(F) Checkout complete

