

Cucumber Report

Jan 20, 2022 2:47:52 PM

Start : Jan 20, 2:47:20.179 PM

End : Jan 20, 2:47:51.898 PM

Duration : 31.719 s

Features

Scenarios

Steps

PASSED - 2

FAILED - 1

SKIPPED - 0

PASSED - 5




FAILED - 1


SKIPPED - 0

PASSED - 20


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Checklist features</u>	1	1	0	0	26.234 s
2	<u>Log in Clickcar</u>	4	4	0	0	26.453 s
3	<u>Checkout complete</u>	1	0	1	0	31.688 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checklist features</u>	<u>User can check Checklist</u>	2	2	0	0	26.218 s
2	<u>Log in Clickcar</u>	<u>User login with data driven file</u>	2	2	0	0	20.213 s
3	<u>Log in Clickcar</u>	<u>User login successfully with default credentials</u>	4	4	0	0	26.453 s
4	<u>Log in Clickcar</u>	<u>User login with specific credentials</u>	4	4	0	0	15.880 s
5	<u>Log in Clickcar</u>	<u>User login with specific credentials</u>	4	4	0	0	15.630 s
6	<u>Checkout complete</u>	<u>User search car and checkout successfully</u>	5	4	1	0	31.688 s

(F)- Checklist features



PASSED	DURATION - 26.234 s	Scenarios		Steps	
/ 2:47:20.179 PM // 2:47:46.413 PM /		Total - 1		Total - 2	
		Pass - 1		Pass - 2	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- User can check Checklist

<div>PASSED</div> <div>DURATION - 26.218 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:20.195 PM // 2:47:46.413 PM /</div>			
<div>Checklist features</div>			

#	Step / Hook Details	Status	Duration
1	Given User login successfully with default credentials	PASSED	7.452 s
2	When Write data to excel	PASSED	10.940 s

(F)- Log in Clickcar

PASSED	DURATION - 26.453 s	Scenarios		Steps	
/ 2:47:20.195 PM // 2:47:46.648 PM /		Total - 4		Total - 14	
		Pass - 4		Pass - 14	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- User login with data driven file

PASSED	DURATION - 20.213 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 2:47:20.195 PM // 2:47:40.408 PM /				
Log in Clickcar				
@data-file @login				

#	Step / Hook Details	Status	Duration
1	When User login with data from excel with file name "loginData.xlsx" and sheet name "Sheet1"	PASSED	10.913 s
2	Then Data result file is generated successfully with file name "loginData.xlsx"_result and sheet name "Sheet1"	PASSED	0.148 s

(S)- User login successfully with default credentials

PASSED	DURATION - 26.453 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:47:20.195 PM // 2:47:46.648 PM /				
Log in Clickcar				
@smoke @login				

#	Step / Hook Details	Status	Duration
1	Given User is on Login page	PASSED	4.664 s
2	When User input default email and password	PASSED	1.196 s
3	And User click Login button	PASSED	0.177 s
4	Then User login successfully	PASSED	11.049 s

(S)- User login with specific credentials

PASSED	DURATION - 15.880 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:47:20.210 PM // 2:47:36.090 PM /				
Log in Clickcar				
@login @data-driven				



#	Step / Hook Details	Status	Duration
1	Given User is on Login page	PASSED	4.847 s
2	When User input email "hoangnd1@smartosc.com" and password "Hoang1234"	PASSED	0.975 s
3	And User click Login button	PASSED	0.227 s
4	Then Verify that log in status is "Failed"	PASSED	0.664 s

(S)- User login with specific credentials



PASSED	DURATION - 15.630 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:47:20.210 PM // 2:47:35.840 PM /				
Log in Clickcar				
@login @data-driven				

#	Step / Hook Details	Status	Duration
1	Given User is on Login page	PASSED	5.936 s
2	When User input email "hoangnd1@smartosc.com" and password "Hoang123"	PASSED	1.457 s
3	And User click Login button	PASSED	0.137 s
4	Then Verify that log in status is "Success"	PASSED	0.031 s

(F)- Checkout complete


FAILED	DURATION - 31.688 s	Scenarios		Steps	
/ 2:47:20.210 PM // 2:47:51.898 PM /		Total - 1		Total - 5	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User search car and checkout successfully

<div>FAILED</div> <div>DURATION - 31.688 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:20.210 PM // 2:47:51.898 PM /</div>				
<div>Checkout complete</div>				
<div>@e2eflow @checkout</div>				

#	Step / Hook Details	Status	Duration
1	Given User login successfully with default credentials	PASSED	5.940 s
2	When User go to Catalogue page	PASSED	1.070 s
3	And Search and select car by keyword "Toyota rav4"	PASSED	2.947 s
4	And User buy current car	PASSED	2.539 s
5	Then Verify check out page is displayed org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //span[text()='Take me back home']/parent::button (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at utilities.ElementUtils.waitForElementPresent(ElementUtils.java:98) at pageObjects.CheckoutPage.isPageDisplayed(CheckoutPage.java:22) at stepsDefinition.CheckoutPageSteps.check_out_page_is_displayed(CheckoutPageSteps.java:13) at ?.Verify check out page is displayed(file:///C:/Users/hienht/eclipse-workspace/QAClickcar/src/test/resources/features/CheckoutPage.feature:13) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Take me back home']/parent::button"} (Session info: headless chrome=97.0.4692.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'FCA-00019', ip: '192.168.16.179', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_301' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d38aa95d614c9c129900342b9d57d485, findElement {using=xpath,	FAILED	10.047 s

#	Step / Hook Details	Status	Duration
	<p>value=//span[text()='Take me back home']/parent::button}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 97.0.4692.71 (adefa7837d02a..., userDataDir: C:\Users\hienht\AppData\Loc...}, goog:chromeOptions: {debuggerAddress: localhost:58922}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58922/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d38aa95d614c9c129900342b9d57d485</p> <p>at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:174) at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at utilities.ElementUtils.waitForElementPresent(ElementUtils.java:98) at pageObjects.CheckoutPage.isPageDisplayed(CheckoutPage.java:22) at stepsDefinition.CheckoutPageSteps.check_out_page_is_displayed(CheckoutPageSteps.java:13) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:77) at org.testng.internal.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:15) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:748) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER - appHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.169 s
	User_search_car_and_checkout_successfully		
			

(Step) AFTER - appHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) User search car and checkout
successfully

(F) Checkout complete

