


Thời gian: 14/08/2026

Test	Output	Spec	Weight	Pass/Fail	Min	Max
Filter	Filter	Filter	Filter	Filter	Filter	Filter
vout	Vout_DC				890.9m	903.6m
vout	Vout_Max	< 0.909		pass	890.9m	903.6m
vout	Vout_Min	> 0.891		near	890.9m	903.6m
vout	Delta_Vout				225p	3.338n
vout	/Vbandgap				297.6m	301.5m


Test	Name	Yield	Min	Target	Max	Mean	Std Dev	Cpk	Errors
Yield Estimate: 100 %(200 passed/200 pts) Confidence Level: <not set> Filter: <not set>									
-	vout								
-	Vout_DC(summary)	100	884.1m		916m	900.3m	6.724m		0
	Vout_DC_MC	100	884.1m	info	916m	900.3m	6.724m		0
-	Delta_Vout(summary)	100	1.116n		1.874n	1.514n	123.3p		0
	Delta_Vout_MC	100	1.116n	info	1.874n	1.514n	123.3p		0
-	/Vbandgap(summary)	100	294.8m		305.6m	300.4m	2.204m		0
	/Vbandgap_MC	100	294.8m	info	305.6m	300.4m	2.204m		0

	Max	Vout_DC MC R^2 = 0.90268	Delta_Vout MC R^2 = 0.90287	/Vbandgap MC R^2 = 0.91473
Top	100%	100%	100%	100%
Process	94%	14%	94%	13%
/I13/PM1	28%	28%	0%	26%
/I13/PM2	13%	13%	0%	6%
/I13/I20/NM2_1	12%	11%	0%	12%
/I13/I20/PM5_2	11%	8%	0%	11%
/I13/I20/NM2_2	10%	5%	0%	10%
/I13/I20/PM5_1	9%	9%	0%	9%
/I13/I20/PM1_1	6%	5%	0%	6%
/I23/PM0	6%	0%	6%	0%

	Average(Mag)	Vout_DC MC R^2 = 0.90268 (Top 100.0%)	Delta_Vout MC R^2 = 0.90287 (Top 100.0%)	/Vbandgap MC R^2 = 0.91473 (Top 100.0%)
I13.PM1:rp1	15%	24%	0%	20%
statis_bjt_pnp	7%	10%	0%	9%
I13.PM2:rp1	5%	9%	0%	6%
I13.I20.NM2_1:rn2	5%	8%	0%	8%
I13.I20.PM5_2:rp1	6%	8%	0%	11%
I13.I20.PM5_1:rp1	4%	6%	0%	5%
I13.I20.NM2_2:rn2	4%	5%	0%	6%
I13.I20.PM1_1:rp1	4%	5%	0%	6%
I13.I20.PM1_2:rp1	3%	4%	0%	5%



Iload min = 100u A:




Test	Output	Spec	Weight	Pass/Fail	Min	Max
Filter	Filter	Filter	Filter	Filter	Filter	Filter
vout	Vout					
vout	Vout_DC				892.9m	904.3m
vout	Vout_Max	< 0.909		pass	892.9m	904.3m
vout	Vout_Min	> 0.891		pass	892.9m	904.3m
vout	Delta_Vout				318.4p	3.607n
vout	/Vbandgap				297.6m	301.5m


Test	Name	Yield	Min	Target	Max	Mean	Std Dev	Cpk	Errors
Yield Estimate: 100 %(200 passed/200 pts) Confidence Level: <not set> Filter: <not set>									
-	vout								
-	Vout_DC(summary)	100	884.9m		916.8m	901.1m	6.721m		0
	Vout_DC_MC	100	884.9m	info	916.8m	901.1m	6.721m		0
-	Delta_Vout(summary)	100	1.28n		2.076n	1.691n	131p		0
	Delta_Vout_MC	100	1.28n	info	2.076n	1.691n	131p		0
-	/Vbandgap(summary)	100	294.8m		305.6m	300.4m	2.204m		0
	/Vbandgap_MC	100	294.8m	info	305.6m	300.4m	2.204m		0

	Max	Vout_DC MC R^2 = 0.90274	Delta_Vout MC R^2 = 0.94113	/Vbandgap MC R^2 = 0.91474
Top	100%	100%	100%	100%
Process	94%	14%	94%	13%
/I13/PM1	28%	28%	0%	26%
/I13/PM2	13%	13%	0%	6%
/I13/I20/NM2_1	12%	11%	0%	12%
/I13/I20/PM5_2	11%	8%	0%	11%
/I13/I20/NM2_2	10%	5%	0%	10%
/I13/I20/PM5_1	9%	9%	0%	9%
/I13/I20/PM1_1	6%	5%	0%	6%
/I23/PM0	6%	0%	6%	0%

	Average(Mag)	Vout_DC MC R^2 = 0.90274 (Top 100.0%)	Delta_Vout MC R^2 = 0.94113 (Top 100.0%)	/Vbandgap MC R^2 = 0.91474 (Top 100.0%)
I13.PM1:rp1	15%	24%	0%	20%
statis_bjt_pnp	7%	10%	0%	9%
I13.PM2:rp1	5%	9%	0%	6%
I13.I20.NM2_1:rn2	5%	8%	0%	8%
I13.I20.PM5_2:rp1	6%	8%	0%	11%
I13.I20.PM5_1:rp1	4%	6%	0%	5%
I13.I20.NM2_2:rn2	4%	5%	0%	6%
I13.I20.PM1_1:rp1	4%	5%	0%	6%
I13.PM1:rp2	3%	5%	0%	6%





Drop Voltage:





Loop:

$I_{min} = 100\mu A$



Test	Output	Spec	Weight	Pass/Fail	Min	Max
Filter	Filter	Filter	Filter	Filter	Filter	Filter
stb	Loop Gain dB20					
stb	Gain Loop	> 40		pass	48.25	69.61
stb	Phase Margin	> 45		pass	50.16	86.32


$I_{max} = 1mA$



Test	Output	Spec	Weight	Pass/Fail	Min	Max
Filter	Filter	Filter	Filter	Filter	Filter	Filter
stb	Loop Gain dB20					
stb	Gain Loop	> 40		pass	49.85	67.67
stb	Phase Margin	> 45		pass	50.83	86.17


PSRR:

$I_{min} = 100\mu A$




Test	Output	Spec	Weight	Pass/Fail	Min	Max
Filter	Filter	Filter	Filter	Filter	Filter	Filter
psrr	Psrr_DC				-48.01	-28.06
psrr	Psrr_1k				-47.87	-28.05
psrr	Psrr_100k				-22.24	-13.01

$I_{max} = 1mA$




Test	Output	Spec	Weight	Pass/Fail	Min	Max
Filter	Filter	Filter	Filter	Filter	Filter	Filter
psrr	Psrr_DC				-47.09	-27.73
psrr	Psrr_1k				-46.97	-27.72
psrr	Psrr_100k				-22.22	-12.5

Load Regulation:






Line Regulation:



Power:

Name	Type	Details	Value
Iq	expr	abs(i("/V2/PLUS" ?result "dcOp"))	135.2u
Power	expr	abs((i("/V2/PLUS" ?result "dcOp") * v("/VDD...))	162.3u
	signal	/V2/PLUS	

Thermal Limit:



Current Limit:

