

Image

UIKit

Overview

Topics

Properties

See Also

Availability

Documentation > UIKit > Views and Controls

UITableView

class@MainActor

UIScrollView → UIView → UIResponder → NSObject

class UITableView : UIScrollView

Overview

A view that presents data using rows in a single column. Table views display a vertically scrolling list of items partitioned into sections. Each row of the table displays a single piece of your app's content. You configure the appearance of each row using cells, and you supply the data backing those cells through a data source object.

Topics

Creating a Table View

```
init(frame:style:)  
init(frame: CGRect, style: UITableView.Style)  
Initializes and returns a table view with the given frame and style.  
init(coder:)  
required init?(coder: NSCoder)  
Creates a table view from data in an unarchiver.
```

Providing Data

```
dataSource  
weak var dataSource: (any UITableViewDataSource)?  
The object that provides data for the table view.  
delegate  
weak var delegate: (any UITableViewDelegate)?  
The object that acts as the delegate of the table view.  
prefetchDataSource  
weak var prefetchDataSource: (any  
UITableViewDataSourcePrefetching)?  
The object that acts as the prefetching data source for the table  
view.
```

Configuring Rows

```
rowHeight  
var rowHeight: CGFloat  
The default height in points of each row in the table view.  
estimatedRowHeight  
var estimatedRowHeight: CGFloat  
The estimated height of rows in the table view.  
register(_:_:forCellReuseIdentifier:)  
func register(_ cellClass: AnyClass?, forCellReuseIdentifier  
identifier: String)  
Registers a class for use in creating new table view cells.
```

Managing Selections

```
selectRow(at:animated:scrollPosition:)  
func selectRow(at indexPath: IndexPath?, animated: Bool,  
scrollPosition: UITableView.ScrollPosition)  
Selects a row in the table view, optionally scrolling the row to a  
position in the table view.  
indexPathForSelectedRow  
var indexPathForSelectedRow: IndexPath?  
var indexPathForSelectedRow: IndexPath?  
An index path identifying the row and section of the selected row.
```

Properties

Name	Type	Description
style	UITableView.Style	The style of the table view (plain or grouped). Read-only.
numberOfSections	Int	The number of sections in the table view.
visibleCells	[UITableViewCell]	The table cells that are visible in the table view.
sectionHeaderHeight	CGFloat	The height of section headers in the table view.
separatorStyle	UITableViewCell.SeparatorStyle	The style for table cells used as separators.
separatorColor	UIColor?	The color of separator rows in the table view.

See Also

[UITableViewCell](#) [UITableViewDataSource](#) [UITableViewDelegate](#) [UITableViewDiffableDataSource](#) [UIRefreshControl](#)

Availability

iOS 2.0+ iPadOS 2.0+ Mac Catalyst 13.0+ visionOS 1.0+
Apple Developer Documentation - UIKit - UITableView Reference

OvisOCR2

UIKit

Overview

Topics

Properties

See Also

Availability

Documentation > UIKit > Views and Controls

UITableView

class@MainActor

UIScrollView → UIView → UIResponder → NSObject

class UITableView : UIScrollView

Overview

A view that presents data using rows in a single column. Table views display a vertically scrolling list of items partitioned into sections. Each row of the table displays a single piece of your app's content. You configure the appearance of each row using cells, and you supply the data backing those cells through a data source object.

Topics

Creating a Table View

```
init(frame:style:)  
init(frame: CGRect, style: UITableView.Style)  
Initializes and returns a table view with the given frame and style.  
init(coder:)  
required init?(coder: NSCoder)  
Creates a table view from data in an unarchiver.
```

Providing Data

```
dataSource  
weak var dataSource: (any UITableViewDataSource)?  
The object that provides data for the table view.  
delegate  
weak var delegate: (any UITableViewDelegate)?  
The object that acts as the delegate of the table view.  
prefetchDataSource  
weak var prefetchDataSource: (any  
UITableViewDataSourcePrefetching)?  
The object that acts as the prefetching data source for the table view.
```

Configuring Rows

```
rowHeight  
var rowHeight: CGFloat  
The default height in points of each row in the table view.  
estimatedRowHeight  
var estimatedRowHeight: CGFloat  
The estimated height of rows in the table view.  
register(_:_:forCellReuseIdentifier:)  
func register(_ cellClass: AnyClass?, forCellReuseIdentifier identifier: String)  
Registers a class for use in creating new table view cells.
```

Managing Selections

```
selectRow(at:animated:scrollPosition:)  
func selectRow(at indexPath: IndexPath?, animated: Bool, scrollPosition: UITableView.ScrollPosition)  
Selects a row in the table view, optionally scrolling the row to a position in the table view.  
indexPathForSelectedRow  
var indexPathForSelectedRow: IndexPath?  
An index path identifying the row and section of the selected row.
```

Properties

Name	Type	Description
style	UITableView.Style	The style of the table view (plain or grouped). Read-only.
numberOfSections	Int	The number of sections in the table view.
visibleCells	[UITableViewCell]	The table cells that are visible in the table view.
sectionHeaderHeight	CGFloat	The height of section headers in the table view.
separatorStyle	UITableViewCell.SeparatorStyle	The style for table cells used as separators.
separatorColor	UIColor?	The color of separator rows in the table view.

See Also

[UITableViewCell](#) [UITableViewDataSource](#) [UITableViewDelegate](#) [UITableViewDiffableDataSource](#) [UIRefreshControl](#)

Availability

iOS 2.0+ iPadOS 2.0+ Mac Catalyst 13.0+ visionOS 1.0+
Apple Developer Documentation - UIKit - UITableView Reference

PaddleOCR-VL-1.6

UIKit

Overview

Topics

Properties

See Also

Availability

Documentation > UIKit > Views and Controls

UITableView

class@MainActor

UIScrollView → UIView → UIResponder → NSObject

class UITableView : UIScrollView

Overview

A view that presents data using rows in a single column. Table views display a vertically scrolling list of items partitioned into sections. Each row of the table displays a single piece of your app's content. You configure the appearance of each row using cells, and you supply the data backing those cells through a data source object.

Topics

Creating a Table View

```
init(frame:style:)  
init(frame: CGRect, style: UITableView.Style)  
Initializes and returns a table view with the given frame and style.  
init(coder:)  
required init?(coder: NSCoder)  
Creates a table view from data in an unarchiver.
```

Providing Data

```
dataSource  
weak var dataSource: (any UITableViewDataSource)?  
The object that provides data for the table view.  
delegate  
weak var delegate: (any UITableViewDelegate)?  
The object that acts as the delegate of the table view.  
prefetchDataSource  
weak var prefetchDataSource: (any  
UITableViewDataSourcePrefetching)?  
The object that acts as the prefetching data source for the table view.
```

Configuring Rows

```
rowHeight  
var rowHeight: CGFloat  
The default height in points of each row in the table view.  
estimatedRowHeight  
var estimatedRowHeight: CGFloat  
The estimated height of rows in the table view.  
register(_:_:forCellReuseIdentifier:)  
func register(_ cellClass: AnyClass?, forCellReuseIdentifier  
identifier: String)  
Registers a class for use in creating new table view cells.
```

Managing Selections

```
selectRow(at:animated:scrollPosition:)  
func selectRow(at indexPath: IndexPath?, animated: Bool, scrollPosition: UITableView.ScrollPosition)  
Selects a row in the table view, optionally scrolling the row to a position in the table view.  
indexPathForSelectedRow  
var indexPathForSelectedRow: IndexPath?  
An index path identifying the row and section of the selected row
```

Properties

Name	Type	Description
style	UITableView.Style	The style of the table view (plain or grouped). Read-only.
numberOfSections	Int	The number of sections in the table view.
visibleCells	[UITableViewCell]	The table cells that are visible in the table view.
sectionHeaderHeight	CGFloat	The height of section headers in the table view.
separatorStyle	UITableViewCell.SeparatorStyle	The style for table members used as separators.
separatorColor	UIColor?	The color of separator rows in the table view.

See Also

[UITableViewCell](#) [UITableViewDataSource](#) [UITableViewDelegate](#) [UITableViewDiffableDataSource](#) [UIRefreshControl](#)

Availability

iOS 2.0+ iPadOS 2.0+ Mac Catalyst 13.0+ visionOS 1.0+ Apple Developer Documentation - UIKit - UITableView Reference

MinerU2.5-Pro

UIKit

Overview

Topics

Properties

See Also

Availability

Documentation > UIKit > Views and Controls

UITableView

class@MainActor

UIScrollView → UIView → UIResponder → NSObject

class UITableView : UIScrollView

Overview

A view that presents data using rows in a single column. Table views display a vertically scrolling list of items partitioned into sections. Each row of the table displays a single piece of your app's content. You configure the appearance of each row using cells, and you supply the data backing those cells through a data source object.

Topics

Creating a Table View

```
init(frame:style:)  
init(frame: CGRect, style: UITableView.Style)  
Initializes and returns a table view with the given frame and style.  
init(coder:)  
required init?(coder: NSCoder)  
Creates a table view from data in an unarchiver.
```

Providing Data

```
dataSource  
weak var dataSource: (any UITableViewDataSource)?  
The object that provides data for the table view.  
delegate  
weak var delegate: (any UITableViewDelegate)?  
The object that acts as the delegate of the table view.  
prefetchDataSource  
weak var prefetchDataSource: (any  
UITableViewDataSourcePrefetching)?  
The object that acts as the prefetching data source for the table  
view.
```

Configuring Rows

```
rowHeight  
var rowHeight: CGFloat  
The default height in points of each row in the table view.  
estimatedRowHeight  
var estimatedRowHeight: CGFloat  
The estimated height of rows in the table view.  
register(_:_:forCellReuseIdentifier:)  
func register(_ cellClass: AnyClass?, forCellReuseIdentifier  
identifier: String)  
Registers a class for use in creating new table view cells.
```

Managing Selections

```
selectRow(at:animated:scrollPosition:)  
func selectRow(at indexPath: IndexPath?, animated: Bool,  
scrollPosition: UITableView.ScrollPosition)  
Selects a row in the table view, optionally scrolling the row to a  
position in the table view.  
indexPathForSelectedRow  
var indexPathForSelectedRow: IndexPath?  
An index path identifying the row and section of the selected row.
```

Properties

Name	Type	Description
style	UITableView.Style	The style of the table view (plain or grouped). Read-only.
numberOfSections	Int	The number of sections in the table view.
visibleCells	[UITableViewCell]	The table cells that are visible in the table view.
sectionHeaderHeight	CGFloat	The height of section headers in the table view.
separatorStyle	UITableViewCell.SeparatorStyle	The style for table cells used as separators.
separatorColor	UIColor?	The color of separator rows in the table view.

See Also

[UITableViewCell](#) [UITableViewDataSource](#) [UITableViewDelegate](#) [UITableViewDiffableDataSource](#) [UIRefreshControl](#)

Availability

iOS 2.0+ iPadOS 2.0+ Mac Catalyst 13.0+ visionOS 1.0+
Apple Developer Documentation - UIKit - UITableView Reference