

Remove old build

Delete old build in linux

```
sudo find / -type d -name "builds"
```

```
/var/lib/jenkins/jobs/devsecops-app-num/builds
```

```
rm -r {1..100}
```

Reload config in jenkins dashboard

Jenkins script remove all build, just keep build 19,23

```
def jobName = "devsecops-app-num"
def job = Jenkins.instance.getItem(jobName)
job.getBuilds().each {
    if (it.number != 19 && it.number != 23) {
        it.delete()
    }
}
job.nextBuildNumber = 1
job.save()
```

You can optimize the if statement by using a list of build numbers that you want to keep and checking if the current build number is in that list. Here's how you can do it:

```
def jobName = "copy_folder"
def job = Jenkins.instance.getItem(jobName)

// List of build numbers to keep
def buildsToKeep = [19, 23, 25, 30, 33, 50]

job.getBuilds().each {
    if (!buildsToKeep.contains(it.number)) {
        it.delete()
    }
}
job.nextBuildNumber = 1
job.save()
```

This script will delete all builds except for the ones with build numbers in the `buildsToKeep` list.

Source: Conversation with Bing, 4/8/2023(1) How to use if else statement with Groovy? - Stack Overflow. <https://stackoverflow.com/questions/27392655/how-to-use-if-else-statement-with-groovy> Accessed 4/8/2023.

(2) Groovy - If/Else Statement - TutorialsPoint.

https://www.tutorialspoint.com/groovy/groovy_if_else_statement.htm Accessed 4/8/2023.

(3) Groovy - Nested If Statement - TutorialsPoint.

https://www.tutorialspoint.com/groovy/groovy_nested_if_statement.htm Accessed 4/8/2023.

(4) Groovy Decision Making - Javatpoint. <https://www.javatpoint.com/groovy-decision-making> Accessed 4/8/2023.

(5) How do I write a compound if statement in Groovy? [closed].

<https://stackoverflow.com/questions/46932505/how-do-i-write-a-compound-if-statement-in-groovy> Accessed 4/8/2023.

(6) Conditional Statements - Groovy Tutorial - OneCompiler.

<https://onecompiler.com/tutorials/groovy/control-statements/conditional-statements> Accessed 4/8/2023.