# InfoVis Project Presentation

PHAM Tuan Hiep<sup>1</sup> PHAN Ly Huynh<sup>2</sup>

<sup>1</sup>Master MOSIG Data Science

<sup>2</sup>Master MOSIG Data Science

January, 2018

- The behaviour of the voters
  - Which candidates are approved together?
  - Is the behaviour of voters determined by their official vote? Are there different kind of voters?
- Pocusing on the candidates
  - Who would have won the election?
  - Can we order the candidate along a 1D axis (left-right)?
- The distribution of voting scores
  - What is the distribution of the score used by the voters?

- The behaviour of the voters
  - Which candidates are approved together?
  - Is the behaviour of voters determined by their official vote? Are there different kind of voters?
- Pocusing on the candidates
  - Who would have won the election?
  - Can we order the candidate along a 1D axis (left-right)?
- 3 The distribution of voting scores
  - What is the distribution of the score used by the voters?

# Which candidates are approved together?

- **Idea:** Visualize the number of votes together between 2 candidates.
- Tool: Hit map
- Result:
  - Which candidates are approved together?

- The behaviour of the voters
  - Which candidates are approved together?
  - Is the behaviour of voters determined by their official vote? Are there different kind of voters?
- Pocusing on the candidates
  - Who would have won the election?
  - Can we order the candidate along a 1D axis (left-right)?
- 3 The distribution of voting scores
  - What is the distribution of the score used by the voters?

# Is the behaviour of voters determined by their official vote? Are there different kind of voters?

- Idea: Visualize the number of votes by each group follow by age, sex, education.
- Tool: Hit map.
- Result:
  - Follow by age
  - Follow by gender
  - Follow by study level

- The behaviour of the voters
  - Which candidates are approved together?
  - Is the behaviour of voters determined by their official vote? Are there different kind of voters?
- Pocusing on the candidates
  - Who would have won the election?
  - Can we order the candidate along a 1D axis (left-right)?
- 3 The distribution of voting scores
  - What is the distribution of the score used by the voters?

#### Who would have won the election?

- Idea: Visualize the number of votes of each candidate in the approval voting and the average of score of each candidate in the evaluative voting.
- Tool: Bar chart and Scatter chart.
- Result:
  - Who won the election?

- The behaviour of the voters
  - Which candidates are approved together?
  - Is the behaviour of voters determined by their official vote? Are there different kind of voters?
- 2 Focusing on the candidates
  - Who would have won the election?
  - Can we order the candidate along a 1D axis (left-right)?
- The distribution of voting scores
  - What is the distribution of the score used by the voters?

# Can we order the candidate along a 1D axis (left-right)?

- **Idea**: Visualize the number of votes in the approval voting following the ascending order from left to right.
- Tool: Bubble chart.
- Result:
  - Can we order the candidate along a 1D axis (left-right)?

- The behaviour of the voters
  - Which candidates are approved together?
  - Is the behaviour of voters determined by their official vote? Are there different kind of voters?
- Pocusing on the candidates
  - Who would have won the election?
  - Can we order the candidate along a 1D axis (left-right)?
- The distribution of voting scores
  - What is the distribution of the score used by the voters?

### What is the distribution of the score used by the voters?

- Idea: Visualize the probabilistic distribution of score in the evaluative voting of each candidate.
- Tool: Distribution plot.
- Result:
  - Score distribution in VT1
  - Score distribution in VT2
  - Score distribution in VT3

# Thank you for watching!