
Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 00 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 01 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 02 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 03 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 04 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam



PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.

Crosses: fixed initial/boundary constraints.


Same initial points in every panel.

Fixed field, no network training.

Illustrative settings.

140 points, 15 coordinate steps/update.

Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 05 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 06 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.


Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.





Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters


Sampling update 07 / 60











How to read the animation.

Black dots: interior collocation points.

Crosses: fixed initial/boundary constraints.


Same initial points in every panel.

Fixed field, no network training.

Illustrative settings.

140 points, 15 coordinate steps/update.

Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 08 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 09 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 10 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 11 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 12 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 13 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 14 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 15 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 16 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 17 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 18 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 19 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 20 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 21 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 22 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 23 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 24 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 25 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 26 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 27 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 28 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.


Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.





Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters


Sampling update 29 / 60











How to read the animation.

Black dots: interior collocation points.

Crosses: fixed initial/boundary constraints.


Same initial points in every panel.

Fixed field, no network training.

Illustrative settings.

140 points, 15 coordinate steps/update.

Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 30 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 31 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 32 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 33 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 34 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 35 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 36 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 37 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 38 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 39 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 40 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 41 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 42 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 43 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 44 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 45 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 46 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 47 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 48 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 49 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 50 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 51 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 52 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 53 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 54 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 55 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 56 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 57 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 58 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 59 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam




PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.




Collocation point dynamics on a fixed residual landscape


Mechanism illustration with a prescribed field and illustrative parameters

Sampling update 60 / 60


Fixed Hammersley
Keep the initial points




Random resampling
Replace with uniform random points




RAD
Replace using residual-based probabilities



PACMANN
Move along $\nabla_{x,t}(r^2)$ using Adam



PACMANN + diffusion
Add Gaussian noise to the same ascent



How to read the animation.

Black dots: interior collocation points.
Crosses: fixed initial/boundary constraints.
Same initial points in every panel.
Fixed field, no network training.

Illustrative settings.
140 points, 15 coordinate steps/update.
Step size = 0.002, diffusion σ = 0.02.

