

Use Case “Delete Product”

1. Use case code

UC234.4

2. Brief Description

This use case lets the Product Manager remove products from the AIMS sales list. The system checks security rules, such as the maximum number of products that can be deleted, and verifies the stock quantity to decide whether the product will be completely deleted or only marked as inactive.

3. Actors

3.1 Product Manager

4. Preconditions

- Product Manager successfully logged into the AIMS System with appropriate account provided.
- The AIMS System is currently operating normally.

5. Basic Flow of Events

1. Product Manager request access to the product management interface.
2. Software displays list of products and options for adding, editing, deleting and adjusting quantities.
3. Product Manger select Delete Product
4. Product Manager select up to ten products to delete at a time.
5. Product Manager confirm the delete order
6. Software check security limit delete.
7. Software check product quantity
8. Software remove from sale list
9. Software update product list
10. Software display notifications and save record into history

6. Alternative flows

Table 1 - Alternative flows of events for UC “Delete Product”

No	Location	Condition	Action	Resume location
1.	At step 5	If Product Manager selects more than 10 products to delete at once.	Software displaying the warning only allows a maximum of 10 products to be selected.	At step 4
2.	At step 6	If total number of products that Product Manager deleted today over 20 products.	Software notify the Product Manager of a security violation and refused to delete	At step 4
3.	At step 7	If quantity of product removed greater than 0	Software automatic change status to deactivate.	At step 9

7. Input data**Table 2 - Input data of UC “Delete Product”**

No	Data fields	Description	Mandatory	Valid condition	Example
1.	Selected Barcode	Unique identifier for the product	Yes	Barcode available in system	893123456789
2.	Confirmation	Notification that Product Manager confirm to delete	Yes	Boolean	Yes

8. Output data**Table 3 - Output data of UC “Delete Product”**

No	Data fields	Description	Display format	Example
1.	Operation Status	Notification of the result for the performed action (add, edit, delete, or adjust).	Text notification	Products deleted successfully
2.	Product Status	The commercial availability of the product (available or deactivated).	Label/Tag	Deactivated

3.	Error Message	Detailed notification when input data is invalid or violates system rules.	Text (Red)	Can't delete more product.
4.	History Log	A record list of all product additions, edits, and deletions.	Timeline/Log entry	16/03/2026: Manager A deleted(list product)
5.	Product List	A list of all media products currently available in the store's inventory.	Data table	(List of Books, CDs, ...)

9. Postconditions

- Product Status: Products with Stock = 0 are removed from the sales list; products with Stock > 0 have their status updated to "Deactivated".
- Security Update: The system updates the Product Manager's daily counter for the number of products deleted.
- Interface Refresh: The product management interface is automatically refreshed to display the most recent data after the operation.
- Audit trail: A new record created in history, log the detail information of the operation
- User notification: Product Manager receive notification from software, product list interface must refreshed to display updated list