INF10025 Data Management and Analytics

Task 4 – Pass Submission

Student Number: SWH02701 / 105547489
Student Name: Nguyễn Đức Mạnh

Pass 4a

Paste your screen capture(s) for this task here.

CAMPAIGN (CampaignCode, CampaignTitle)

Primary Key (CampaignCode)

PLAYER (Pid, PName, Gender, CampaignCode)

Primary Key (Pid)

Foreign Key (CampaignCode) references CAMPAIGN

Pass 4b

Paste your screen capture(s) for this task here.

```
CREATE TABLE CAMPAIGN7489 (
  CampaignCode VARCHAR2(20),
  CampaignTitle VARCHAR2(20),
  PRIMARY KEY (CampaignCode)
);
CREATE TABLE PLAYER7489 (
  Pid VARCHAR2(20),
  PName VARCHAR2(20),
  Gender VARCHAR2(20),
  CampaignCode VARCHAR2(20),
  PRIMARY KEY (Pid),
  FOREIGN KEY (CampaignCode) REFERENCES CAMPAIGN7489(CampaignCode)
);
```

Pass 4c

Paste your screen capture(s) for this task here.

```
INSERT INTO CAMPAIGN7489 (CampaignCode, CampaignTitle)
VALUES ('1', 'Campaign One');

INSERT INTO CAMPAIGN7489 (CampaignCode, CampaignTitle)
```

```
VALUES ('2', 'Campaign Two');

INSERT INTO CAMPAIGN7489 (CampaignCode, CampaignTitle)
VALUES ('3', 'Campaign Three');

INSERT INTO PLAYER7489 (Pid, PName, Gender, CampaignCode)
VALUES ('21', 'Ali Aien', 'M', '2');

INSERT INTO PLAYER7489 (Pid, PName, Gender, CampaignCode)
VALUES ('22', 'Robert Tipping', 'M', '1');

INSERT INTO PLAYER7489 (Pid, PName, Gender, CampaignCode)
VALUES ('23', 'Lynda Rogers', 'F', '1');


INSERT INTO PLAYER7489 (Pid, PName, Gender, CampaignCode)
VALUES ('24', 'Sheelan Aien', 'F', '2');

INSERT INTO PLAYER7489 (Pid, PName, Gender, CampaignCode)
VALUES ('25', 'Nguyen Duc Manh', 'M', '3');

INSERT INTO PLAYER7489 (Pid, PName, Gender, CampaignCode)
VALUES ('26', 'Louis Thai', 'M', '3');
```

Pass 4d

Paste your screen capture(s) for this task here.



Enter Statements:

```
Describe Campaign7489;
SELECT * FROM Campaign7489;
```

Execute Clear

SELECT COLUMN_NAME, NULLABLE, DATA_TYPE FROM USER_TAB_COLS WHERE TABLE_NAME = 'CAMPAIGN7489'

COLUMN_NAME	NULLABLE	DATA_TYPE
CAMPAIGNCODE	N	VARCHAR2
CAMPAIGNTITLE	Y	VARCHAR2

OK. 2 rows selected.

SELECT * FROM Campaign7489

CAMPAIGNCODE	CAMPAIGNTITLE
1	Campaign One
2	Campaign Two
3	Campaign Three

OK. 3 rows selected.

Enter Statements:

```
Describe Player7489;
SELECT * FROM Player7489;
```

Execute Clear

SELECT COLUMN_NAME, NULLABLE, DATA_TYPE FROM USER_TAB_COLS WHERE TABLE_NAME = 'PLAYER7489'

COLUMN_NAME	NULLABLE	DATA_TYPE
PID	N	VARCHAR2
PNAME	Y	VARCHAR2
GENDER	Y	VARCHAR2
CAMPAIGNCODE	Y	VARCHAR2

OK. 4 rows selected.


SELECT * FROM Player7489

PID	PNAME	GENDER	CAMPAIGNCODE
21	Ali Aien	M	2
22	Robert Tipping	M	1
23	Lynda Rogers	F	1
24	Sheelan Aien	F	2
25	Nguyen Duc Manh	M	3
26	Louis Thai	M	3

OK. 6 rows selected.

Pass 4e

Paste your screen capture(s) for this task here.



Why it failed ?: because CampaignCode = '1' already exists in table CAMPAIGN7489 and CampaignCode is the PK and it must be unique and cannot be duplicated. Therefore, trying to insert the above row will violate the rule of relational database.



Why it failed ?: because CampaignCode = '4' does not exist in the CAMPAIGN7489 table and PLAYER7489.CampaignCode is a FK, that must match an existing CampaignCode in CAMPAIGN7489. Oracle did this to protect the referential integrity rules.



Why it failed ?: because Campaign '2' is still being referenced by rows in PLAYER7489. Oracle blocked the delete statement to delete parent row while child rows still exist to avoid leaving "orphan" records of PLAYER pointing to a campaign that no longer exists.

Pass 4f

Paste your screen capture(s) for this task here.

Enter Statements:

```
SELECT p.PName AS "Player Name", c.CampaignTitle AS "Campaign Title"
FROM PLAYER7489 p
INNER JOIN CAMPAIGN7489 c
ON p.CampaignCode = c.CampaignCode
ORDER BY c.CampaignCode ASC;
```

Execute Clear


SELECT p.PName AS "Player Name", c.CampaignTitle AS "Campaign Title" FROM PLAYER7489 p INNER JOIN CAMPAIGN7489 c ON p.CampaignCode = c.CampaignCode ORDER BY c.CampaignCode ASC

Player Name	Campaign Title
Lynda Rogers	Campaign One
Robert Tipping	Campaign One
Sheelan Aien	Campaign Two
Ali Aien	Campaign Two
Louis Thai	Campaign Three
Nguyen Duc Manh	Campaign Three

OK. 6 rows selected.

Pass 4g

Paste your screen capture(s) for this task here.



Enter Statements:


```
SELECT COUNT(*) AS "Count of Rows"
FROM PLAYER7489;
```

Execute Clear

SELECT COUNT(*) AS "Count of Rows" FROM PLAYER7489

Count of Rows
6

OK. 1 rows selected.



Enter Statements:

```
SELECT CampaignCode, COUNT(*) AS "Count of Rows"
FROM PLAYER7489
GROUP BY CampaignCode
ORDER BY CampaignCode ASC;
```

Execute Clear

SELECT CampaignCode, COUNT(*) AS "Count of Rows" FROM PLAYER7489 GROUP BY CampaignCode ORDER BY CampaignCode ASC

CAMPAIGNCODE	Count of Rows
1	2
2	2
3	2

OK. 3 rows selected.

Pass 4h

Paste your screen capture(s) for this task here.

Query1 | ACTOR7489

```
SELECT ACTOR7489.BirthCountry, Count(ACTOR7489.BirthCountry) AS CountOfBirthCountry
FROM ACTOR7489
GROUP BY ACTOR7489.BirthCountry
ORDER BY ACTOR7489.BirthCountry;
```

Query1 | ACTOR7489

BirthCountry	CountOfBirth
Australia	3
Belgium	1
Benin	1
Brazil	1
Canada	23
China	1
Colombia	1
Croatia	1
Cuba	1
Denmark	1

Pass 4i

Paste your screen capture(s) for this task here.

Query2 | MOVIE7489


```
SELECT MovieNo, Title, Relyear as "Release Year", RUNTIME, RATINGCODE
FROM MOVIE7489
WHERE
  RUNTIME BETWEEN 120 AND 180
  AND
  RATINGCODE IN ("PG", "MA")
ORDER BY MovieNo ASC;
```

Query2 | MOVIE7489

MovieNo	Title	"Release \	RUNTIME	RATINGCODE
13	Forrest Gump	1994	142	PG
22	Pirates of the Caribbean: The Curse of the Black Pearl	2003	143	PG
142	Brokeback Mountain	2005	134	MA
187	Sin City	2005	124	MA
299	Ocean's Eleven	1960	127	PG
393	Kill Bill: Vol. 2	2004	136	MA
508	Love Actually	2003	135	MA
525	Blues Borthers	1980	143	PG
550	Fight Club	1999	139	MA
557	Spider-Man	2002	121	PG

Pass 4j

Paste your screen capture(s) for this task here.



DRIVER7489 (PhoneNumber, Name, Address)
Primary Key (PhoneNumber)

JOB7489 (JobID, Title, DurationHours, Description)
Primary Key (JobID)

DOES7489 (PhoneNumber, JobID, DoDate, FixedFee)
Primary Key (PhoneNumber, JobID, DoDate)
Foreign Key (PhoneNumber) references DRIVER7489
Foreign Key (JobID) references JOB7489

Test data:

INSERT INTO DRIVER7489 VALUES ('0400000001','Jim Carter','12 Main St');

INSERT INTO DRIVER7489 VALUES ('0400000002','Anna Pham','9 River Rd');

INSERT INTO JOB7489 VALUES ('47','Grocery Delivery',2,'Pick up at Woolworths');


INSERT INTO JOB7489 VALUES ('52','Meal Delivery',1,'Deliver to campus')

INSERT INTO DOES7489 VALUES ('0400000001','47', DATE '2018-04-15', 10.00);

INSERT INTO DOES7489 VALUES ('0400000002','47', DATE '2018-04-16', 10.00);

Pass 4k

Paste your screen capture(s) for this task here.



COMEDIAN (ComedianID, Name, Address, ContactNumber, Email)
Primary Key (ComedianID)

SHOW (ShowID, Title, Description, ComedianID)
Primary Key (ShowID)
Foreign Key (ComedianID) references COMEDIAN

ATTENDEE (Barcode, Name, Address, PhoneNumber)
Primary Key (Barcode)

RATES (Barcode, ShowID, Score)

Primary Key (Barcode, ShowID)

Foreign Key (Barcode) references ATTENDEE

Foreign Key (ShowID) references SHOW

Test data:

```
INSERT INTO COMEDIAN (ComedianID, Name, Address, ContactNumber, Email)
VALUES ('C001', 'Sarah Mitchell', '123 Elm St, NYC', '555-0101', 'sarah.m@comedy.com');

INSERT INTO COMEDIAN (ComedianID, Name, Address, ContactNumber, Email)
VALUES ('C002', 'James Rodriguez', '456 Oak Ave, LA', '555-0202', 'james.r@laughs.net');

INSERT INTO SHOW (ShowID, Title, Description, ComedianID)
VALUES ('S001', 'Laugh Out Loud', 'A hilarious stand-up routine', 'C001');

INSERT INTO SHOW (ShowID, Title, Description, ComedianID)
VALUES ('S002', 'Comedy Chronicles', 'Observational humor at its best', 'C001');

INSERT INTO ATTENDEE (Barcode, Name, Address, PhoneNumber)
VALUES ('A7489', 'Emily Chen', '789 Pine Rd, Boston', '555-1234');

INSERT INTO ATTENDEE (Barcode, Name, Address, PhoneNumber)
VALUES ('A7490', 'Michael Brown', '321 Maple Dr, Austin', '555-5678');

INSERT INTO RATES (Barcode, ShowID, Score)
VALUES ('A7489', 'S001', 9);

INSERT INTO RATES (Barcode, ShowID, Score)
VALUES ('A7490', 'S001', 8);
```