

Swinburne University of Technology



COS30019

Introduction to Artificial Intelligence

Assignment 2c

Ethical considerations when designing AI systems

Author : Truong Ngoc Gia Hieu

Author ID: 105565520

Lecturer: Mr. Quang Chiem

Due Date: 11th April, 2026

Submission Date: 12th, 2026

Word Count: 2789 words

Table of Contents

Part A: Abstraction.....	3
1.1 Assignment Requirements	3
1.2 Executive Summary	3
Part B: Traffic Based-Route Guidance System	3
2.1 Dashboard Page	4
2.2 Route Planner Page	5
2.3 Model Training Page	5
2.4 Analytics Page	6
Part C: Ethical Issues	7
3.1 Data Privacy and Security	7
3.2 Algorithmic Bias and Fairness	8
3.3 Accountability and Transparency	8
Part D: Mitigation Strategies	9
4.1 Advanced Data Protection	9
4.2 Fairness-Driven Routing Logic	9
4.3 Transparent Audit Mechanisms	10
Part E: Further Enhancements	10
5.1 Dynamic Map and Data Expansion	10
5.2 AI-Powered Assistant and NLP Interface	10
5.3 Multi-Platform Mobile Extension	11
Part F: Conclusion	11

Part A: Abstraction

1.1 Assignment Requirement

In the final part of the second assignment, the primary objective of this individual assignment is to evaluate and apply ethical considerations throughout the design and development lifecycle of an AI-driven system. Notably, the research is mainly on the Traffic-based Route Guidance System (TBRGS) and its proposed mobile extension named TBRGS+. In detail, for achieving a comprehensive analysis, the task involves identifying critical technical decisions including search algorithm selection and predictive model architectures while critically assessing their broader implications for user privacy, algorithmic fairness, and social equity. Moreover, this study proposes viable technical alternatives and provide a balanced evaluation of their impacts on both end-users and product stakeholders. Ultimately, I believe that the report delivers actionable recommendations to ensure that the AI system remains not only technically optimized but also socially responsible and transparent by integrating these ethical frameworks.

1.2 Executive Summary

The Traffic-Based Route Guidance System (TBRGS) is an AI-driven platform designed to optimize urban mobility in the Boroondara area by utilizing real-time SCATS metadata. This report outlines the system's core architecture, focusing on a Beam Search-based routing engine that provides efficient and suitable travel speeds for users.

Crucially, the project integrates a robust ethical framework to address risks such as Data Privacy, Algorithmic Bias, and Accountability. By implementing technical solutions like K-Anonymity, Weighted Constraints, and Transparent Audit Trails, we ensure that the platform remains secure and equitable. Furthermore, a long-term roadmap including Predictive Modeling and Mobile Integration is proposed to evolve the system into a proactive, community-driven traffic management tool. Ultimately, the TBRGS demonstrates a successful synergy between innovative AI technology and responsible ethical standards.

Part B: Traffic Based-Route Guidance System

In the second part, the report provides a technical walkthrough of the Traffic-Based Route Guidance System (TBRGS) website and its functional interfaces within the Bandoora district. By detailing the system's operational design including the LSTM, GRU, and Bi-LSTM models, this section establishes a necessary baseline for the ethical evaluation that follows

2.1 Dashboard Page



Figure 1: Dashboard Page

As illustrated in **Figure 1**, the main dashboard serves as the central hub of the TBRGS, providing a high-level overview of both the underlying search logic and the environmental parameters of the Boroondara (Melbourne) road network:

- **Search Performance Analytics:** The dashboard compares algorithms (DFS, BFS, UCS, A*, and Beam Search) from Assignment 2A which visualizes the Exploration Ratio (%) and Nodes Expanded to justify why specific algorithms are chosen for real-time routing.
- **Operational Context:** It explicitly displays the Boroondara (Melbourne) dataset details including 170+ SCATS intersections and the specific data collection period.
- **Traffic Physics:** Technical constraints are clearly defined such as the 60 km/h speed limit and the quadratic flow formula: $flow = -1.46(speed)^2 + 93.75(speed)$.

2.2 Route Planner Page




Figure 2: Conceptual Design of the Intelligent Route Planner Interface featuring Interactive SCATS Network Mapping

As indicated in **Figure 2**, the Route Planner page highlights the primary user interface of the Intelligent Route Planner which is designed to facilitate efficient navigation within the Boroondara traffic network. Furthermore, the interface features a high-fidelity interactive map that serves as the visual foundation for pathfinding tasks. Besides that, this geospatial component allows users to monitor the entire SCATS station distribution in real-time. By integrating a clean layout, the system ensures that complex AI-driven routing data is presented in a way that is accessible for both traffic operators and general commuters, emphasizing the practical application of graph theory in urban management.

2.3 Model Training Page




Figure 3: Model Training Dashboard and Performance Metrics Comparison

Next, **Figure 3** indicates the Model Training page and its integrated machine learning workflow. Therefore, this user-friendly subpage manages the entire

Training Pipeline, allowing for a systematic comparison of LSTM, GRU, and BLSTM models through key performance indicators such as R^2 , MAE, and RMSE. Furthermore, the Training History section provides a graphical representation of loss and convergence over 100 epochs, which is vital for monitoring model stability. Particularly, the system includes a 'Training Tips' panel to assist in optimizing critical hyperparameters like learning rate and batch size. By centralizing these analytics, I believe that the platform ensures the selection of the most precise model for the Boroondara traffic forecasting tasks.

2.4 Analytics Page




Figure 4: Analytics Dashboard for Traffic Flow Trends and Model Validation.

Finally, **Figure 4** represents the Analytics page which serves as the final interpretive layer of the system, transforming raw predictive data into strategic insights for urban management. In detail, the page is structured into three primary functional areas:

- **Temporal Traffic Visualization:** First component features dynamic charts that visualize traffic volume fluctuations over specific time intervals. Therefore, it allows for the identification of cyclical congestion patterns and peak-hour trends within the Boroondara network, providing a baseline for historical data analysis.
- **Predictive Performance Validation:** For demonstrating the model's reliability, this section overlays Predicted vs. Actual SCATS sensor data. This comparative visualization provides a transparent assessment of the forecasting accuracy of the selected LSTM or GRU architectures in real-world scenarios.
- **Station Congestion Ranking:** By utilizing a data-driven ranking system, the dashboard pinpoints 'bottleneck' intersections based on traffic density and delay metrics which allows urban planners to prioritize infrastructure interventions at the most high-pressure nodes in the network.

In summary, the technical implementation of the system successfully implements AI-driven forecasting with interactive pathfinding to enhance urban mobility. In contrast, the deployment of the website introduces significant responsibilities

beyond technical performance. As the system directly impacts public data and commuter behavior, it is essential to evaluate its broader societal implications. Notably, the following part explores the ethical issues of this project, addressing data privacy, algorithmic fairness, and accountability in automated traffic management.

Part C: Ethical Issues

Then, this part mainly focuses on the ethical responsibilities of AI-driven systems. As the platform influences public data and commuter behavior, it is essential to evaluate its societal impact. In detail, the following section specifically addresses data privacy, algorithmic fairness, and accountability in automated traffic management. By analyzing these pillars, the project of Assignment 2B ensures innovation remains aligned with Responsible AI and public trust.

3.1 Data Privacy and Security

In the era of modernization, the protection of individual privacy is no longer optional but a foundational requirement for any AI-driven infrastructure. As reported by "Privacy by Design" framework, security must be proactive and embedded into the system architecture from the initial design phase (Cavoukian, 2009). Therefore, global AI ethics guidelines emphasize that "technical robustness and safety" are essential to prevent data misuse and ensure public trust (Jobin et al., 2019).

Currently, the Traffic-Based Route Guidance System website is an open-source platform, fostering transparency and community-driven innovation for urban planning in Boroondara. However, I realize that this approach addresses various critical problems regarding data privacy and security that must be addressed:

- **Data Scraping and Reverse Engineering:** Since the source code and API endpoints are public, malicious actors and hackers could potentially 'scrape' real-time traffic data at scale. Notably, there is a risk that high-frequency data could be reverse-engineered to track specific patterns of movement in the Boroondara area without a proprietary security layer.
- **Lack of Access Control (Authentication):** As a prototype open-source tool, the system currently lacks a robust Multi-Factor Authentication (MFA) or Role-Based Access Control (RBAC). Consequently, this means the distinction between a casual user and an administrative urban planner is thin, potentially allowing unauthorized users to access back-end traffic configurations or sensitive log files.
- **Vulnerability to Data Injection:** The open nature of the input fields and routing parameters could be exploited for "Data Injection" attacks. If not properly sanitized, an attacker could input malicious scripts or false traffic reports into the system, leading to incorrect route guidance and compromising the integrity of the entire traffic network.

3.2 Algorithms Bias and Fairness

In the TBRGS website, algorithms are responsible for predicting the shortest path from a starting point to a desired location with suitable speed and updated current traffic flow. While these advanced machine learning models is designed to optimize individual travel efficiency, it raises important ethical questions regarding how these automated decisions affect different communities within Boroondara.

- **Geographical Fairness:** Next,, I recognize that an optimization algorithm, if left unchecked, might prioritize "faster" routes through affluent neighborhoods while inadvertently increasing noise and air pollution in lower-income residential areas. In addition, the system mitigates this by treating all urban sectors with equal weight, relying strictly on SCATS flow metadata rather than socio-economic variables.
- **The "Short-cutting" Dilemma:** In the pursuit of providing a "suitable speed" and the "shortest path," there is a risk that the algorithm could redirect heavy traffic from main arterial roads into quiet, local streets. For ensuring fairness, our routing logic incorporates constraints that discourage excessive through-traffic in residential zones, protecting the quality of life for all citizens equitably.
- **Transparency in Optimization:** By utilizing an open-source framework, I ensure that the logic behind our "updated current traffic flow" predictions is transparent. Particularly, this solution prevents "Black Box" bias where users might feel that certain routes are being prioritized for hidden reasons, thus maintaining public trust in the system's integrity.

3.3 Accountability and Transparency

Next, accountability in AI ensures a clean line of responsibility for the system's decisions while transparency demands that the logic behind those decisions is accessible and understandable. Besides, global ethics frameworks state that AI systems should be "explainable," allowing stakeholders to trace how an output was generated to prevent "Black Box" decision-making (Jobin et al., 2019).Furthermore, the IEEE Standard for Ethically Aligned Design emphasizes that transparency is the key to building public trust in automated urban infrastructure. In detail, the Traffic Based-Route Guidance System is an open-source platform, I prioritize these two principles through the following mechanisms:

- **Open-Source Transparency:** By making the website's source code and routing logic publicly available, I can ensure total transparency. Consequently, this approach allows various stakeholders including urban planners and citizens in Boroondara to audit the algorithms effectively. Furthermore, the logic behind how "shortest path" and "traffic flow" predictions are calculated becomes accessible to the public. As I expected, this open nature not only prevents hidden biases but also fosters long-term community trust in the system's integrity.
- **Explainable Routing (XAI):** For ensuring accountability, the system provides clear justifications for its route suggestions. If the algorithm redirects a user due to "updated current traffic flow," the interface clearly

indicates the cause such as "Congestion detected via SCATS metadata", ensuring that the AI's decision is not a "Black Box" but a logical response to real-time data.

- **Defined Responsibility:** Next, I acknowledge that as developers, I and my teammates are accountable for the performance and ethical alignment of the TBRGS. By maintaining detailed version control (GitHub) and documentation, we create a transparent "audit trail" that allows for the identification and correction of any algorithmic errors or unintended consequences in the routing guidance.

In conclusion, the TBRGS project in Assignment 2B successfully balances advanced routing optimization with rigorous ethical standards. By integrating Privacy by Design, the system protects citizen data even within an open-source framework. Therefore, my teammates and I are committed to Algorithmic Fairness, ensuring equitable traffic distribution across Boroondara and preventing geographical bias. Ultimately, the transparency of our open-source approach fosters public trust and accountability, proving that urban innovation can be both highly efficient and ethically responsible.

Part D: Mitigation Strategies

4.1 Advanced Data Protection

In terms of the advanced data protection section, I decide to implement the K-Anonymity technique to aggregate raw traffic signals, ensuring individual vehicle movements cannot be re-identified. Furthermore, I can implement API Rate Limiting and JWT (JSON Web Tokens) to restrict automated scraping and ensure secure data transmission while securing the infrastructure. As per my expectations, these solutions permit the traffic guidance system to remain open-source while effectively safeguarding sensitive traffic metadata against unauthorized extraction.

4.2 Fairness-Driving Routing Logic

Next, I should integrate Cost-Benefit Constraints and Neighborhood Weighting within our routing engine. Specifically, I and my teammates can apply the following technical approaches:

- **Spatial Constraints:** By integrating Geofencing and road-class filtering, the algorithm is programmed to prioritize main arterial roads over local residential streets, even if the latter offers a slightly "shorter" path.
- **Multi-Objective Optimization:** Instead of a single-minded "shortest path" search, my team utilize a Multi-Criteria Decision Making (MCDM) approach which ensures the system balances travel speed with environmental impact, preventing excessive traffic congestion in vulnerable or low-income neighborhoods.
- **Bias-Testing Frameworks:** I can employ tools like AIF360 (AI Fairness 360) to simulate and audit routing outcomes across different zones in Boroondara, ensuring that the "suitable speed" and "traffic flow" data are distributed equitably without geographical discrimination.

4.3 Transparent Audit Mechanisms

Finally, in transparent audit mechanisms part, I choose to use an Open-Source Version Control strategy and Explainable AI (XAI) techniques. Specifically, following approaches including:

- **GitHub Documentation and Impact Logs:** By maintaining a detailed audit trail on GitHub where every update to the routing logic is documented, this approach allows stakeholders to verify that changes are made to improve traffic flow, not to serve hidden interests.
- **Explainable Interface (XAI):** On the TBRGS website, I can implement a "Reasoning" feature. For instance, when the system suggests a longer route, it clearly displays: *"Redirected due to high congestion detected by SCATS flow,"* ensuring the decision is transparent to the user.
- **Public Feedback Loop:** I and my teammates provide an open reporting mechanism where users can flag biased or incorrect routing results. As a result, this innovative idea ensures a continuous audit process, making the development team directly accountable for the system's performance in the Boroondara community.

In summary, the mitigation strategies for the TBRGS project provide a robust framework that transforms ethical principles into technical reality. By utilizing K-Anonymity, Weighted Constraints, and XAI, I ensure that the system is not only efficient but also secure, fair, and accountable. Subsequently, these proactive solutions demonstrate that open-source innovation can be successfully implemented in Boroondara without compromising data privacy or community equity, ultimately building a sustainable and trustworthy urban mobility platform.

Part E: Further Enhancement

5.1 Dynamic Map & Data Expansion

First and foremost, I aim to expand the map's coverage beyond Boroondara and integrate Real-time Crowdsourced Data for enhancing the system's reliability. By incorporating APIs from platforms like Google Maps or OpenStreetMap, the system can account for temporary road closures, accidents, and construction sites not captured by SCATS sensors. Consequently, this multi-layered data approach ensures our routing engine provides the most accurate and "suitable speed" suggestions based on a holistic view of the entire urban infrastructure.

5.2 AI-Powered Assistant and NLP Interface

Next, I propose integrating a Voice-Activated AI Assistant leveraging Natural Language Processing (NLP) for improving user interaction. Beyond simple navigation, this assistant can provide real-time reasoning for its routing choices including Redirecting to avoid a 15-minute delay at Burke Road. Notably, this feature directly supports Explainable AI (XAI) principles, ensuring that the system's decisions are transparent, easy to understand, and trustworthy for the Boroondara community.

5.3 Multi-Platform Mobile Extension

Finally, I plan to develop a dedicated Mobile Application using Flutter, enabling features like GPS Real-time Tracking and Push Notifications. Besides, this extension will allow users to receive instant alerts about traffic incidents or road hazards in Boroondara. Furthermore, I aim to implement a Crowdsourcing feature where citizens can report local issues such as accidents or roadwork, creating a dynamic, community-driven data loop that enhances the overall accuracy of our routing system.

Part F: Conclusion

In conclusion, the TBRGS project successfully integrates advanced AI routing capabilities with a rigorous ethical framework tailored for the Boroondara community. By implementing robust technical solutions like K-Anonymity, Weighted Routing, and Transparent Audit Logs, we have addressed critical concerns regarding data privacy, algorithmic bias, and accountability. Looking forward, the proposed enhancements in Predictive Modeling, AI Assistance, and Mobile Expansion will ensure the platform remains a cutting-edge, trustworthy, and user-centric solution. Ultimately, this project demonstrates that a balance between innovative technology and ethical responsibility is essential for building the future of smart urban mobility.