
School of Science, Computing and Engineering Technologies

Object Oriented Programming - S2-2024

Mockup sample - Familiarise yourself with the actual test format

Overview



Late submissions will incur a penalty to your final grade. The test will automatically close and stop accepting submissions ten hours after the due time. This document is a mockup version only.

If you receive an Acknowledgment grade, you have passed the hurdle and can include the test as evidence of that in your portfolio.

If you receive a Revision grade, you must correct all issues within two weeks and get your test signed off as Submission Acknowledgment to meet the hurdle requirements. Failure to do this will result in an overall fail grade for the unit.

If you have special consideration, i.e., medical certificates, you must send to the convener at least one day before this hurdle test is announced.

If you have an Education Access Plan issued by Swinburne Accessibility team and would like to request an extension, you must send to the convener at least two days before the test.

Purpose: Demonstrate your understanding of object-oriented programming and the core

concepts of object-oriented design.

Task: You must complete two tasks. The first is a coding task, and the second is a series

of short answer questions. The task contains personalized requirement.

Deadline: This task should be completed within 48 hours — see Canvas for the assignment

window.

Submission Details

Please print your solution to PDF and combine it with the screenshots taken for this test.

- Task 1:
 - C# code files of the classes created
 - An image of your modified UML diagram
 - A screenshot of the program output
- Task 2:
 - A PDF document containing your written answers.


Make sure that you submit code that is readable, follows the universal task requirements, and is appropriately documented.





Task 1

Consider the following UML diagram:



Sales is a class that contains knowledge of purchase orders that a business has received. There are two types of purchase orders: single transaction orders and batch orders, which the class Sales records separately in two dedicated lists. Batch orders are instances of class Batch and can be added to its corresponding list, _batch_orders, using method AddBatch. Single transaction orders, on the other hand, are instances of class Transaction and can be added to its corresponding list, _single_orders, using method AddTransaction. All orders can be printed to the console via method PrintOrders.

Class Batch defines three member variables:

- _number, a string that identifies this order,
- _name, a string that captures the purpose of this order, and
- _items, a list of single orders attached to the bulk order.

In addition, class Batch defines the methods

- Add to add a single order,
- Print to print this order, and
- Total to return the total sum of this order.

Finally, class *Batch* defines two read-only getters to obtain the *Number* and *Name* of the order.

Class *Transaction* is similar. Its member variables are:

- _number, a string that identifies this order,
- _name, a string that describes the product in this order, and
- amount, a decimal value to store the total of the single transaction.


Class Transaction defines a **Print** and a **Total** method, which print the order and return the amount of this order, respectively. The read-only getters return the **Number** and **Name** of a single transaction order.

A sample output of an application implementing the above UML diagram may look like the following (result of telling a *Sales* object to *PrintOrders*):

```
Sales:
Batch sale: #2024x00001, CompSci Books
#1, Deep Learning in Python, $67.90
#2, C# in Action, $54.10
#3, Design Patterns, $129.75
Total: $251.75
Batch sale: #2024x00002, Fantasy Books
Empty order.
#00-0001, Compilers, $134.60
#10-0003, Hunger Games 1-3, $45.00
#15-0020, Learning Blender, $56.90
Sales total: $488.25
```

You may have noticed a peculiar feature duplication in the design. In addition, batch orders are limited to containing single transaction orders. This is an arbitrary limitation. Batch orders should be able to contain nested batch orders. Consequently, class *Batch* should allow for both, objects of class *Batch* and objects of class *Transaction*, to be stored (i.e., added to _items).

To achieve this, you need to redesign the system. Start with the abstract class *Thing* as shown in the following UML diagram:



Restructure the current solution as follows:

- 1. Implement the abstract class *Thing*.
- Change class Batch so that it stores instances of class Thing rather than class Transaction.
- 3. Make class *Batch* and class *Transaction* subclasses of class *Thing*. Apply the necessary refactoring steps.
- 4. Change class Sales to maintain only a single list _orders of Thing objects.
- Replace the methods AddBatch and AddTransaction with a single method Add in class Sales.
- 6. Revise the implementation of *PrintOrders* in class Sales.
- 7. Write a simple *Main* program to demonstrate that your new design works. The *Main* program must
 - a. Create a Sales object.
 - b. Add batch orders to the Sales object.
 - c. Add single transaction orders to the Sales object.
 - d. Must create one nested batch order.

- e. Add an empty batch order.
- f. Tell *PrintOrders* to the Sales object.

You are required to:

- a) Provide a new UML class diagram for your updated design (it can be drawn by hand).
- b) Write the code for all classes, including the abstract class Thing, and all fields, constructors, methods, and properties.
- c) Write a simple *Main* method as described above.
- d) Take a screenshot of the output of your program.

Task 2

- 1. Describe the principle of polymorphism and how and where it is being used in Task 1.
- 2. What is wrong with the class name *Thing*? Suggest a better name and explain the reasoning behind your answer.
- 3. What is abstraction and how and where it is being used in Task 1.
- 4. Can you think of a scenario or system design that resembles Task 1? Look a the classes and their interaction in Task 1 and identify a real-world system or approach that uses a similar relationship.

Note: Write your answers in your own words. You can use as many reference materials as you see fit, but you not copy text from anywhere or just ask a chat bot.

Assessment Criteria

Outcome	Requirements
Acknowledgment	All parts of the submission are correct.
	The submission clearly demonstrates that the author understands the key OO concepts and how to apply them in code.
Hevision t	The submission does not clearly demonstrate that the author understands the key OO concepts and how to apply them in code. There are likely clear mismatches between the provided design and the code submitted, and one or more of the written answers are incorrect. UML may not match the code submitted. There are some issues with the code. OR The submission was not in the correct format.