

SWINBURNE UNIVERSITY OF TECHNOLOGY

MEETING QUESTION PACK

Unit Code: Computing Technology Project A (COS40005)
Project: Internal Assistant for Enterprise Knowledge (Slack chatbot with RAG)
Client: Katalon, Inc. (replacing the original VIB client)
Team: Group 7
Prepared by: Truong Ngoc Gia Hieu (Project Manager)
Version: v1.0 (For client meeting, 11 Nov 2026)
Date: 11TH Nov, 2026

Table of Contents

A. Meeting Details and Purpose....3
B. Proposed Agenda (60 minutes)....3
C. Progress Since the Last Meeting....3
D. Decisions Needed Tonight....4
E. S3 Structure – Follow-up Questions....4
F. Confluence Structure and Permissions....6
G. Slack Structure and Bot Behaviour....6
H. Identity, Roles and Testing....8
I. Decision Log and Action Items....9
References....10

A. Meeting Details and Purpose

Item	Details
Meeting	Client meeting – Group 7 and Katalon (evening, 11 November 2026, online)
Client mentor	Mr. Phạm Tiến Thuận Phát (Client Reviewer)
Team	Group 7, led by Truong Ngoc Gia Hieu (Project Manager); note-taker to be assigned at the start
Purpose	Confirm the decisions that block design work, close the open questions on data, S3, Confluence and Slack, and agree next steps
Pre-reading	Business Role Proposal v1.3 (Group 7, 2026a); Environment Options and Option 1/2 documents (Group 7, 2026b); Data and Structure Research v1.1 (Group 7, 2026c)

How to use this pack. Questions are grouped by topic and ordered by importance. Each question shows why the team asks and a **suggested default**: if the client agrees, the note-taker writes "√ Agree" and moves on, which keeps the meeting short. Codes in square brackets (for example [I7]) point to the same question in the Business Role Proposal, so answers can be copied across afterwards. Questions marked **[Priority]** block design work and must be answered tonight.

B. Proposed Agenda (60 minutes)

Time	Topic	Goal	Section
0–5	Progress update	Show what the team has produced since the last meeting	C
5–15	Decisions needed tonight	Weighting, environment option, AWS account, data use, test set	D
15–25	S3 follow-up	Clarify the structure the client shared	E
25–37	Confluence	Scope, permissions, groups, freshness	F
37–45	Slack	Workspace, channels, bot behaviour	G
45–52	Identity, roles and testing	Confirm roles, personas and acceptance	H
52–60	Wrap-up	Read back decisions and action items	I

C. Progress Since the Last Meeting

Deliverable	Status	Key point for the client
Business Role Proposal v1.3 (draft)	Sent; awaiting answers to Section I	Five roles plus a read-only Sync Bot; the client is Client Reviewer
Sign-in and permission design	Designed	Single sign-on, Slack signature check, guest block, two-layer permission check that fails closed
Environment options (overview + two detailed documents)	Draft v1.0	Option 1: zero cost; Option 2: about US$73 in total; same architecture
Project budgets (two workbooks)	Draft v1.0	AWS usage about US$7, covered by free credits
Data and Structure Research v1.1	Draft	Real, licensed data sources; S3 structure from the client analysed

D. Decisions Needed Tonight

No	Question and why we ask	Suggested default	Answer / notes
D1	**[Priority] Which evaluation weighting applies: the client's (accuracy 40%, cost and maintainability 30%, security 20%, creativity 10%) or the university's suggested one (accuracy 40%, freshness 30%, access control 30%)?** [I1] *Why:* All design trade-offs and the final report are organised around the weighting.	Client weighting; freshness reported inside maintainability	
D2	**[Priority] Which test environment option should the team use: Option 1 (zero cost, 14-day Confluence trial for permission tests) or Option 2 (about US$73, Confluence Standard for the whole project)?** *Why:* Decides the budget and how long real permissions can be tested (Group 7, 2026b).	Option 1, switch to Option 2 only if needed	
D3	**[Priority] Which AWS account should be used: a Katalon/FCAJ account or the team's own new account? Is there a monthly limit?** [I22] *Why:* Determines who pays for Bedrock and which free credits apply.	Team's own new account (up to US$200 credits); alert at US$10	
D4	**[Priority] May the team use real Confluence content, or only public substitutes (GitLab Handbook, 37signals Handbook, a small excerpt of Katalon Docs)?** [I8] *Why:* Defines data handling rules and what can appear in reports (Group 7, 2026c).	Public substitutes in the test site; no Katalon internal data in reports	
D5	**[Priority] May the team copy a small excerpt (10–20 pages) of Katalon Docs into the private test site for the True Platform space?** *Why:* Katalon's documentation terms limit copies to a reasonable number (Katalon, n.d.).	Yes, private test site only, with attribution	
D6	**[Priority] Is the scope exactly the 10 root pages in the four groups shared (Intranet, Deal Desk, Partner Program, True Platform) and all child pages?** [I7] *Why:* Sets the size of the knowledge base and test set.	Yes; documentation site and forums out of scope	
D7	**[Priority] Can the client provide 20–30 real questions staff often ask, with correct answers or source pages?** [I26] *Why:* A labelled test set is the fairest measure of the 40% accuracy criterion.	Client provides 20; team drafts 10 for approval	
D8	**Is Amazon Bedrock confirmed as the platform, and is a Bedrock Knowledge Base (rather than an Agent or MCP server) acceptable for Project A?** [I2, I3] *Why:* The brief leaves the retrieval approach open.	Bedrock Knowledge Base on S3 Vectors; MCP as a later extension	

E. S3 Structure – Follow-up Questions

The client shared the reference structure `s3://<docs-bucket>/confluence/<page-id>/<Title>/<timestamp>.v1.md`, with child pages nested inside parent folders and

one current version per folder (Group 7, 2026c, Figure 2). These questions close the remaining gaps.

No	Question and why we ask	Suggested default	Answer / notes
E1	**[Priority] What does "v1" mean: the Confluence page version number, or the export format version?** [B1] *Why:* Two files with different timestamps are both "v1"; the freshness check depends on the meaning.	Export format version; timestamp shows the page version	
E2	**[Priority] Is there a `.metadata.json` file next to each Markdown file? If so, which fields does it contain?** [B2, I11] *Why:* Bedrock filters by permission using these fields; the team will generate them if absent.	Team generates: page_id, ancestors, space_key, title, last_modified, allowed_groups	
E3	**Who writes to the bucket today – an existing Katalon pipeline, or should the team build the Confluence-to-S3 sync?** [B3, I9] *Why:* Decides whether the team's sync replaces or complements Katalon's.	Team builds the sync following this structure	
E4	**How often is the bucket updated, and how is a deleted page handled (folder removed)?** [B3] *Why:* Freshness and avoiding answers from deleted pages.	Every 15 minutes; folder deleted with the page	
E5	**When a page is renamed or moved to a new parent, is the old folder removed?** *Why:* The title and parent chain are in the path, so stale duplicates are possible.	Old folder deleted before writing the new path	
E6	**Where is the space key stored, since it is not in the path?** *Why:* Needed to map pages to spaces and groups.	Read from the Confluence API into metadata	
E7	**Is this bucket already a data source for a Bedrock knowledge base at Katalon?** [B4] *Why:* Alignment with Katalon's current design.	—	
E8	**Could the team receive one or two redacted sample Markdown files (and a metadata file if one exists)?** [B5] *Why:* Ensures the test data format matches exactly.	Yes, with sensitive text removed	
E9	**Which AWS Region does Katalon use, and are there data-residency rules?** [I25] *Why:* Avoids rework if a Region is mandated.	US East for the prototype; client to confirm	

F. Confluence Structure and Permissions

No	Question and why we ask	Suggested default	Answer / notes
F1	**[Priority] Does Katalon use Confluence Cloud or Data Center, and which plan (Standard, Premium, Enterprise)?** [I6, C1] *Why:* Different APIs and connectors; shows whether Atlassian Guard (SSO and SCIM) exists.	Cloud, Premium or Enterprise	
F2	**Besides the four spaces shared, should any other space be included? Are personal spaces excluded?** [C2] *Why:* Scope of the knowledge base.	Only the four spaces; personal spaces excluded	
F3	**[Priority] Are permissions mainly set at space level, or are there many page restrictions inherited from parent pages?** [C3, I11] *Why:* Determines how complex the permission layer and live check must be.	Space level, with a few restricted pages	
F4	**Are Confluence groups managed manually or synchronised from an identity provider through SCIM?** [C4] *Why:* Affects how users are matched between Slack and Confluence.	Synchronised through SCIM	
F5	**Is Deal Desk restricted to Sales? Which other pages are restricted?** [I14] *Why:* At least one restricted case is needed to test access control.	Deal Desk Sales-only; Intranet open to all	
F6	**Roughly how many pages per space, and how often are they updated?** [C5] *Why:* Sets the sync schedule and embedding cost.	Hundreds of pages; weekly updates	
F7	**How fresh must answers be after a page changes?** [I10] *Why:* Freshness drives sync frequency and cost.	Within 1 hour (target 15 minutes)	
F8	**Are attachments (PDF, Word, Excel) and Vietnamese content in scope?** [C6, I12] *Why:* Extraction effort, cost and model choice.	Page text only; English and Vietnamese	
F9	**Should archived pages and drafts be excluded?** [C7] *Why:* Avoids answers from outdated content.	Excluded	
F10	**[Priority] Who owns each of the four spaces and can act as Content Owner?** [I13] *Why:* Content Owners review wrong answers and fix source pages.	Client acts as owner for all four in Project A	

G. Slack Structure and Bot Behaviour

No	Question and why we ask	Suggested default	Answer / notes
G1	**Does Katalon use one Slack workspace or Enterprise Grid (several workspaces)?** [S1] *Why:* Shape of the Slack sandbox.	One workspace	
G2	**About how many channels exist, and is there a naming convention (#team-, #proj-, #announce-)?** [S2] *Why:* Realistic sandbox; channel tests. Not public information (Group 7, 2026c).	Estimate is enough	
G3	**Do Slack user groups match Confluence groups (for example deal-desk in both)?** [S3] *Why:* Extra cross-check of who the asker is.	Partly	
G4	**Is Slack Connect used with partners or customers?** [S4, I17] *Why:* External users must be refused like guests.	Yes; block external users	

No	Question and why we ask	Suggested default	Answer / notes
G5	**How should staff talk to the bot: direct message, @mention, slash command, or all?** [I19] *Why:* Changes reply design and privacy.	Direct message and @mention	
G6	**[Priority] When @mentioned in a channel, must the answer be private (visible only to the asker)?** [I20] *Why:* A public answer could expose restricted content.	Private (ephemeral) reply	
G7	**Will Katalon approve the Slack scope users:read.email (and the Atlassian Email API if emails are hidden)?** [I16] *Why:* Needed to identify the asker reliably.	Yes to both	
G8	**May the bot store questions, answers and ratings for evaluation and the Home tab dashboard, and for how long?** [I21] *Why:* Needed for accuracy and cost evidence; also a privacy question.	90 days, test workspace only	

H. Identity, Roles and Testing

No	Question and why we ask	Suggested default	Answer / notes
H1	**[Priority] Do staff use the same work email in Slack and Confluence, and which identity provider is used (Okta, Entra, Google)?** [I15] *Why:* The bot links a Slack user to a Confluence account by email.	Same email; client names the IdP	
H2	**Do you agree with the five roles (System Admin, Client Reviewer, Content Owner, Employee, Guest) plus the read-only Sync Bot?** [I18] *Why:* Defined in the Business Role Proposal.	Agree	
H3	**Which email should the team use for your Client Reviewer account in the test environment?** [I27] *Why:* Needed to set up your access.	Your Katalon work email	
H4	**Are you happy to run acceptance tests in the team's sandbox with the test personas?** [I28] *Why:* Client acceptance testing before any production use.	Yes	
H5	**What deliverable do you expect from Project A: a working prototype or a pilot with real staff?** [I4] *Why:* Decides whether production access is ever needed.	Working prototype in a test workspace	
H6	**Which success targets matter most (accuracy, response time, monthly cost)?** [I5] *Why:* Measurable targets let the team prove each criterion.	≥ 80% correct on the test set; reply < 10 s; < US$50/month	
H7	**Who would install the bot in Katalon's real Slack and approve Atlassian access if a pilot happens later?** [I24] *Why:* Admin approval is needed once at setup.	Not needed in Project A	
H8	**How often should we meet, on which channel, and who gives final sign-off?** [I29] *Why:* The brief asks teams to agree a meeting rhythm with the client.	Every two weeks online; client signs off	

I. Decision Log and Action Items

To be completed during the meeting and read back in the last five minutes.

No	Decision	Agreed by
1		
2		
3		
4		
5		
6		
7		
8		

No	Action item	Owner	Due
1			
2			
3			
4			
5			
6			
7			
8			

References

Group 7. (2026a). *Business role proposal* (Version 1.3, draft for client review) [Unpublished project document]. COS40005 Computing Technology Project A, Swinburne University of Technology.

Group 7. (2026b). *Environment options; Environment option 1: Zero-cost environment; Environment option 2: Low-cost, closer-to-production environment* (Version 1.0, drafts) [Unpublished project documents]. COS40005 Computing Technology Project A, Swinburne University of Technology.

Group 7. (2026c). *Data and structure research* (Version 1.1, draft) [Unpublished project document]. COS40005 Computing Technology Project A, Swinburne University of Technology.

Katalon. (n.d.). *TestOps agreement*. Retrieved November 11, 2026, from https://web-api.katalon.com/terms/testops-agreement/