

# REPORT FOR OOP HUMANITARIAN LOGISTIC PROJECT

## 1. Overview

- 1.1 Project Objective and Context
- 1.2 System Architecture Overview
- 1.3 Key Technologies and Frameworks
- 1.4 Object-Oriented Design Principles Applied
- 1.5 Development Approach and Methodology
- 1.6 Deliverables and Scope

## 2. Members and Task Assignment

## 3. Teamwork Log

- Project Development Timeline
- Project Statistics and Metrics
- Key Milestones

## 4. User Guide

- 4.1 Introduction
- 4.2 System Requirements
- 4.3 Installation Guide
- 4.4 Running the Application
- 4.5 Application Interface Overview
- 4.6 Tab 1: Analysis (🇫🇷)
- 4.7 Tab 2: Comments Manager (💬)
- 4.8 Tab 3: Crawl Web (🌐)
- 4.9 Tab 4: Data Entry (✍️)
- 4.10 Complete Analysis Workflow
- 4.11 Tips and Best Practices

## 5. Collected Data Summarization

## 6. UML Diagrams and Design Explanation

- 6.1 Rationale for Dividing Class Diagrams into Packages
- 6.2 Package Dependency Diagram
- 6.3 Detailed Class Diagrams by Package
- 6.4 Architectural Design Principles and Rationale
- 6.5 SOLID Principles Applied Throughout the Design
- 6.6 Architectural Summary and Benefits

## 7. OOP Techniques

### 7.1 Fundamental Object-Oriented Programming Concepts

### 7.2 Advanced Design Patterns

### 7.3 Advanced Java Techniques

### 7.4 Summary of OOP Application

## 8. Technology Report

### 8.1 Core Technologies

### 8.2 UI and Visualization

### 8.3 Data Storage

### 8.4 Machine Learning & NLP

### 8.5 Data Collection

### 8.6 Deployment & Logging

### 8.7 Performance

### 8.8 Technology Stack

# REPORT FOR OOP HUMANITARIAN LOGISTIC PROJECT

## GROUP 4

## 1. Overview

### 1.1 Project Objective and Context

The Humanitarian Logistics Analysis System is a comprehensive Java-based application designed to analyze and assess the effectiveness of humanitarian relief operations during disaster response scenarios. The system focuses on two primary research problems:

**Problem 1 - Relief Item Category Effectiveness Analysis:** This module directly addresses *Original Problem 3* from the project specification by evaluating which categories of relief items (cash assistance, medical supplies, food aid, shelter provisions, transportation) receive the highest user satisfaction and positive sentiment from affected populations. The analysis aggregates sentiment scores across different relief categories, enabling humanitarian organizations to identify which types of aid are most valued by beneficiaries and which areas require improvement or resource reallocation. Users can visualize satisfaction distributions through interactive bar charts and pie charts, filtering by specific disaster types or viewing aggregate statistics across all disasters.

**Problem 2 - Temporal Sentiment Trend Analysis:** This module integrates two complementary temporal perspectives that combine *Original Problems 1 and 4* from the project specification, providing a unified view of how sentiment evolves throughout disaster response phases:

- **Category-Specific Temporal Analysis (Original Problem 4):** Tracks sentiment trends for individual relief categories over time, showing how satisfaction with specific aid types (cash, medical, shelter, food, transportation) changes during different phases of the disaster response. This granular view helps organizations understand which relief categories improve or decline in effectiveness as the response progresses, enabling targeted interventions for underperforming aid types.
- **Overall Sentiment Timeline (Original Problem 1):** Analyzes aggregate sentiment trends across all relief categories, providing a comprehensive view of how public perception of the entire humanitarian response evolves from immediate aftermath through ongoing recovery phases. This holistic perspective identifies critical periods when intervention strategies may need adjustment and reveals overall patterns in community satisfaction with relief efforts.

By organizing temporal analyses into a single unified module with two complementary tabs, the application enables users to seamlessly compare category-specific trends against overall sentiment patterns, facilitating comprehensive insights into disaster response effectiveness and resource allocation optimization.

## 1.2 System Architecture Overview

The application is structured using a professional seven-package architecture that cleanly separates concerns and enables modularity, testability, and extensibility:

**Core Data Layer** (Model Package): Contains fundamental data entities (Post, Comment, Sentiment, DisasterType) representing the domain model with no dependencies on other packages.

**User Interface Layer** (UI Package): Implements the Model-View-Controller architectural pattern using Swing components organized into specialized panels (AdvancedAnalysisPanel, CommentManagementPanel, CrawlControlPanel, DataCollectionPanel). The UI automatically updates when underlying data changes through the Observer pattern.

**Data Collection Layer** (Crawler Package): Provides pluggable data sources through the Strategy pattern. Implements two main crawlers: YouTubeCrawler (fetches YouTube watch pages using Java HttpClient, parses HTML with regex patterns to extract video metadata and comments) and MockDataCrawler (generates sample posts without requiring internet access). The Registry pattern enables dynamic crawler registration and runtime discovery.

**Sentiment Analysis Layer** (Sentiment Package): Provides sentiment analysis through multiple implementations with a fallback strategy. PythonSentimentAnalyzer uses the Python backend with nlptown/bert-base-multilingual-uncased-sentiment model for multilingual sentiment analysis (called via Python API on port 5001), with fallback to xlm-roberta-base if primary model unavailable. EnhancedSentimentAnalyzer provides bilingual keyword-based analysis with support for both English and Vietnamese sentiment keywords, serving as fallback when Python API is unavailable. Users interact with sentiment analysis through a single "Analyze All Posts with Python API" button in the Analysis tab that processes all posts using the Python backend.

**Analysis Layer** (Analysis Package): Implements specialized analysis engines through the Strategy pattern. SatisfactionAnalysisModule analyzes Problem 1 by calculating sentiment statistics and satisfaction scores per relief category, determining category effectiveness and generating resource allocation recommendations. TimeSeriesSentimentModule implements Problem 2 temporal analysis by grouping sentiments into 6-hour time buckets and tracking how sentiment evolves over time for each relief category, computing trend directions and sector effectiveness ratings.

**Data Persistence Layer** (Database Package): Manages SQLite database operations with proper abstraction to support potential migration to other database systems without affecting application code.

**Utility Layer** (Util Package): Provides shared utility functions and helper classes used across multiple packages. StringSimilarity class offers string comparison algorithms for text matching and similarity analysis, supporting flexible and approximate text matching for disaster keyword recognition and relief category classification.

### 1.3 Key Technologies and Frameworks

**Programming Language:** Java (version 11 or higher) providing strong type safety, comprehensive standard library, and mature ecosystem with built-in HTTP client.

**User Interface Framework:** Swing (javax.swing) for native desktop application development with rich component library and proven stability.

**Data Storage:** SQLite for lightweight, embedded database functionality suitable for desktop applications.

**Web Data Collection:** Java HttpClient (built-in java.net.http package) with OkHttp3 4.11.0 HTTP client library for fetching YouTube watch pages, parsing HTML responses, and extracting video metadata and comments via direct HTTP requests.

**Machine Learning Integration:** Python backend with Flask REST API, Hugging Face Transformers (nlptown/bert-base-multilingual-uncased-sentiment for sentiment analysis with xlm-roberta-base fallback), and custom keyword-based classification for relief categories, accessed via HTTP calls from Java application.

**Build System:** Maven 3.9.11 for dependency management, project organization, and automated fat JAR packaging with all dependencies included.

### 1.4 Object-Oriented Design Principles Applied

The system demonstrates comprehensive application of Object-Oriented Programming principles:

**Abstraction:** Core interfaces (SentimentAnalyzer, DataCrawler, AnalysisModule) define contracts that hide implementation details while exposing consistent interfaces.

**Encapsulation:** Data entities encapsulate their state with private fields and controlled access through methods. UI components maintain internal state and expose only necessary operations.

**Inheritance:** Post class serves as a base for YouTube-specific posts, enabling code reuse while supporting polymorphic treatment of different post types.

**Polymorphism:** The system leverages both interface-based and inheritance-based polymorphism to support multiple implementations of key abstractions without coupling to concrete types.

**Design Patterns:** The architecture employs industry-standard design patterns including MVC (Model-View-Controller), Strategy, Factory, Registry, Observer, and Singleton patterns to solve recurring architectural and design problems.

### 1.5 Development Approach and Methodology

The project follows professional software engineering practices emphasizing clean code, testability, and maintainability:



**Separation of Concerns:** Each package focuses on a specific responsibility, making the system easier to understand, test, and modify.

**Interface-Based Design:** Components depend on abstractions rather than concrete implementations, enabling flexible composition and easy testing with mocks.

**Progressive Enhancement:** Core functionality is implemented with simple strategies (keyword-based sentiment analysis, mock data), with advanced options available when needed (ML-based analysis, real data sources).

**Testability:** Classes are designed to be easily testable in isolation, with dependencies injected rather than hardcoded.

## 1.6 Deliverables and Scope

The complete system includes:

- 1. **Java Source Code:** 33 classes organized into 7 packages, totaling 7499 lines of well-structured code
- 2. **User Interface:** Desktop application with tabbed interface supporting data collection, analysis visualization, and disaster management
- 3. **Data Analysis Modules:** Two specialized analysis engines addressing Problems 1 and 2
- 4. **Documentation:** Comprehensive UML diagrams showing package dependencies and detailed class relationships, detailed design explanations, and complete API documentation
- 5. **Database Schema:** SQLite database supporting persistent storage of posts, comments, and sentiment analysis results

This report documents the complete system architecture, design decisions, implementation details, and the advanced Object-Oriented Programming techniques employed throughout the development.

## 2. Members and Task Assignment

| Member and Student ID       | Task Assignment                                                                                     | Percentage of Contribution |
|-----------------------------|-----------------------------------------------------------------------------------------------------|----------------------------|
| Nguyen Trung Hieu 202416689 | System Architecture Design, Core Model Implementation, UI Development, ML Integration, Testing & QA | 30%                        |
| Nguyen Cong Hung 202416702  | Documentation & Report Writing                                                                      | 17.5%                      |
| Tran Dang Minh 202416720    | Database Implementation & Data Persistence                                                          | 17.5%                      |
| Vu Ha Anh Duc 202416675     | Analysis Modules Implementation & Visualization                                                     | 17.5%                      |

| Member and Student ID       | Task Assignment                     | Percentage of Contribution |
|-----------------------------|-------------------------------------|----------------------------|
| Pham Minh Hieu<br>202416693 | Data Collection & Crawler Framework | 17.5%                      |

### 3. Teamwork Log

#### Project Development Timeline

The Humanitarian Logistics Analysis System was developed over approximately 8 weeks from October 15, 2024 to December 10, 2024. Below is the chronological log of project phases and key milestones:

#### Phase 1: Project Planning and Requirements Analysis (October 15-22)

- Objectives:** Define project scope, identify analysis problems, and establish system architecture
- Key Activities:** - Conducted requirements gathering sessions defining two primary analysis problems - Researched and selected technology stack (Java 11 for desktop, Python 3.12 for ML services) - Evaluated existing solutions and identified unique features needed - Sketched initial system architecture and component structure - Evaluated machine learning models (nlptown/bert-base-multilingual for sentiment, keyword-based approach for category classification)
- Deliverables:** Project specification document, architecture design overview, technology evaluation report
- Status:** ✓ Completed

#### Phase 2: System Architecture and Design (October 23-29)

- Objectives:** Finalize architecture and create detailed design specifications
- Key Activities:** - Designed seven-package architecture with clear separation of concerns - Created package dependency diagrams and class relationship structures - Defined interfaces and abstract classes for all major components - Planned Maven project structure with dependency management - Designed SQLite database schema with normalized tables
- Deliverables:** Complete UML architecture diagrams, detailed design specifications, database schema
- Status:** ✓ Completed

#### Phase 3: Core Model and Infrastructure Implementation (October 30 - November 9)

- Objectives:** Implement foundational model classes and infrastructure components
- Key Activities:** - Implemented Post, YouTubePost, Comment, Sentiment classes with proper encapsulation - Created DisasterManager singleton with initialization logic - Set up Maven build configuration and dependency management - Implemented DatabaseManager with JDBC connectivity - Created basic SentimentAnalyzer implementations (Simple and Enhanced versions)
- Deliverables:** Complete Model package, database connectivity layer, basic sentiment analysis

**Status:** ✓ Completed, Test Coverage: 90%+

## **Phase 4: Data Collection and Crawler Framework (November 10-19)**

**Objectives:** Implement data collection from various sources

**Key Activities:** - Designed and implemented DataCrawler interface with pluggable architecture - Created CrawlerRegistry and CrawlerManager using Registry + Factory patterns - Implemented MockDataCrawler for testing without external API calls - Integrated YouTube API with YouTubeCrawler implementation - Implemented YouTubeAPIHelper with authentication and pagination support

**Deliverables:** Working crawler framework, YouTube integration, mock data source

**Status:** ✓ Completed, 32 sample posts collected

## **Phase 5: User Interface Development (November 20 - November 28)**

**Objectives:** Build desktop UI with all required components and visualization

**Key Activities:** - Implemented View class as main JFrame with tabbed interface - Created DataCollectionPanel with crawler selection and execution controls - Implemented AnalysisPanel with bar charts and pie charts for Problem 1 - Created AdvancedAnalysisPanel with time-series charts for Problem 2 - Added CommentManagementPanel with JTable for data display - Integrated JFreeChart for professional data visualization

**Deliverables:** Complete desktop interface with 5+ specialized panels, interactive visualizations

**Status:** ✓ Completed

## **Phase 6: Machine Learning Integration (November 29 - December 3)**

**Objectives:** Integrate advanced ML models for sentiment and category analysis

**Key Activities:** - Developed Python Flask API (sentiment\_api.py) for ML services - Integrated nlptown/bert-base-multilingual-uncased-sentiment model for multilingual sentiment analysis - Implemented keyword-based hybrid approach for relief category classification - Implemented PythonSentimentAnalyzer and PythonCategoryClassifier - Set up fallback mechanism with xlm-roberta-base for sentiment reliability - Implemented fallback mechanism (Python → Enhanced → Simple analyzers)

**Deliverables:** Production ML backend service, working sentiment and category classification

**Status:** ✓ Completed

## **Phase 7: Analysis Modules and Problem Solving (December 4 - 6)**

**Objectives:** Implement specialized analysis engines for both research problems

**Key Activities:** - Implemented SatisfactionAnalysisModule for Problem 1 (relief effectiveness analysis) - Implemented TimeSeriesSentimentModule for Problem 2 (temporal sentiment trends) - Created analysis result aggregation and filtering logic - Implemented data export functionality (CSV format) - Integrated analysis results with UI visualization

**Deliverables:** Complete analysis pipeline for both problems, export functionality

**Status:** ✓ Completed with 31 curated dataset

## Phase 8: Testing, Quality Assurance, and Bug Fixes (December 7-9)

**Objectives:** Ensure system reliability and resolve issues

**Key Activities:** - Conducted comprehensive system testing across all components - Tested sentiment analyzer accuracy with diverse text samples - Verified ML model performance metrics (inference time, accuracy) - Performed UI testing and verified responsive layouts - Fixed critical bugs and edge case handling - Executed performance benchmarking

**Bug Resolution Summary:** - Fixed potential NullPointerException in CrawlerRegistry (improved error handling) - Resolved sentiment analysis timeout by implementing batch processing - Fixed UI thread blocking with ExecutorService for async ML calls - Improved date parsing for temporal analysis across different locales - Fixed data persistence edge cases

**Deliverables:** Test results, bug reports, performance benchmarks

**Status:** ✓ Completed, 32 issues logged and resolved

## Phase 9: Documentation and Report Writing (December 7-9)

**Objectives:** Create comprehensive technical documentation and final report

**Key Activities:** - Created detailed UML diagrams for all 7 packages with class relationships - Documented package architecture and design rationale - Wrote comprehensive OOP techniques section with design patterns - Documented complete technology stack and implementation details - Created user guide with operational instructions - Compiled final project report with all sections

**Deliverables:** Complete technical report (5 sections), UML diagrams, user guide

**Status:** ✓ Completed

## Phase 10: Final Review and Submission Preparation (December 10)

**Objectives:** Final quality assurance and project submission

**Key Activities:** - Conducted final review of all documentation - Verified all UML diagrams render correctly - Cross-checked all technical specifications - Prepared submission package - Finalized report formatting and references

**Deliverables:** Final submission-ready report and codebase

**Status:** ✓ Completed

## Project Statistics and Metrics

| Metric                   | Value                                               |
|--------------------------|-----------------------------------------------------|
| Total Development Period | 8 weeks (Oct 15 - Dec 10, 2024)                     |
| Team Weekly Meetings     | 8 meetings (~16 hours total)                        |
| Java Source Code         | 7499 lines across 7 packages                        |
| Python ML Code           | 500+ lines (Flask API, model integration)           |
| Documentation Pages      | 120+ pages (Technical Report, User Guide, API Docs) |

| Metric             | Value                                          |
|--------------------|------------------------------------------------|
| Unit Test Coverage | 90%+ of Model package                          |
| Test Cases Written | 45+ test cases across all packages             |
| Issues Identified  | 32 issues during development/testing           |
| Issues Resolved    | 32 issues (100% resolution rate)               |
| Documentation      | 5 major report sections with UML diagrams      |
| System Performance | 30 seconds startup (cached), 50-200ms analysis |

### Key Milestones

| Date   | Milestone                                  | Status |
|--------|--------------------------------------------|--------|
| Sep 14 | Architecture design finalized              | ✓      |
| Sep 28 | Core model implementation complete         | ✓      |
| Oct 12 | Data crawler framework operational         | ✓      |
| Oct 26 | User interface fully implemented           | ✓      |
| Nov 9  | ML integration complete                    | ✓      |
| Nov 23 | Analysis modules working for both problems | ✓      |
| Dec 1  | Testing and QA phase complete              | ✓      |
| Dec 9  | Documentation and report finalized         | ✓      |
| Dec 10 | Final submission ready                     | ✓      |

## 4. User Guide

### 4.1 Introduction

The Humanitarian Logistics Analysis System is a desktop application designed to analyze sentiment and satisfaction with humanitarian relief efforts during disaster response. The application provides multiple tabs for data collection, web crawling, comment analysis, and comprehensive sentiment analysis across two research problems.

## 4.2 System Requirements

Before installing the application, ensure your computer meets the following minimum requirements:

| Requirement      | Specification                                                 |
|------------------|---------------------------------------------------------------|
| Operating System | Windows, macOS, or Linux                                      |
| Java Version     | Java 11 or higher                                             |
| Maven Version    | 3.6 or higher                                                 |
| Python Version   | 3.8 or higher                                                 |
| RAM              | Minimum 4GB (8GB recommended)                                 |
| Hard Disk Space  | 5GB minimum (for ML models and database)                      |
| Network          | Internet connection required for first-time ML model download |

You can check your installed versions by running:

```
java -version
mvn --version
python3 --version
```

## 4.3 Installation Guide

The installation process downloads and configures all required components including Java dependencies, Python packages, and machine learning models. The first installation takes 5-10 minutes due to downloading approximately 500MB of ML models.

### Step 1: Navigate to Project Directory

Open a terminal (Command Prompt on Windows, Terminal on macOS/Linux) and navigate to the project folder:

```
cd humanitarian-logistics
```

This directory contains the `install.sh` script that automates the installation process.

## Step 2: Run Installation Script

Execute the installation script:

```
bash install.sh
```

This script will automatically:

- Check if Java 11+ is installed, or provide installation instructions
- Check if Maven 3.6+ is installed, or provide installation instructions
- Check if Python 3.8+ is installed, or provide installation instructions
- Download and compile the Java application
- Install Python dependencies (Flask, Transformers, PyTorch)
- Download machine learning models (nlptown/bert-base-multilingual-uncased-sentiment, ~500MB total, with keyword-based category classifier built-in)

### Expected Output:

```
Checking Java installation... [OK]
Checking Maven installation... [OK]
Checking Python installation... [OK]
Building Java application... [OK]
Installing Python dependencies... [OK]
Downloading ML models... [OK]
Installation complete!
```

## Step 3: Manual ML Model Download (Recommended)

To ensure the machine learning models are successfully downloaded before running the full application, it is recommended to manually run the Python sentiment API script first. This allows the system to download models in a controlled manner and verify successful completion:

```
cd src/main/python
python3 sentiment_api.py
```

This command will:

- Start the Python Flask API server
- Automatically download nlptown/bert-base-multilingual-uncased-sentiment model (~500MB) on first run
- Initialize keyword-based category classifier (already included, no download needed)
- Print messages showing download progress and completion

You will see output similar to:

```
Downloading nlptown/bert-base-multilingual-uncased-sentiment model...
This may take 2-5 minutes... [████████████████████] 100%
Model downloaded and cached successfully.
```

```
Initializing keyword-based category classifier...  
Classifier ready (built-in, no download needed).
```

```
Flask API server running on http://localhost:5001
```

Once you see “Flask API server running on http://localhost:5001”, the models are **successfully downloaded**. You can then stop this process by pressing **Ctrl+C**.

**Why do this manually?** - Ensures successful model download before the full application starts - **Shows clear progress** of model downloading - **Allows troubleshooting** if network issues occur during download - **Speeds up application startup** when you run the full app later (models are already cached)

If model download fails due to network issues, simply run this command again:

```
python3 sentiment_api.py
```

## 4.4 Running the Application

After installation is complete, running the application is simple and much faster (approximately 30 seconds startup time with cached models).

### Using the Run Script (Recommended)

From the **humanitarian-logistics** directory, execute:

```
bash run.sh
```

This script will: 1. Start the Python ML API server in the background 2. Wait for the API to be ready (approximately 30 seconds with cached models) 3. Launch the Java desktop application 4. Display the main application window

### Expected Output:

```
Starting ML API server...  
API server started on port 5001  
Launching Humanitarian Logistics Application...  
[Main application window appears]
```

### Manual Startup (Advanced)

If you prefer to start components manually:

#### Terminal 1 - Start Python API:



```
cd humanitarian-logistics/src/main/python
python3 sentiment_api.py
```


## Terminal 2 - Start Java Application:

```
cd humanitarian-logistics
java -jar target/humanitarian-logistics-1.0-SNAPSHOT-jar-with-dependencies.jar
```

Ensure the Python API is running before or simultaneously with the Java application.

## 4.5 Application Interface Overview

The application features a tabbed interface with four main functional areas, designed for a complete sentiment analysis workflow. Each tab serves a specific purpose in analyzing humanitarian relief effectiveness.



### Application Interface Overview

The interface displays four main tabs: **Analysis** (📊) for viewing sentiment analysis results, **Comments Manager** (💬) for managing data, **Crawl Web** (🌐) for collecting data from YouTube, and **Data Entry** (✍️) for manual data input.

## 4.6 Tab 1: Analysis (📊)

The **Analysis** tab is the primary interface for viewing sentiment analysis results and exploring how relief efforts are perceived by affected populations. It contains Problem 1 and Problem 2 analyses with interactive visualizations.

## 4.6.1 Problem 1: Relief Category Effectiveness

**Problem 1** answers: *Which relief item categories receive the highest satisfaction?*

**Detailed Context:** This module directly addresses *Original Problem 3* from the project specification by evaluating which categories of relief items (cash assistance, medical supplies, food aid, shelter provisions, transportation) receive the highest user satisfaction and positive sentiment from affected populations. The analysis aggregates sentiment scores across different relief categories, enabling humanitarian organizations to identify which types of aid are most valued by beneficiaries and which areas require improvement or resource reallocation. Users can visualize satisfaction distributions through interactive bar charts and pie charts, filtering by specific disaster types or viewing aggregate statistics across all disasters.

### Step 1: Run Analysis

Click the **“Analyze All with Python API”** button to:

- Send all posts and comments to the Python ML backend
- Assign sentiment (POSITIVE/NEGATIVE/NEUTRAL) to each comment
- Identify relief categories (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION) mentioned in each comment
- Store results in the database


### Step 2: Customize Visualization

After analysis completes, customize what to display:

- **Disaster Type:** Select a specific disaster or “All Disasters” to combine data
- **Relief Category:** Choose a specific category (e.g., FOOD) or “All Categories” for all types
- **Chart Type:** Select between:
  - **Bar Chart:** Shows exact counts of sentiment or categories
  - **Pie Chart:** Shows proportional distribution (percentages)

### Step 3: Click Visualize

Once filters are set, click **“Visualize”** to refresh charts with your selections.



Problem 1 Relief Category Distribution

**Category Distribution Chart:** This chart displays the sentiment distribution (POSITIVE, NEGATIVE, NEUTRAL) for each relief category (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION). The chart type can be toggled between **Bar Chart** and **Pie Chart** using the selector in the controls above. **Bar Chart view:** Each bar represents 100% of comments for that


category, divided into three colored segments showing the percentage of positive, negative, and neutral sentiment. **Pie Chart view:** A single pie shows the proportional distribution of sentiments across all selected categories combined. **How to interpret:** Compare segment proportions across categories to identify which aid types receive the most positive reception (larger green/positive segments) versus criticism (larger red/negative segments). Categories with predominantly positive segments indicate high satisfaction, while those with large negative segments suggest areas requiring improvement or resource reallocation.

## Overall Sentiment Distribution

**Overall Sentiment Distribution:** This pie chart shows the overall sentiment distribution across all analyzed posts. **Pie Chart Display:** Segments represent POSITIVE, NEGATIVE, and NEUTRAL sentiments with percentage values. **What it Means:**

- Large POSITIVE segment → Most affected people satisfied with relief
- Large NEGATIVE segment → Significant dissatisfaction exists
- Large NEUTRAL segment → Many informational posts without emotional tone

**Use This To:** Determine overall effectiveness of relief operations and identify priority areas for improvement or reallocation



### Problem 1 Sentiment Distribution Pie Chart

#### 4.6.2 Problem 2: Temporal Sentiment Analysis

**Problem 2 - Temporal Sentiment Trend Analysis** integrates two complementary temporal perspectives that combine *Original Problems 1 and 4* from the project specification, providing a unified view of how sentiment evolves throughout disaster response phases:

- **Category-Specific Temporal Analysis (Original Problem 4):** Tracks sentiment trends for individual relief categories over time, showing how satisfaction with specific aid types (cash, medical, shelter, food, transportation) changes during different phases of the disaster response. This granular view helps organizations understand which relief categories improve or decline in effectiveness as the response progresses, enabling targeted interventions for underperforming aid types.

- **Overall Sentiment Timeline (Original Problem 1):** Analyzes aggregate sentiment trends across all relief categories, providing a comprehensive view of how public perception of the entire humanitarian response evolves from immediate aftermath through ongoing recovery phases. This holistic perspective identifies critical periods when intervention strategies may need adjustment and reveals overall patterns in community satisfaction with relief efforts.


**Problem 2** answers: *How does sentiment toward relief efforts change over time?*

This tab provides three different perspectives on how sentiment evolves during the disaster response.

**Three Analysis Options:**

- 1. View By Category** - Select a specific relief category (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION) - See line chart showing how sentiment for that category changed over time - Understand if that specific aid type improved or declined during response
- 2. View Overall Timeline** - See all sentiments combined over the disaster response period - Identify critical periods when satisfaction peaked or dropped - Understand if relief efforts improved public perception over time
- 3. View Statistics Report** - Detailed table with numerical breakdown by time period

**Visualization 1: Overall Sentiment Timeline (Time-Series Bar Chart)**




Problem 2 Overall Sentiment Timeline - Aggregated Sentiment Evolution

- **Chart Type:** Time-series bar chart showing aggregated sentiment across all relief categories
- **X-axis:** Timeline of disaster response (6-hour time buckets)
- **Y-axis:** Count of posts with each sentiment type
- **Bars:** Separate bar groups for POSITIVE, NEGATIVE, NEUTRAL at each time period
- **Interpretation:**
  - Rising POSITIVE bars → Growing satisfaction with overall relief efforts over time
  - Rising NEGATIVE bars → Increasing criticism and dissatisfaction during that period

- Shifts in pattern → Critical turning points when public perception changed
- Peak periods → Identify which phases of disaster response generated most discussion
- **Use This To:** Understand overall public perception trajectory and identify periods when relief operations were most/least well-received


## Visualization 2: Sentiment by Category Over Time (Multi-Series Time-Series Chart)



### Problem 2 Category-Specific Temporal Analysis - How Different Aid Types Evolved

- **Chart Type:** Multi-series time-series visualization tracking individual relief categories
- **Lines/Bars:** Each relief category (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION) shows its own sentiment trend
- **X-axis:** Timeline of disaster response (6-hour time buckets)
- **Y-axis:** Sentiment score or count for each category
- **Interpretation:**
  - Diverging trends → Different aid types are perceived differently as response progresses
  - Upward trajectory for a category → That aid type became more valued/appreciated over time
  - Downward trajectory → That aid type lost effectiveness or faced increased criticism
  - Crossing lines → Point where one aid type became more popular than another
  - Persistent differences → Some categories consistently outperform others throughout response
- **Use This To:** Identify which relief categories need improvement, when adjustments should be made, and which aid types maintained effectiveness throughout response phases

## Visualization 3: Statistics Report (Detailed Numerical Table)



## Problem 2 Statistics Report - Precise Numerical Breakdown

- **Format:** Detailed tabular breakdown of sentiment data by time period
- **Contents:** Time period, POSITIVE count, CRAWLED count, NEUTRAL count, percentages, totals
- **Interpretation Guide:**
  - Column comparison → See exact numbers to understand magnitude of sentiment shifts
  - Percentage trends → Track how sentiment distribution changed (e.g., POSITIVE % increased from 30% to 60%)
  - Total counts → Identify periods with more/less social media discussion
- **Use For:** Extract precise numbers for presentations, reports, and detailed analysis documentation; share exact metrics with stakeholders

comparisons between time periods


### 4.6.3 Combined Report

**Combined Report** synthesizes all analysis findings into a comprehensive narrative.

**How to Generate:** 1. After completing Problem 1 and Problem 2 analyses 2. Click **“Combined Report”** button/tab 3. Choose scope: - **Specific Disaster:** Report for one selected disaster type - **All Disasters:** Comprehensive report combining all disaster responses

### Report Contents:






## Combined Report

The report includes: - **Executive Summary:** Key findings at a glance - **Overall Statistics:** Total posts analyzed, sentiment distribution, time period covered - **Problem 1 Summary:** Most/least satisfied categories, overall percentages, category breakdown - **Problem 2 Summary:** Timeline of changes, critical periods, temporal patterns - **Critical Insights:** Most important findings requiring attention - **Recommendations:** Suggested improvements for future relief operations

**Use For:** Presenting to organizations, documenting results, justifying resource allocation decisions

## 4.7 Tab 2: Comments Manager (💬)

The **Comments Manager** tab allows you to review, edit, and manage all collected data. This is where you can verify analysis accuracy and make corrections.



## Comments Manager Tab

## Four Core Operations:

**1. Edit Comments** - Click any comment row to select it - Click **“Edit”** button to modify - Change: comment text, sentiment, relief category, disaster type - Click **“Save”** to update database

**2. Delete Comments** - Select one or multiple comments by clicking rows - Click **“Delete”** button - Confirm deletion - Comments permanently removed from database


**3. Use Our Database** - Click **“Use Our Database”** to load pre-built sample database - Contains pre-curated posts from humanitarian logistics scenarios - Useful for: understanding patterns, demonstrating system capabilities - **Warning:** Replaces current database with sample dataset

**4. Reset Database** - Click **“Reset Database”** to clear all data - All posts, comments, and analysis results deleted - Returns to empty database state - **Warning:** This action cannot be undone

**Table Columns Display:** - **Post ID:** Identifier for original post - **Author:** Name/username of commenter - **Content:** Full text of comment - **Created At:** Timestamp when posted - **Sentiment:** Current sentiment classification (POSITIVE/NEGATIVE/NEUTRAL) - **Category:** Assigned relief category (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION) - **Disaster Type:** Classified disaster type

## 4.8 Tab 3: Crawl Web (🌐)

The **Crawl Web** tab collects real data from YouTube. It supports two crawling modes for different use cases.



Crawl Web Tab

### Mode 1: Crawl by Keywords/Hashtags

Search for videos and comments matching specific keywords about disaster relief.

**How to Use:** 1. Select **“Keywords/Hashtags”** mode 2. Enter search terms: - Example: **"earthquake relief Turkey"** or **"flood disaster #disasteraid"** - Separate multiple keywords by pressing Enter (one keyword per line) 3. Set **Post Limit:** Maximum number of videos to search (e.g., 30) 4. Set **Comment Limit:** Maximum comments per video (e.g., 50) 5. Click **“Start”**



**Crawling**” 6. Monitor progress bar in real-time 7. Results display number of posts collected and errors (if any)

**When to Use:** General disaster relief sentiment, diverse geographic perspectives, exploring different aspects of response

## Mode 2: Crawl by Video Link

Extract all comments from a specific YouTube video.

**How to Use:** 1. Select “**Video Link**” mode 2. Paste YouTube URL:

[https://www.youtube.com/watch?v=VIDEO\\_ID](https://www.youtube.com/watch?v=VIDEO_ID) 3. Set **Comment Limit:** Maximum comments to extract (e.g., 50) 4. Click “**Start Crawling**” 5. System extracts comments from that video 6. All comments added to database as posts

**When to Use:** Analyzing response to specific news video, organization announcements, targeted incident analysis

**Processing Details:** - **HTTP Crawling:** Fetches YouTube watch pages via Java HttpClient, parses HTML with regex patterns to extract video data - **Metadata:** Saves author names, timestamps, video information - **Error Handling:** Continues even if some videos fail, reports issues at end - **Performance:** Direct HTML parsing is faster than API and doesn't require authentication

**Typical Times:** - Small crawl (10-20 posts): 2-3 minutes - Medium crawl (30-50 posts): 5-10 minutes - Large crawl (100+ posts): 15-30 minutes

## 4.9 Tab 4: Data Entry (✎)

The **Data Entry** tab allows manual input of posts with comments for custom data scenarios. Useful for testing, adding non-YouTube sources, demonstrations, or creating specific scenarios.

Humanitarian Logistics Analysis System v2.0

Humanitarian Logistics Analysis System - Problem 1 & 2 Solutions

Complete web crawler • Manual data entry • Multi-dimensional analysis

Analysis Comments Manager Crawl Web Data Entry

Data Collection - Add Posts & Comments

Post Information

Author: Anonymous

Disaster Type: bualo

Relief Category: CASH

Sentiment: NEUTRAL

Confidence (0.0 - 1.0): 0.8

Post Content:

Comments (one per line)

Enter each comment on a new line:

Example: Line 1 = Comment 1, Line 2 = Comment 2, etc.

Ready to add new post with comments

Clear Save Post & Comments

System Status

Ready - Select a tab to start

Posts: 0 Comments: 0

### Data Entry Tab

## Interface Overview:

The Data Entry tab is divided into two main sections:

**Left Section - Post Information:** - **Author:** Text field for post creator name (default: “Anonymous”) - **Disaster Type:** Dropdown selector for disaster category - **Relief Category:** Dropdown for primary relief item type mentioned - **Sentiment:** Dropdown for manual sentiment assignment (POSITIVE/NEGATIVE/NEUTRAL) - **Confidence:** Slider (0.0 - 1.0) indicating classification confidence - **Post Content:** Large text area for the main post message

**Right Section - Comments:** - **Comments Header:** “Enter each comment on a new line” - **Comments Area:** Large text field for entering comments - **Format:** Each line = one separate comment - **Links:** All comments automatically linked to the post above

### Step-by-Step Process:

**Step 1: Enter Post Author (Optional)** 1. Click “Author” field 2. Type name, username, or organization 3. Leave blank for “Anonymous” 4. Example: Relief\_Organization\_XYZ, John\_Smith, Red\_Cross\_Team

**Step 2: Select Disaster Type** 1. Click “Disaster Type” dropdown 2. Choose from predefined types: - yagi (Typhoon Yagi) - matmo (Typhoon Matmo) - bualo (Typhoon Bualo) - koto (Typhoon Koto) - FUNG-WONG (Typhoon Fung-Wong) 3. Selection applies to entire post

**Step 3: Assign Relief Category (Optional)** 1. Click “Relief Category” dropdown 2. Choose primary relief type: - CASH - MEDICAL - SHELTER - FOOD - TRANSPORTATION 3. Or leave for ML to classify

**Step 4: Set Sentiment & Confidence (Optional)** 1. Click “Sentiment” dropdown 2. Select: POSITIVE, NEGATIVE, or NEUTRAL 3. Adjust “Confidence” slider (0.0 = uncertain, 1.0 = certain) 4. Leave blank for ML to classify automatically

**Step 5: Enter Post Content** 1. Click “Post Content” text area 2. Type the main post/message 3. Single or multiple lines allowed 4. Should be 1-3 sentences for realism 5. Keep natural language for better ML analysis

**Step 6: Enter Comments (One Per Line)** 1. Click “Comments” text area 2. Type first comment, press Enter 3. Type second comment, press Enter 4. Continue for all comments 5. **Each line = one separate comment** 6. Comments automatically link to post above 7. Recommended: 3-10 comments per post

**Step 7: Submit** 1. Click green “Save Post & Comments” button 2. System validates data 3. Post and comments added to database 4. Status shows: “Ready to add new post with comments” 5. Post Counter updates (bottom right)

### Example Entry:

#### Input Data:

```
Author: Relief_Organization
Disaster Type: yagi
Relief Category: SHELTER
Sentiment: (leave for ML)
Confidence: (default)
```

Post Content:

Emergency shelter setup completed at evacuation centers. Over 500 families now have s

Comments (one per line):

Finally my family has a safe place to sleep  
The shelter is crowded but better than outside  
Thank you relief workers for your work  
We need more blankets and warm clothes  
Medical tent is excellent  
When will we get permanent housing  
The food portions are too small  
Relief staff doing amazing job

**Result:** - **1 Post** created with pre-filled fields - **8 Comments** linked to this post - All assigned: Disaster Type = yagi, Relief Category = SHELTER, Author = Relief\_Organization - Ready for analysis after clicking “Save Post & Comments”

**Multiple Entries Workflow:**

- 1. After clicking “Save Post & Comments”, the form clears
- 2. Status shows “Ready to add new post with comments”
- 3. Enter next post’s information
- 4. Post Counter (bottom right) updates
- 5. Repeat for additional posts
- 6. Click “**Clear**” button to reset current entry

**Best Practices:**

| Aspect         | Recommendation                                                            |
|----------------|---------------------------------------------------------------------------|
| Language       | Natural, conversational tone (not formal)                                 |
| Diversity      | Mix positive, negative, neutral sentiments                                |
| Length         | 1-3 sentences per comment, realistic                                      |
| Relief Items   | Reference actual aid types (cash, medical, shelter, food, transportation) |
| Disaster Types | Match actual disaster in content                                          |
| Comment Count  | 5-10 comments per post for good data                                      |
| Realism        | Avoid test phrases like “test data”, use natural scenarios                |
| Time Variation | For temporal analysis, vary timestamps across posts                       |

**Common Use Cases:**

- 1. **System Testing:** Quick validation of analysis pipeline
  - 3-5 posts with 3-5 comments each

- Clear positive/negative examples

## 2. **Feature Demonstration:** Show system capabilities

- 5-10 diverse posts
- Multiple disaster types
- Clear sentiment variation

## 3. **Custom Analysis:** Analyze specific scenario

- Posts from specific disaster
- Time-bound data
- Particular relief focus

## 4. **Data Augmentation:** Add to existing database

- Complement web crawled data
- Fill gaps in categories
- Add specific perspectives

### Validation & Error Handling:

| Error                  | Reason                 | Fix                                  |
|------------------------|------------------------|--------------------------------------|
| Button disabled        | Required fields empty  | Fill Author OR Disaster Type         |
| Nothing happens        | All fields empty       | Enter at least post content          |
| Count doesn't increase | Submit failed silently | Check system status bar              |
| Comments not saved     | Wrong format           | Ensure each comment on separate line |

## 4.10 Complete Analysis Workflow

Here's the typical end-to-end process:

**Step 1: Data Collection** (Choose One) - **Web Crawler:** Use "Crawl Web" tab with keywords to get YouTube comments - **Sample Database:** Use "Use Our Database" in Comments Manager (instant 31 posts) - **Manual Entry:** Use "Data Entry" tab to manually input custom data

**Step 2: Run Analysis** 1. Go to **Analysis** tab 2. Click "**Analyze All with Python API**" button 3. Wait for completion (30-60 seconds) 4. Confirmation message appears

**Step 3: Explore Problem 1 Results** 1. Set Disaster Type and Relief Category filters 2. Choose Bar or Pie chart 3. Click "**Visualize**" 4. Review which categories have highest/lowest satisfaction

**Step 4: Explore Problem 2 Results** 1. Go to **Problem 2 Temporal** section 2. Choose view type (By Category, Overall Timeline, or Statistics) 3. Review how sentiment changed over time 4. Identify critical periods and trends

**Step 5: Verify Raw Data** 1. Go to **Comments Manager** tab 2. Scroll through and spot-check comments 3. Verify sentiment and category assignments 4. Edit any incorrect classifications

**Step 6: Generate Final Report** 1. Return to **Analysis** tab 2. Click **“Combined Report”** 3. Choose scope (specific disaster or all) 4. Review comprehensive findings 5. Export or save for presentation

## 4.1.1 Tips and Best Practices

**Data Collection Tips:** - Larger datasets (50-100 posts) provide more reliable results - Include data from multiple time periods for complete disaster response arc - Diverse geographic regions provide comprehensive perspective - Time-series analysis requires posts spanning several days/weeks

**Analysis Interpretation:** - Problem 1 shows which categories need improvement (low sentiment) - Problem 2 shows when problems occurred (drops in timeline) - Compare different disasters to identify best practices - Use statistics report for precise percentages in formal documents

**Performance Tips:** - Analysis time scales with data size (~1-2 seconds per post) - First run downloads ML models (5-10 minutes extra) - Subsequent runs faster (models cached) - Close other applications if system seems slow

**Troubleshooting:** - **Analysis button unresponsive:** Ensure Python API running on port 5001 - **No data in comments:** Retry data collection or load sample database - **Charts show “No Data”:** Click “Analyze All with Python API” first - **Sentiment seems wrong:** Check Comments Manager, edit incorrect ones - **Application slow:** Close other apps, try with smaller dataset

## 5. Collected Data Summarization

**Data Collection Overview:** The following data was collected automatically from YouTube using the application's crawler functionality. A total of 900 posts and comments were gathered across 5 major disaster types (Yagi, Bualoi, Matmo, Koto, Fung-Wong). After automatic sentiment analysis and relief category classification, all data was manually reviewed and filtered to remove comments without relevant content, ensuring data quality and relevance to humanitarian logistics analysis.

**Data Source:** YouTube videos discussing disaster response and relief efforts related to Southeast Asian typhoons and tropical storms. The crawler extracted video metadata, comments, and engagement metrics. All data processing was performed using the application's built-in sentiment analysis (nlptown/bert-base-multilingual-uncased-sentiment) and keyword-based relief category classification.

### 5.1 Sentiment Distribution by Disaster Type

The following table shows the absolute count distribution of posts and comments by sentiment (Positive, Neutral, Negative) across each disaster type:

| Sentiment Category | Yagi | Bualoi | Matmo | Koto | Fung-Wong | Sum of all |
|--------------------|------|--------|-------|------|-----------|------------|
| Quantity           | 503  | 180    | 92    | 54   | 71        | 900        |
| Positive           | 42   | 14     | 6     | 3    | 8         | 73         |
| Neutral            | 386  | 152    | 82    | 45   | 56        | 721        |
| Negative           | 75   | 14     | 4     | 6    | 7         | 106        |

Key Observations from Count Data:

- **Data Distribution:** Yagi disaster received the highest volume of posts (503/900 = 55.9%), indicating significant public attention and discussion, while Fung-Wong received the least (71/900 = 7.9%).
- **Overall Sentiment Breakdown:** Out of 900 total posts: 721 (80.11%) neutral, 106 (11.78%) negative, 73 (8.11%) positive. The predominance of neutral sentiment suggests posts are primarily informational (disaster updates, relief announcements) rather than emotionally charged.
- **Positive Sentiment Concentration:** Bualoi shows highest positive ratio (14/180 = 7.78%) followed by Yagi (42/503 = 8.35%), suggesting some relief efforts or aid distribution success stories in these disasters.
- **Negative Sentiment Patterns:** Yagi (75 negative posts, 14.91%) shows highest absolute negative sentiment, reflecting longer-term post-disaster challenges and recovery difficulties.

5.2 Sentiment Percentage Distribution

The following table presents the sentiment distribution as percentages for each disaster type, enabling easier comparison of sentiment ratios across different disasters:

| Sentiment Category | Yagi    | Bualoi  | Matmo   | Koto    | Fung-Wong | Sum of all |
|--------------------|---------|---------|---------|---------|-----------|------------|
| Positive           | 8.35%   | 7.78%   | 6.52%   | 5.56%   | 11.27%    | 8.11%      |
| Neutral            | 76.74 % | 84.44 % | 89.13 % | 83.33 % | 78.87%    | 80.11%     |
| Negative           | 14.91 % | 7.78%   | 4.35%   | 11.11 % | 9.86%     | 11.78%     |

Sentiment Analysis Insights:

- **Consistency in Neutral Dominance:** All disaster types show 76-89% neutral sentiment, confirming that public discourse around these disasters is predominantly factual/informational rather than emotionally charged. This is typical for disaster-related content which often serves as news/updates.

- **Comparative Relief Effectiveness:** Fung-Wong has the highest positive sentiment ratio (11.27%), suggesting either faster/more effective relief response or better public communication of aid efforts. In contrast, Matmo shows lowest positive ratio (6.52%), indicating less visible or satisfactory relief efforts.
- **Recovery Phase Indicators:** Yagi's negative sentiment (14.91%) is notably higher than Matmo (4.35%), possibly reflecting extended recovery challenges or initial disaster severity. Newer disasters (like Matmo) may show lower negative sentiment as immediate rescue phases receive more positive framing.
- **Public Sentiment Stability:** Negative sentiment ranges narrow (4.35-14.91%), suggesting stable public resilience despite disaster severity. No disaster shows catastrophically low positive sentiment, indicating communities maintain hope for recovery across all scenarios.

## 5.3 Data Quality and Methodology

### Collection Process:

1. **Automatic Collection:** Application's YouTubeCrawler extracted posts and comments from disaster-related videos using YouTube's public APIs and HTML parsing.
2. **Sentiment Analysis:** PythonSentimentAnalyzer applied nlptown/bert-base-multilingual-uncased-sentiment model to classify each post/comment as Positive/Negative/Neutral with confidence scores.
3. **Relief Category Classification:** PythonCategoryClassifier used keyword-based hybrid approach to identify relief category mentions (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION).
4. **Manual Filtering:** After automatic processing, all 900 entries were manually reviewed to remove irrelevant comments (spam, off-topic discussions, non-English/non-Vietnamese content, emojis-only posts) to ensure dataset relevance to humanitarian logistics.

### Data Characteristics:

- **Time Period:** Posts collected across different disaster phases (emergency response, immediate recovery, medium-term reconstruction).
- **Language Coverage:** Mix of Vietnamese and English posts, processed through multilingual sentiment analyzer.
- **Confidence Thresholds:** Only posts with sentiment confidence > 0.6 were included to ensure reliability.
- **Sample Representativeness:** 900 posts represent natural discussion volume across major Southeast Asian typhoons, with relative weights reflecting actual public attention to each disaster.

## 6. UML Diagrams and Design Explanation

### 6.1 Rationale for Dividing Class Diagrams into Packages

The Humanitarian Logistics Analysis System is organized into seven main packages, where each package represents a specific responsibility within the overall architecture. These packages are: **Model** (7 classes: Post, YouTubePost, Comment, Sentiment, DisasterType, DisasterManager, ReliefItem), **Crawler** (5 classes: DataCrawler, YouTubeCrawler, MockDataCrawler, CrawlerManager, CrawlerRegistry), **Database** (3 classes: DatabaseManager, DatabaseLoader, DataPersistenceManager), **Sentiment** (4 classes: SentimentAnalyzer, EnhancedSentimentAnalyzer,



PythonSentimentAnalyzer, PythonCategoryClassifier), **Analysis** (3 classes: AnalysisModule, SatisfactionAnalysisModule, TimeSeriesSentimentModule), **UI** (10 classes: View, Model, ModelListener, AnalysisPanel, AdvancedAnalysisPanel, CommentManagementPanel, CrawlControlPanel, DataCollectionPanel, CrawlingUtility, InteractiveChartUtility), and **Util** (1 class: StringSimilarity), totaling 33 classes across the system. Rather than creating a single monolithic class diagram containing all 33 classes, we have deliberately divided the system into package-specific diagrams. This modular approach to visualization provides several important benefits:

**Readability and Comprehension:** Each individual diagram focuses on a specific functional area with 1-10 classes, allowing developers to understand the architecture of a particular package without being overwhelmed by excessive information. A compact, focused diagram with 3-5 core classes is far more digestible than a sprawling diagram with dozens of interconnected classes.


**Maintainability and Scalability:** When modifications are needed to a specific package, only the corresponding diagram needs to be updated, without affecting the diagrams of other packages. This reduces the risk of introducing inconsistencies and makes it easier to track changes over time. For example, modifying the sentiment analysis algorithms only requires updating the Sentiment package diagram, not the entire system diagram.

**Reusability and Documentation:** Smaller, focused diagrams can be easily reused and referenced in various documentation formats, including technical reports, presentation slides, architectural documentation, and team wikis. A single large diagram with all 33 classes would be difficult to display legibly or reference in these contexts.

**Hierarchical Understanding:** The package dependency diagram provides a bird's-eye view of how all seven packages interact and depend on each other, while the individual package diagrams show the detailed internal structure and relationships within each package. This two-level hierarchy—first understanding package-to-package interactions, then exploring individual package internals—makes it much easier to understand the system as a whole and its individual components. Developers can start with the dependency diagram to understand the big picture, then drill down into specific package diagrams to understand implementation details.

## 6.2 Package Dependency Diagram

The following diagram illustrates the dependency relationships between all packages in the system and demonstrates how they interact with each other:







**Interpretation and Key Observations:** The diagram clearly shows that the Model package serves as the foundational layer upon which all other packages depend. No package imports from the UI layer, which maintains proper separation of concerns and prevents circular dependencies.


The crawler, sentiment analysis, analysis, and database packages all depend on the Model package, establishing a clear hierarchical structure. The UI package acts as an orchestrator, coordinating interactions between the Model, database, crawler, sentiment analysis, analysis, and utility packages. The main application entry point (HumanitarianLogisticsApp) depends on the UI package, which in turn manages the overall application flow.


## **6.3 Detailed Class Diagrams by Package**

### **6.3.1 Model Package - Core Data Entities**

The Model package contains the fundamental data entities of the entire system. Designed according to the Single Responsibility Principle (SRP), each class in this package exclusively contains data fields and accessor/mutator methods, with no business logic embedded within the entity classes themselves. This design ensures that entities are lightweight, easily testable, and can be reused across different projects without carrying unnecessary dependencies.







**Design Architecture and Inheritance Strategy:** The Model package employs an inheritance hierarchy combined with composition and aggregation patterns. The `Post` class is an abstract base class that defines core post properties: **postId**, **content**, **createdAt**, **author**, **source** (all immutable final fields), and **sentiment**, **reliefItem**, **disasterKeyword**, **comments** (mutable fields). The `Post` class implements `Serializable` and `Comparable` interfaces, enabling persistence and ordering. The `YouTubePost` class extends `Post` to add YouTube-specific attributes: **channelId**, **likes**, **views**, **disasterType**. This inheritance design allows polymorphic treatment of different post types.

The `Comment` class contains similar immutable fields (**commentId**, **postId**, **content**, **createdAt**, **author**) plus mutable fields for analysis results (**disasterType**, **sentiment**, **reliefItem**). Each `Post` maintains a composition relationship with multiple `Comments` through the `comments` list. The `Sentiment` class is an enum wrapper (`SentimentType`) containing **type** (**POSITIVE/NEGATIVE/NEUTRAL**), **confidence** (**0.0-1.0**), **rawText** fields, providing semantic meaning to sentiment analysis results. The `ReliefItem` class wraps an enum `Category` (**CASH**, **MEDICAL**, **SHELTER**, **FOOD**, **TRANSPORTATION**) with **description** and **priority** (**1-5**) fields.


The `DisasterType` class uses a Set-based alias mapping approach to normalize and match disaster keywords flexibly. It stores **name**, **aliases** fields and provides methods like `matches(String keyword)` and `normalize(String input)` for fuzzy matching. The `DisasterManager` class implements the Singleton pattern (thread-safe with `getInstance()` method) and manages a Map of `DisasterType` instances. It initializes five default disasters (**yagi**, **matmo**, **bualo**, **koto**, **FUNG-WONG**) in the constructor and provides methods to add, retrieve, and find disaster types by keyword.

**Design Rationale and Benefits:** The abstract `Post` class enables code reuse and future extensibility—new post sources (Facebook, Twitter, Reddit) only require creating new subclasses without modifying existing code. The separation of immutable construction parameters from mutable analysis results (**sentiment**, **reliefItem**) follows the principles of defensive copying and thread safety. Using composition (`Post` contains `Comments`) rather than inheritance promotes flexible data modeling. The `Sentiment` enum wrapper provides type safety over raw strings. The alias-based matching in `DisasterType` handles flexible disaster keyword matching without tight coupling to specific naming conventions. The Singleton pattern in `DisasterManager` ensures a single, consistent source of disaster type information across the application.

**Reusability and Extensibility:** The design of the Model package ensures that these entity classes can be reused in other projects without carrying unnecessary dependencies. The `Post` class and its subclasses represent pure data containers that can be easily serialized to databases, transmitted over networks, or stored in files. The clean separation of concerns in this package allows for independent evolution of the model layer without affecting business logic layers.

## 6.3.2 UI Package - User Interface Implementation with MVC Architecture

The UI package contains all graphical user interface components and implements a strict Model-View-Controller (MVC) architectural pattern. This package is particularly important as it demonstrates how a complex user interface can be decomposed into manageable, specialized components while maintaining clean communication patterns between the view and model layers.



**MVC Architecture Implementation:** The MVC pattern in this package follows classical separation of concerns where the Model component manages application state and business data, the View component displays information to the user through graphical components, and the Controller component (implicitly embedded in event handlers) responds to user interactions. The Model class maintains the application's state including lists of posts and comments, a reference to the sentiment analyzer, and a collection of registered listeners. When data changes, the Model notifies all observers without requiring knowledge of their specific implementations.

The View class serves as the main JFrame container that orchestrates all UI components and panels. Rather than cramming all interface logic into a single large class, the interface is decomposed into specialized panels, each handling a specific functional area:

- **CrawlControlPanel:** Provides web crawler control with platform selection (via CrawlerRegistry), keyword input area, post/comment limit spinners, progress tracking, and results display. It supports crawling individual URLs and bulk data collection with automatic disaster type assignment and relief item classification.
- **DataCollectionPanel:** Enables manual data entry for posts and comments, with fields for author name, content, disaster type selection, relief category selection, and sentiment analysis. Provides an alternative to automated crawling for direct data input.
- **CommentManagementPanel:** Displays all collected comments in a tabular view with columns for comment metadata, sentiment scores, and relief categories. Implements ModelListener to receive notifications when data changes, automatically refreshing the table. Integrates with DatabaseManager for data persistence and retrieval.
- **AdvancedAnalysisPanel:** Implements Problem 1 (Satisfaction Analysis) and Problem 2 (Temporal Sentiment Tracking) with tabbed interface for selecting disasters and relief categories, displaying analysis results, generating charts, and comparing satisfaction metrics across different scenarios.

**Observer Pattern and Reactive Updates:** The system employs the Observer pattern through the ModelListener interface. When the Model's state changes (new posts added, comments updated, sentiment analyzed), it automatically notifies all registered listeners without them needing to poll for updates. This creates a reactive, event-driven system where UI components automatically reflect the current state of the data.


**Utility Classes:** The CrawlingUtility class provides static helper methods for adding simulated comments to posts with random sentiment assignment and relief item linking. The InteractiveChartUtility class provides interactive features for JFreeChart panels, including zoom, pan, and tooltip support for exploratory data analysis.

**Database Integration:** The CommentManagementPanel directly manages DatabaseManager for persistent storage and retrieval of comments. The DataPersistenceManager in Model handles saving and loading application state across sessions, ensuring data continuity between application runs.

### 6.3.3 Sentiment Package - Multiple Sentiment Analysis Strategies

The Sentiment package provides a flexible framework for analyzing sentiment in textual data. Rather than committing the entire system to a single sentiment analysis approach, this package implements the Strategy design pattern to support multiple analysis strategies with different accuracy-to-performance tradeoffs.





**Strategy Pattern Implementation:** The SentimentAnalyzer interface defines a contract that all sentiment analysis implementations must follow. This interface specifies five core methods: `analyzeSentiment(String text)` for single text analysis, `analyzeSentimentBatch(String[] texts)` for batch processing, `getModelName()` for model identification, `initialize()` for setup, and `shutdown()` for cleanup. This interface-based design enables runtime selection of different analysis strategies without requiring code modifications.

**EnhancedSentimentAnalyzer Implementation:** This class implements keyword-based sentiment analysis with bilingual support (English and Vietnamese). It maintains two sets of keyword arrays for positive and negative words in each language (27 positive and 30 negative English words, 32 positive and 33 negative Vietnamese words). The `analyzeSentiment(String text)` method counts keyword matches and calculates confidence scores (0.6-0.99 range) based on match frequency. This provides a good balance between accuracy and performance with zero computational overhead compared to ML models.

**PythonSentimentAnalyzer Implementation:** This analyzer interfaces with a machine learning model (nlptown/bert-base-multilingual-uncased-sentiment with xlm-roberta-base fallback) running in a Python backend service via HTTP POST requests. It accepts an API URL and model name as constructor parameters, allowing flexible configuration. The analyzer sends JSON requests to the Python service, parses responses containing sentiment type and confidence scores, and handles API errors gracefully by falling back to neutral sentiment. This approach leverages deep learning for significantly higher accuracy but incurs computational costs and requires the Python service running on port 5001.

**PythonCategoryClassifier:** A specialized classifier (not implementing SentimentAnalyzer) that categorizes text into relief categories (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION) using hybrid keyword-based matching with semantic similarity analysis running in Python (port 5001). It provides methods for single text classification (`classifyText(String text) Category`), post classification (`classifyPost(Post post)`), API availability checking (`isApiAvailable() boolean`), and status reporting (`getApiStatus() String`). When classification fails or API is unavailable, it defaults to FOOD category.



```
`model.setSentimentAnalyzer(new PythonSentimentAnalyzer("http://localhost:5001",
"nlp-town/bert-base-multilingual-uncased-sentiment"))`.
```

### 6.3.4 Crawler Package - Web Data Collection with Factory and Registry Patterns

```

classDiagram
    class DataCrawler {
        +crawlPosts(List keywords, List hashtags, int limit) : List
        +getCrawlerName() : String
        +isInitialized() : boolean
        +shutdown()
    }
    class YouTubeCrawler {
        -httpClient: HttpClient
        -initialized: boolean
        -sentimentAnalyzer: SentimentAnalyzer
        -USER_AGENT: String
        +YouTubeCrawler()
        +initialize()
        +crawlPosts(List keywords, List hashtags, int limit) : List
        +crawlVideoByUrl(String videoUrl) : YouTubePost
        +isInitialized() : boolean
        +getCrawlerName() : String
        +shutdown()
        +crawlByKeyword(String keyword, int limit) : List
        +fetchPageContent(String url) : String
        +extractVideoIdFromUrl(String url) : String
    }
    class MockDataCrawler {
        -initialized: boolean
        -random: Random
        -sentimentAnalyzer: SentimentAnalyzer
        -categoryClassifier: PythonCategoryClassifier
        +MockDataCrawler()
        +crawlPosts(List keywords, List hashtags, int limit) : List
        +isInitialized() : boolean
        +getCrawlerName() : String
        +shutdown()
        +generateRandomPost() : Post
    }
    class SentimentAnalyzer {
    }
    class PythonCategoryClassifier {
    }
    class CrawlerManager {
        +initializeCrawlers()
    }
    class CrawlerRegistry {
        -crawlers: Map
        -crawlerConfigs: Map
        +getInstance() : CrawlerRegistry
        +registerCrawler(CrawlerConfig config)
        +registerCrawler(String name, String displayName, String description, CrawlerFactory factory)
        +getCrawlerNames() : List
        +getCrawlerDisplayNames() : List
        +getConfig(String crawlerName) : CrawlerConfig
        +createCrawler(String crawlerName) : DataCrawler
        +supportsKeywordSearch(String crawlerName) : boolean
        +supportsUriCrawl(String crawlerName) : boolean
        +requiresInitialization(String crawlerName) : boolean
        +getDescription(String crawlerName) : String
    }
    class CrawlerConfig {
        +name: String
        +displayName: String
        +description: String
        +factory: CrawlerFactory
        +requiresInitialization: boolean
        +supportsKeywordSearch: boolean
        +supportsUriCrawl: boolean
        +CrawlerConfig(String name, String displayName, String description, CrawlerFactory factory, boolean requiresInit, boolean supportsKeywords, boolean supportsUriCrawl)
    }
    class CrawlerFactory {
        +create() : DataCrawler
    }
    CrawlerManager --> CrawlerRegistry
    CrawlerRegistry --> CrawlerConfig
    CrawlerRegistry --> CrawlerFactory
    DataCrawler ..> YouTubeCrawler
    DataCrawler ..> MockDataCrawler
    YouTubeCrawler --> SentimentAnalyzer
    YouTubeCrawler --> PythonCategoryClassifier
    MockDataCrawler --> SentimentAnalyzer
    MockDataCrawler --> PythonCategoryClassifier
    
```

**DataCrawler Interface:** All crawlers implement this interface with methods: `crawlPosts(List keywords, List hashtags, int limit)` for batch crawling, `crawlVideoByUrl(String url)` for single URL crawling (YouTube-specific), `getCrawlerName()` for identification, `isInitialized()` for state checking, and `shutdown()` for cleanup. This contract ensures all crawlers can be used interchangeably.

**YouTubeCrawler Implementation:** Uses HTTP client (not Selenium) to scrape YouTube search results and extract video IDs via regex patterns. It maintains a SentimentAnalyzer for on-the-fly sentiment classification of posts and includes methods: crawlByKeyword() for searching,

`crawlVideoByUrl()` for single videos, `fetchPageContent()` for HTTP requests, and `extractVideoIdFromUrl()` for URL parsing. The crawler automatically converts video data into `YouTubePost` objects with title, description, channel name, view count, and likes extracted from HTML.


**MockDataCrawler Implementation:** Generates synthetic data for testing without making real API calls. It uses a Random generator and `PythonCategoryClassifier` to create realistic mock posts with random sentiments and categories. Supports keyword-based selection from pre-defined category content templates (CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION) to simulate diverse relief-related posts. Returns data instantly, enabling fast test execution and comprehensive testing without external dependencies.

**CrawlerManager Facade:** Provides static `initializeCrawlers()` method that registers both `YouTubeCrawler` and `MockDataCrawler` with the registry. This initialization is called once during application startup and populates the registry with crawler metadata and factories.

**Plugin Architecture Benefits:** New crawlers can be added at runtime without modifying existing code. To add Facebook crawling: (1) Create `FacebookCrawler` implementing `DataCrawler`, (2) Register it with a `CrawlerConfig` in `CrawlerManager`, (3) UI automatically discovers it via registry. The UI depends only on `DataCrawler` interface and `CrawlerRegistry`, achieving Dependency Inversion. This design enables parallel crawling from multiple sources simultaneously while maintaining loose coupling and testability.

### 6.3.5 Analysis Package - Modular Analysis Strategies

The Analysis package contains the implementations of Problem 1 and Problem 2 analysis modules, both following the Strategy design pattern for flexible analysis execution.



**Analysis Module Interface and Implementations:** Each analysis module implements the `AnalysisModule` interface, which defines three key methods: `analyze(List posts)` for processing

post data and returning results as a Map, ``getModuleName()`` for identifying the module, and ``getDescription()`` for describing its purpose. This design allows dynamic module selection and execution through polymorphism.

The **SatisfactionAnalysisModule** (Problem 1) analyzes public satisfaction and dissatisfaction for different relief item categories. It processes both posts and comments associated with relief items, grouping sentiments by relief category (CASH, MEDICAL, FOOD, SHELTER). For each category, it: calculates sentiment distribution (positive, negative, neutral counts and percentages); computes satisfaction scores based on sentiment ratios; assesses category effectiveness using a rating scale (Excellent, Good, Fair, Poor); generates detailed insights with multi-category comparisons; produces resource allocation recommendations; and provides a comprehensive summary. All results are returned as a Map with keys like "problem\_1\_satisfaction\_analysis", "category\_effectiveness", and "resource\_allocation\_recommendations".

The **TimeSeriesSentimentModule** (Problem 2) tracks sentiment changes over time for each relief item category to determine sector effectiveness. It extracts sentiments from both posts and comments, bins them into 6-hour time buckets based on creation timestamps, and tracks sentiment evolution within each bucket. For each category, it: creates a time-indexed Map of sentiments; analyzes time series data to compute sentiment distributions per time bucket; calculates trend direction (Improving, Stable, Declining) by analyzing sentiment ratios; measures volatility to identify sentiment fluctuations; determines sector effectiveness ratings; generates detailed insights with narrative descriptions; and produces a comprehensive summary. All results are returned as a Map with keys like "problem\_2\_time\_series\_sentiment", "sector\_effectiveness", "detailed\_insights", and "summary".


**Strategy Pattern Benefits:** The interface-based design allows the Model class to manage multiple analysis modules and invoke them dynamically:

```
AnalysisModule module = analysisModules.get("satisfaction");  
Map<String, Object> results = module.analyze(posts, comments);
```

New analysis modules (Geographic Analysis, Demographic Analysis, Language Analysis) can be added without modifying existing modules or the Model class. Each module focuses exclusively on its analysis responsibility, making the code easier to understand, test, and maintain.

### 6.3.6 Database Package - Data Persistence and Management

The Database package manages all aspects of data persistence, providing both low-level SQL operations and high-level application interfaces for data management.



**Dual Persistence Architecture:** The Database package implements two independent persistence strategies. DatabaseManager provides low-level SQLite database operations including Singleton pattern for connection management, CRUD operations on posts and comments, connection pooling, prepared statements for SQL injection protection, and PRAGMA configurations (busy\_timeout, foreign\_keys, WAL mode). DataPersistenceManager uses Java object serialization to save posts to posts.dat and custom disaster types to disasters.dat files, providing simpler file-based storage for application state. Both managers operate independently - DatabaseManager handles SQL-based operations while DataPersistenceManager handles serialized object persistence.

**DatabaseManager Singleton Pattern:** Ensures single database connection throughout application lifetime using synchronized double-checked locking. Provides methods: `savePost()`, `saveComment()`, `updateComment()`, `deleteComment()`, `getAllPosts()`, `getAllCommentsFromDatabase()`, `clearAllComments()`, `commit()`, `close()`, and `reset()`. Uses database schema with proper foreign key constraints to ensure referential integrity between posts and comments. The `reconstructPost()` method rebuilds `Post` objects from database `ResultSet` with full data including associated comments.

**DatabaseLoader Facade:** Provides `loadOurDatabase(Model model)` as the main entry point, which loads data from a curated SQLite database (`humanitarian_logistics_curated.db`), converts it into `Post` and `Comment` objects, stores them in the `Model`, and then persists them to the user's personal database via `saveLoadedDataToUserDatabase()`. This allows the application to initialize with curated default data while maintaining user-specific persistence. The private `loadFromDevUIDatabase()` method handles the actual reading from the curated database file.

**DataPersistenceManager Serialization:** Uses `ObjectInputStream/ObjectOutputStream` for serializing/deserializing Java objects. Provides methods: `savePosts(List)` to write posts to `posts.dat`, `loadPosts()` to read posts from disk, `saveDisasters(DisasterManager)` to save custom disaster types, and `loadDisasters(DisasterManager)` to restore them. Automatically filters default disaster types (`yagi`, `matmo`, `bualo`, `koto`, `fung-wong`) when saving, only persisting user-created custom disasters. Creates data directory automatically if it doesn't exist.

**Resource Management:** `DatabaseManager` uses `try-with-resources` for `Statement` and `PreparedStatement` objects to ensure proper cleanup. Connection synchronization prevents race conditions during concurrent access. WAL mode enables better concurrency for SQLite. `DataPersistenceManager` similarly uses `try-with-resources` for stream management to prevent resource leaks.

### 6.3.7 Util Package - Utility and Helper Functions

The Util package provides shared utility functions used across multiple packages in the application.

| StringSimilarity                                                                                                                                                                                                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>+levenshteinDistance(String s1, String s2) : int</code><br><code>+levenshteinSimilarity(String s1, String s2) : double</code><br><code>+findMostSimilar(String input, List&lt;String&gt; candidates) : String</code> |

**String Similarity Utilities:** The `StringSimilarity` class implements the Levenshtein distance algorithm for measuring string similarity. The algorithm calculates the minimum number of single-character edits (insertions, deletions, substitutions) required to transform one string into another. This utility enables fuzzy matching of disaster type keywords and relief item categories, allowing the system to handle user input with typos, abbreviations, or variations.

**Levenshtein Distance:** The core method `levenshteinDistance(String s1, String s2)` returns an integer representing the minimum edit distance between two strings. It uses dynamic programming with a 2D matrix where each cell `[i,j]` represents the distance between the first `i` characters of `s1` and the first `j` characters of `s2`. Handles null inputs gracefully by treating them as empty strings.




**Similarity Scoring:** The ``levenshteinSimilarity(String s1, String s2)`` method converts the raw distance into a normalized similarity score between 0.0 and 1.0. It calculates:  $\text{similarity} = 1.0 - (\text{distance} / \text{max\_length})$ , where `max_length` is the length of the longer string. This normalization enables consistent comparison across strings of different lengths.

**Fuzzy Matching:** The ``findMostSimilar(String input, List candidates)`` method finds the best matching candidate from a list. It compares the input string against all candidates using similarity scoring and returns the match with the highest score if it exceeds 0.5 (50% similarity threshold). Returns null if no sufficiently similar match is found. This method is used for:

- Matching user-provided disaster keywords to predefined disaster types
- Finding the closest relief category when exact matches are unavailable
- Handling spelling variations and abbreviations gracefully

### 6.3.8 Main Application and Utility Classes

The main application layer provides the entry point and various utility functions supporting the broader system.



**Application Initialization and Bootstrap:** The `HumanitarianLogisticsApp` class serves as the single entry point for the entire application, containing the `main()` method that is executed when the program starts. This class is responsible for orchestrating the initialization sequence of all major system components in the correct order:

1. Initialize the `DisasterManager` singleton with predefined disaster types
2. Create the sentiment analyzer instance (configured as needed)
3. Instantiate the `Model` class with all necessary dependencies
4. Create the `View` (JFrame) with the initialized `Model`
5. Set the `View` as visible, allowing user interaction to begin

By centralizing all initialization logic in one place, the application code becomes easier to understand and modify. Developers can quickly see which components are created, in what order, and what dependencies are injected.

## 6.4 Architectural Design Principles and Rationale

### 6.4.1 Model Package Independence - The Foundation Layer

The Model package is deliberately designed to have zero dependencies on any other package. This foundational independence is crucial for several reasons:

**Clean Architecture:** By keeping the Model package independent, we ensure that entity classes represent pure data containers without knowledge of how they will be displayed, persisted, or analyzed. This adherence to clean architecture principles means that the Model layer can be shared across multiple applications, used in different UI frameworks, or even exposed through REST APIs without carrying unnecessary dependencies.

**Testability:** Entity classes can be easily instantiated and tested in isolation without setting up complex infrastructure. Unit tests can create mock objects and validate business logic without database connections, UI frameworks, or external services.

**Reusability:** Organizations can extract the entire Model package and reuse it in other projects that address different problems but deal with similar data structures. The Post and Comment classes could be used in social media analysis projects, disaster response planning systems, or humanitarian crisis tracking applications.

**Separation of Concerns:** By keeping data models separate from business logic, presentation logic, and persistence logic, we maintain a clear architectural boundary that makes the codebase more maintainable and easier for new team members to understand.

#### 6.4.2 UI Package with MVC Architecture - The Presentation Layer

The UI package implements a strict MVC pattern where the Model (M) component manages state, the View (V) component displays state, and the Controller (C) component handles user interactions and invokes operations on the Model.

**Panel Decomposition Strategy:** Rather than creating a single View class containing all UI components, we deliberately decompose the interface into focused panels:

Monolithic Approach:

View `class` (2000+ lines)

- Crawling UI (500 lines)
- Comment management (300 lines)
- Problem 1 analysis (400 lines)
- Problem 2 analysis (500 lines)
- Disaster management (300 lines)

Result: Difficult to maintain, test, and modify

Modular Approach:

View `class` (170 lines) - Main container and layout

- └─ CrawlControlPanel (710 lines) - Web data collection and platform management
- └─ DataCollectionPanel (320 lines) - Manual data entry for posts and comments
- └─ AdvancedAnalysisPanel (710 lines) - Problem 1 & 2 analysis with visualization
- └─ CommentManagementPanel (770 lines) - Comment viewing and database integration
- └─ Model (232 lines) - Application state and business logic

Result: Easy to maintain, test, and modify

**Observer Pattern Implementation:** The system employs the Observer design pattern through the `ModelListener` interface. Rather than panels directly querying the Model for updates, they register as listeners. When the Model's state changes, it automatically notifies all registered



listeners. This creates loose coupling - panels need not know about each other's existence, only about the Model's interface.

```
// Model notifies listeners when data changes
private void notifyListeners() {
    for (ModelListener listener : listeners) {
        listener.modelChanged();
    }
}

// Listener interface
public interface ModelListener { void modelChanged(); }
```

This approach ensures that all UI components remain synchronized with the current application state without explicit coordination between panels.

**Utility Class Organization:** Reusable functionality is extracted into utility classes:

- **CrawlingUtility:** Data collection helper methods
- **InteractiveChartUtility:** Interactive visualization components

By extracting these utilities, we follow the DRY (Don't Repeat Yourself) principle and enable code reuse across multiple UI panels.

### 6.4.3 Sentiment Package with Strategy Pattern - Flexible Analysis

The Sentiment package demonstrates how the Strategy design pattern enables runtime algorithm selection without code modification:

**Strategy Hierarchy:**

```
SentimentAnalyzer (interface)
├─ EnhancedSentimentAnalyzer (keyword-based)
└─ PythonSentimentAnalyzer (advanced, accurate)
```

**Runtime Switching Capability:** The brilliance of this design is that the Model class never needs to know which specific analyzer is being used. It works with the SentimentAnalyzer interface:

```
private SentimentAnalyzer sentimentAnalyzer;

public void setSentimentAnalyzer(SentimentAnalyzer analyzer) {
    this.sentimentAnalyzer = analyzer;
}

public Sentiment analyzeSentiment(String text) {
```

```
return sentimentAnalyzer.analyzeSentiment(text);  
}
```

Because of this interface-based dependency, the Model code remains unchanged whether we use EnhancedSentimentAnalyzer, PythonSentimentAnalyzer, or a future GoogleCloudAnalyzer. This exemplifies the Dependency Inversion Principle - the Model depends on an abstraction (the interface) rather than concrete implementations.

**Extensibility Without Modification:** Adding a new sentiment analysis approach requires only implementing the SentimentAnalyzer interface. The entire system automatically supports the new approach without modification, satisfying the Open/Closed Principle. Organizations could add new analyzers for different languages, domains, or performance requirements without affecting existing code.

#### 6.4.4 Crawler Package with Factory and Registry Patterns - Extensible Data Collection

The Crawler package uses two complementary patterns to achieve maximum extensibility:

**Registry Pattern - Discovery and Instantiation:** The CrawlerRegistry maintains a registry of available crawler implementations and provides factory methods to create instances. This approach decouples the UI from concrete crawler implementations:

```
// UI doesn't need to know about YouTubeCrawler  
DataCrawler crawler = registry.createCrawler("youtube");  
List<Post> posts = crawler.crawlPosts(keywords, hashtags, limit);
```

**Plugin Architecture Benefits:** New data sources can be added as “plugins” without modifying existing code:

1. Create FacebookCrawler implementing DataCrawler interface
2. Register with CrawlerRegistry
3. UI automatically shows Facebook as available option

This is a powerful example of the Open/Closed Principle - the system is open for extension (new crawlers) but closed for modification (UI code doesn't change).

**Loose Coupling:** By depending on the DataCrawler interface rather than concrete implementations, the UI is completely decoupled from crawler details. YouTubeCrawler could be completely rewritten, new crawlers could be added, or crawlers could be removed without affecting UI code.

#### 6.4.5 Analysis Package with Strategy Pattern - Modular Analysis

The Analysis package uses the Strategy pattern similarly to Sentiment analysis, but applied to different types of data analysis:

**Analysis Module Registry:**

```
Map<String, AnalysisModule> modules = new LinkedHashMap<>();
modules.put("satisfaction", new SatisfactionAnalysisModule());
modules.put("time_series", new TimeSeriesSentimentModule());

// Add new analysis without modifying existing code (extensible design)
// modules.put("custom", new CustomAnalysisModule());
```

**Independent Module Development:** Each analysis module focuses exclusively on its analysis responsibility, making it easier to develop, test, and maintain. The `SatisfactionAnalysisModule` concerns itself only with category-based satisfaction metrics, while `TimeSeriesSentimentModule` focuses on temporal trends. New analysis modules can be easily added by implementing the `AnalysisModule` interface without modifying existing implementations.

#### 6.4.6 Database Package - Abstraction and Flexibility

The Database package demonstrates how abstraction allows technology changes without impacting application code:

##### Layered Architecture:

```
Application Code
  ↓
DataPersistenceManager (Facade)
  ↓
DatabaseManager (Concrete SQLite Implementation)
  ↓
SQLite Database
```

This layering means that migrating from SQLite to PostgreSQL, MongoDB, or even cloud-based databases requires modifying only the `DatabaseManager` class. Application code remains unchanged, ensuring that application logic doesn't need to be tested again.

**Try-with-Resources Pattern:** The implementation uses try-with-resources statements to ensure automatic resource cleanup:

```
try (ObjectOutputStream oos = new ObjectOutputStream(...)) {
    // Write data
} // ObjectOutputStream automatically closed, even if exception occurs
```

This pattern prevents resource leaks and ensures data integrity even in error scenarios.

## 6.5 SOLID Principles Applied Throughout the Design

The system consistently applies the five SOLID principles to ensure maintainability and extensibility:

| Principle                        | Application                                 | Example                                                                                                                               |
|----------------------------------|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>S</b> - Single Responsibility | Each class has one reason to change         | Post class only contains data; DatabaseManager only handles database operations                                                       |
| <b>O</b> - Open/Closed           | Open for extension, closed for modification | Add new crawlers without modifying CrawlerRegistry; add new analyzers without modifying Model                                         |
| <b>L</b> - Liskov Substitution   | Subtypes can substitute their supertypes    | Any SentimentAnalyzer implementation can replace any other; any DataCrawler can replace any other                                     |
| <b>I</b> - Interface Segregation | Clients depend on specific interfaces       | UI depends on SentimentAnalyzer interface; doesn't depend on unrelated methods in PythonSentimentAnalyzer                             |
| <b>D</b> - Dependency Inversion  | Depend on abstractions, not implementations | Model depends on SentimentAnalyzer interface; doesn't depend on EnhancedSentimentAnalyzer or PythonSentimentAnalyzer concrete classes |

### 6.6 Architectural Summary and Benefits

The Humanitarian Logistics Analysis System demonstrates a professionally architected solution with clear separation of concerns across seven well-defined packages. Each package focuses on a specific responsibility while maintaining loose coupling with other packages. The architecture leverages industry-standard design patterns (Strategy, Factory, Registry, Observer, Singleton, MVC) to provide flexibility, extensibility, and maintainability.

**Key Architectural Achievements:**

1. **Modularity:** Each package is independently understandable and modifiable without affecting others
2. **Extensibility:** New features can be added by extending existing interfaces rather than modifying existing code
3. **Testability:** Components can be tested in isolation using mock objects and test doubles
4. **Reusability:** Core components (Model package, Sentiment strategies) can be reused in other projects
5. **Maintainability:** Clear separation of concerns makes the codebase easy to understand and modify
6. **Scalability:** The architecture supports team development with multiple developers working on different packages simultaneously

This design reflects mature software engineering practices suitable for production systems serving critical humanitarian logistics operations.

## 7. OOP Techniques and Design Patterns

The Humanitarian Logistics Analysis System is built on solid object-oriented programming principles and industry-standard design patterns. This section provides in-depth analysis with actual code examples extracted directly from the codebase, demonstrating how each technique is applied to solve real problems in the application.

### 7.1 Fundamental Object-Oriented Programming Concepts

Seven core OOP concepts form the foundation of the system's architecture. Each is applied strategically throughout the codebase to achieve flexibility, maintainability, and extensibility.

#### 7.1.1 Encapsulation - Data Protection and Controlled Access

**Purpose:** Bundle data and methods together while hiding internal details and controlling access to state. This prevents invalid data states and unintended external modifications.

**Implementation in Post.java (Package: com.humanitarian.logistics.model)**

```
// ENCAPSULATION: Private fields + controlled access
// Source: Post.java (lines 10-30, 32-64)
public abstract class Post implements Serializable, Comparable<Post> {
    // PRIVATE FINAL FIELDS: Immutable, cannot be changed after construction
    private final String postId;
    private final String content;
    private final LocalDateTime createdAt;
    private final String author;
    private final String source;

    // MUTABLE FIELDS: Can change via setter methods
    private Sentiment sentiment;
    private ReliefItem reliefItem;
    private String disasterKeyword;
    private final List<Comment> comments;

    // CONSTRUCTOR: Null validation via Objects.requireNonNull()
}
```

```

protected Post(String postId, String content, LocalDateTime createdAt,
                String author, String source) {
    this.postId = Objects.requireNonNull(postId, "Post ID cannot be null");
    this.content = Objects.requireNonNull(content, "Content cannot be null");
    this.createdAt = Objects.requireNonNull(createdAt, "Created date cannot be null");
    this.author = Objects.requireNonNull(author, "Author cannot be null");
    this.source = Objects.requireNonNull(source, "Source cannot be null");
    this.comments = new ArrayList<>();
}

// GETTERS: Public read access to private fields
public String getPostId() { return postId; }
public String getContent() { return content; }
public LocalDateTime getCreatedAt() { return createdAt; }
public String getAuthor() { return author; }
public String getSource() { return source; }
public Sentiment getSentiment() { return sentiment; }
public ReliefItem getReliefItem() { return reliefItem; }
public String getDisasterKeyword() { return disasterKeyword; }

// DEFENSIVE COPYING: Return unmodifiable collection
public List<Comment> getComments() {
    return Collections.unmodifiableList(comments); // Prevent external modifications
}

// SETTERS: Controlled write access
public void setSentiment(Sentiment sentiment) { this.sentiment = sentiment; }
public void setReliefItem(ReliefItem reliefItem) { this.reliefItem = reliefItem; }
public void setDisasterKeyword(String disasterKeyword) { this.disasterKeyword = disasterKeyword; }
}

```

### Key Techniques:

- **Immutable Fields:** final keywords on postId, content, createdAt, author, source prevent modification
- **Null Safety:** Objects.requireNonNull() in constructor validates all inputs early
- **Defensive Copying:** getComments() returns Collections.unmodifiableList() to prevent external list modifications
- **Controlled Access:** Private fields with public getters/setters allow validation logic in future

**Benefits:** Data integrity, early error detection (null checks in constructor), prevents invalid states, traceable changes.

### 7.1.2 Abstraction - Hiding Implementation Complexity

**Purpose:** Define WHAT operations an object performs without exposing HOW. This allows different implementations to be swapped without affecting client code.

**Strategy Interface (Package: com.humanitarian.logistics.sentiment)**

```

// ABSTRACTION: Interface defines contract, hides implementation
// Source: SentimentAnalyzer.java (lines 1-15)

```

```

public interface SentimentAnalyzer {
    Sentiment analyzeSentiment(String text);
    Sentiment[] analyzeSentimentBatch(String[] texts);
    String getModelName();
    void initialize();
    void shutdown();
}

```

#### Concrete Implementation - Rule-Based (Package: com.humanitarian.logistics.sentiment)

```

// CONCRETE IMPLEMENTATION: Keyword-based sentiment analysis
// Source: EnhancedSentimentAnalyzer.java (lines 1-113)
public class EnhancedSentimentAnalyzer implements SentimentAnalyzer {
    private static final String[] POSITIVE_WORDS_EN = {
        "good", "great", "excellent", "happy", "love", "thank", "thanks",
        "appreciate", "support", "help", "aid", "relief", "better", "improved"
    };

    private static final String[] NEGATIVE_WORDS_EN = {
        "bad", "poor", "terrible", "sad", "hate", "angry", "upset", "frustrated",
        "struggle", "difficult", "problem", "issue", "lack", "missing"
    };

    @Override
    public Sentiment analyzeSentiment(String text) {
        if (text == null || text.trim().isEmpty()) {
            return new Sentiment(Sentiment.SentimentType.NEUTRAL, 0.0, "");
        }

        String lowerText = text.toLowerCase();

        // IMPLEMENTATION DETAILS HIDDEN: Keyword counting
        int positiveCount = countMatches(lowerText, POSITIVE_WORDS_EN) +
            countMatches(lowerText, POSITIVE_WORDS_VI);
        int negativeCount = countMatches(lowerText, NEGATIVE_WORDS_EN) +
            countMatches(lowerText, NEGATIVE_WORDS_VI);

        Sentiment.SentimentType type;
        double confidence;

        if (positiveCount > negativeCount) {
            type = Sentiment.SentimentType.POSITIVE;
            confidence = Math.min(0.99, 0.6 + (positiveCount * 0.15));
        } else if (negativeCount > positiveCount) {
            type = Sentiment.SentimentType.NEGATIVE;
            confidence = Math.min(0.99, 0.6 + (negativeCount * 0.15));
        } else {
            type = Sentiment.SentimentType.NEUTRAL;
            confidence = positiveCount == 0 && negativeCount == 0 ? 0.4 : 0.5;
        }

        return new Sentiment(type, confidence, text);
    }
}

```



```

@Override
public void initialize() {
    System.out.println("✓ EnhancedSentimentAnalyzer initialized with bilingual su
}

@Override
public void shutdown() {
    System.out.println("EnhancedSentimentAnalyzer shutdown");
}
}

```

**Benefits:** Client uses interface without knowing if it's keyword-based or ML-based, easy testing, runtime selection, future extensibility.

### 7.1.3 Inheritance - Code Reuse and Hierarchies

**Purpose:** Create class hierarchies where specialized subclasses inherit common behavior from parent classes, avoiding code duplication.

**Parent Class (Package: com.humanitarian.logistics.model)**

```

// PARENT CLASS: Abstract base with common behavior
// Source: Post.java (lines 9-74)
public abstract class Post implements Serializable, Comparable<Post> {
    // Common fields: postId, content, createdAt, author, source, comments
    private final String postId;
    private final String content;
    private final LocalDateTime createdAt;
    private final String author;
    private final String source;
    private final List<Comment> comments;

    // Common behavior: getters, setters, comment management
    public void addComment(Comment comment) {
        if (comment != null) this.comments.add(comment);
    }

    public List<Comment> getComments() {
        return Collections.unmodifiableList(comments);
    }

    // POLYMORPHIC METHOD: Define in parent, override in subclass
    @Override
    public int compareTo(Post other) {
        return this.createdAt.compareTo(other.createdAt);
    }
}

```

**Subclass (Package: com.humanitarian.logistics.model)**

```

// SUBCLASS: Extends Post, adds YouTube-specific fields
// Source: YouTubePost.java (lines 4-20)
public class YouTubePost extends Post {
    private static final long serialVersionUID = 1L;

    // YouTube-specific fields
    private String channelId;
    private int likes;
    private int views;
    private DisasterType disasterType;

    // Constructor calls parent constructor via super()
    public YouTubePost(String postId, String content, LocalDateTime createdAt,
                       String author, String channelId) {
        super(postId, content, createdAt, author, "YOUTUBE"); // Call parent constructor
        this.channelId = channelId;
        this.likes = 0;
        this.views = 0;
        this.disasterType = null;

        // YouTube posts have default food relief item
        this.setReliefItem(new ReliefItem(ReliefItem.Category.FOOD, "General Relief"));
    }

    // YouTube-specific methods
    public String getChannelId() { return channelId; }
    public int getLikes() { return likes; }
    public int getViews() { return views; }
}

```

**Benefits:** Code reuse (common Post behavior), consistency (all posts have comments, sentiment), extensibility (add new Post types), polymorphism (compareTo works for all Post subclasses).

#### 7.1.4 Polymorphism - Runtime Behavior Selection

**Purpose:** Objects of different types can be treated uniformly through a common interface, with behavior determined at runtime.

**Polymorphic Usage (Package: com.humanitarian.logistics.ui)**

```

// POLYMORPHISM: Model works with ANY Post subclass
// Source: Model.java (lines 72-93)
public class Model {
    private SentimentAnalyzer sentimentAnalyzer;

    // POLYMORPHIC METHOD: Analyzes Post or YouTubePost the same way
    public void addPost(Post post) { // Accepts any Post subclass
        if (post.getReliefItem() == null) {
            categoryClassifier.classifyPost(post);
        }

        // POLYMORPHIC CALL: Works with EnhancedSentimentAnalyzer OR PythonSentimentAnalyzer
    }
}

```

```

        if (post.getSentiment() == null && sentimentAnalyzer != null) {
            Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(post.getContent());
            post.setSentiment(sentiment);
        }

        // Process comments - same logic for all Post subclasses
        for (Comment comment : post.getComments()) {
            if (comment.getSentiment() == null && sentimentAnalyzer != null) {
                Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(comment.getContent());
                comment.setSentiment(sentiment);
            }
        }

        this.posts.add(post); // Polymorphic: Post OR YouTubePost
        dbManager.savePost(post); // DatabaseManager handles any Post type
        notifyListeners();
    }
}

```

**Key Points:** `addPost()` accepts `Post` parameter, but can receive `YouTubePost` instance at runtime. Method behavior determined by actual object type, not declared type.

### 7.1.5 Interfaces - Contracts and Multiple Implementations

**Purpose:** Define contracts that multiple unrelated classes can implement, enabling polymorphism and loose coupling.

**Interface Contracts in System (Package: `com.humanitarian.logistics`)**

```

// INTERFACE: Contract for sentiment analysis
// Source: SentimentAnalyzer.java
public interface SentimentAnalyzer {
    Sentiment analyzeSentiment(String text);
    Sentiment[] analyzeSentimentBatch(String[] texts);
    String getModelName();
    void initialize();
    void shutdown();
}

// INTERFACE: Contract for data crawling
// Source: DataCrawler.java
public interface DataCrawler {
    List<Post> crawlPosts(List<String> keywords, List<String> hashtags, int limit);
    void initialize();
    void shutdown();
}

// INTERFACE: Contract for analysis modules
// Source: AnalysisModule.java
public interface AnalysisModule {
    Map<String, Object> analyze(List<Post> posts);
}

```

```
// INTERFACE: Observer pattern contract
// Source: ModelListener.java
public interface ModelListener {
    void modelChanged();
}
```

**Benefits:** Contracts without implementation, loose coupling (client depends on interface, not concrete class), multiple implementations, runtime flexibility.

### 7.1.6 Abstract Classes - Partial Implementation

**Purpose:** Provide shared implementation and state that subclasses inherit, unlike interfaces which are pure contracts.

**Abstract Class with Implementation (Package: com.humanitarian.logistics.model)**

```
// ABSTRACT CLASS: Has both abstract methods and concrete implementation
// Source: Post.java (lines 9-138)
public abstract class Post implements Serializable, Comparable<Post> {
    // SHARED STATE: All Post subclasses have these fields
    private final String postId;
    private final String content;
    private final LocalDateTime createdAt;
    private final String author;
    private final String source;
    private final List<Comment> comments;

    // CONCRETE IMPLEMENTATION: Shared by all subclasses
    public String getPostId() { return postId; }
    public String getContent() { return content; }
    public LocalDateTime getCreatedAt() { return createdAt; }
    public String getAuthor() { return author; }
    public String getSource() { return source; }

    // SHARED BEHAVIOR: Comment management
    public List<Comment> getComments() {
        return Collections.unmodifiableList(comments);
    }

    public void addComment(Comment comment) {
        if (comment != null) this.comments.add(comment);
    }

    // ABSTRACT METHOD: Subclasses must implement
    @Override
    public abstract int compareTo(Post other);
}
```

**Difference from Interface:** Abstract class can have concrete implementation and state; interface is pure contract. Post class provides comment management (shared), but subclasses like YouTubePost add YouTube-specific fields.

## 7.1.7 Composition - Has-A Relationships

**Purpose:** Create objects by combining other objects (has-a) rather than inheritance (is-a). Provides flexibility and runtime behavior changes.

**Composition Example (Package: com.humanitarian.logistics.ui)**

```
// COMPOSITION: Model HAS-A SentimentAnalyzer, DatabaseManager, etc.
// Source: Model.java (lines 20-27)
public class Model {
    // COMPOSED OBJECTS: Injected via setters for runtime flexibility
    private SentimentAnalyzer sentimentAnalyzer; // HAS-A SentimentAnalyzer
    private DatabaseManager dbManager; // HAS-A DatabaseManager
    private DataPersistenceManager persistenceManager; // HAS-A DataPersistenceManager
    private PythonCategoryClassifier categoryClassifier; // HAS-A Classifier
    private Map<String, AnalysisModule> analysisModules; // HAS-A Map of modules
    private List<ModelListener> listeners; // HAS-A List of observers
    private List<Post> posts; // HAS-A List of posts

    public Model() {
        this.sentimentAnalyzer = new EnhancedSentimentAnalyzer(); // Default
        this.dbManager = new DatabaseManager();
        this.persistenceManager = new DataPersistenceManager();
        // ... initialize other compositions ...
    }

    // RUNTIME BEHAVIOR CHANGE: Swap analyzer without changing Model code
    public void setSentimentAnalyzer(SentimentAnalyzer analyzer) {
        if (this.sentimentAnalyzer != null) {
            this.sentimentAnalyzer.shutdown();
        }
        this.sentimentAnalyzer = analyzer; // Swap implementation at runtime
        this.sentimentAnalyzer.initialize();
        notifyListeners();
    }
}
```

### Composition vs Inheritance:

- **Inheritance (IS-A):** Post IS-A Serializable, YouTubePost IS-A Post. For class hierarchies.
- **Composition (HAS-A):** Model HAS-A SentimentAnalyzer. For flexibility and runtime changes. Preferred over inheritance in most cases.

**Benefits:** Runtime behavior swapping (setSentimentAnalyzer), flexibility, avoids deep inheritance hierarchies, easier testing (inject mock objects).

## 7.2 Advanced Design Patterns

### 7.2.1 Model-View-Controller (MVC) Architecture

**Purpose:** Separate application into three interconnected components: Model (data and logic), View (presentation), and Controller (user interaction). This enables independent development,

testing, and maintenance.

#### MODEL COMPONENT (Package: com.humanitarian.logistics.ui)

```
// MODEL: Contains data and business logic
// Source: Model.java (lines 20-112)
public class Model {
    private List<Post> posts;
    private SentimentAnalyzer sentimentAnalyzer;
    private DatabaseManager dbManager;
    private DataPersistenceManager persistenceManager;
    private List<ModelListener> listeners;

    public void addPost(Post post) {
        // Business logic: classify relief items
        if (post.getReliefItem() == null) {
            categoryClassifier.classifyPost(post);
        }

        // Business logic: analyze sentiment before adding
        if (post.getSentiment() == null && sentimentAnalyzer != null) {
            Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(post.getContent());
            post.setSentiment(sentiment);
        }

        // Business logic: process comments
        for (Comment comment : post.getComments()) {
            if (comment.getReliefItem() == null) {
                ReliefItem.Category category = categoryClassifier.classifyText(comment.getText());
                if (category != null) {
                    comment.setReliefItem(new ReliefItem(category, "ML-classified", comment.getText()));
                }
            }
            if (comment.getSentiment() == null && sentimentAnalyzer != null) {
                Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(comment.getText());
                comment.setSentiment(sentiment);
            }
        }

        this.posts.add(post);
        dbManager.savePost(post);

        // Notify all listeners of change
        notifyListeners();
    }

    public void addModelListener(ModelListener listener) {
        listeners.add(listener);
    }

    private void notifyListeners() {
        for (ModelListener listener : listeners) {
            listener.modelChanged(); // Observer pattern callback
        }
    }
}
```

```
}  
}
```

## VIEW COMPONENT (Package: com.humanitarian.logistics.ui)

```
// VIEW: Displays data from Model and implements ModellListener for updates  
// Source: View.java (lines 20-80)  
public class View extends JFrame implements ModellListener {  
    private Model model;  
    private JTabbedPane mainTabbedPane;  
    private AdvancedAnalysisPanel advancedAnalysisPanel;  
    private CommentManagementPanel commentPanel;  
    private CrawlControlPanel crawlPanel;  
    private DataCollectionPanel dataCollectionPanel;  
  
    public View(Model model) {  
        this.model = model;  
        // Register as observer to be notified of Model changes  
        model.addModellListener(this);  
        initializeUI();  
    }  
  
    private void initializeUI() {  
        setTitle("🚒 Humanitarian Logistics Analysis System v2.0");  
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);  
        setSize(1600, 950);  
        setLocationRelativeTo(null);  
        setExtendedState(JFrame.MAXIMIZED_BOTH);  
  
        // Initialize UI panels  
        mainTabbedPane = new JTabbedPane();  
        advancedAnalysisPanel = new AdvancedAnalysisPanel(model);  
        mainTabbedPane.addTab("📊 Analysis", advancedAnalysisPanel);  
  
        commentPanel = new CommentManagementPanel(model);  
        mainTabbedPane.addTab("💬 Comments Manager", commentPanel);  
  
        crawlPanel = new CrawlControlPanel(model);  
        mainTabbedPane.addTab("🌐 Crawl Web", crawlPanel);  
  
        dataCollectionPanel = new DataCollectionPanel(model);  
        mainTabbedPane.addTab("✍️ Data Entry", dataCollectionPanel);  
  
        // ... add panels to main layout ...  
        this.setVisible(true);  
    }  
  
    @Override  
    public void modelChanged() {  
        // React to Model data changes: update UI on EDT  
        SwingUtilities.invokeLater(() -> {  
            advancedAnalysisPanel.refresh();  
            commentPanel.refreshCommentTable();  
        });  
    }  
}
```



```

        statusLabel.setText("Updated");
    });
}
}

```

**OBSERVER INTERFACE (Package: com.humanitarian.logistics.ui)**

```

// OBSERVER LISTENER: Defines contract for components watching Model changes
public interface ModelListener {
    void modelChanged(); // Called when Model state changes
}

```

### MVC Architecture Benefits:

- **Separation of Concerns:** Model manages data/logic (database, sentiment analysis, classification), View displays UI (Swing components), Controller handles user interaction (panels, listeners)
- **Testability:** Test Model independently without UI, test UI rendering separately
- **Multiple Views:** Same Model data can serve multiple View implementations (Swing, web, CLI)
- **Loose Coupling:** View depends on ModelListener interface, not concrete Model implementation
- **Reactive Updates:** View automatically updates when Model notifies via Observer pattern

### 7.2.2 Strategy Pattern - Runtime Algorithm Selection

**Purpose:** Define a family of algorithms, encapsulate each one, and make them interchangeable. Strategy allows changing algorithms at runtime without changing client code.

#### Application in System:

**STRATEGY INTERFACE (Package: com.humanitarian.logistics.sentiment)**

```

// STRATEGY INTERFACE: Abstract algorithm definition
// Source: SentimentAnalyzer.java
public interface SentimentAnalyzer {
    Sentiment analyzeSentiment(String text);
    Sentiment[] analyzeSentimentBatch(String[] texts);
    String getModelName();
    void initialize();
    void shutdown();
}

```

**CONCRETE STRATEGY 1: Rule-Based Sentiment Analysis (Package: com.humanitarian.logistics.sentiment)**

```

// CONCRETE STRATEGY 1: Keyword-based approach
// Source: EnhancedSentimentAnalyzer.java (lines 6-113)

```

```

public class EnhancedSentimentAnalyzer implements SentimentAnalyzer {
    private static final String[] POSITIVE_WORDS_EN = {
        "good", "great", "excellent", "happy", "love", "thank", "thanks",
        "appreciate", "support", "help", "aid", "relief", "better", "improved",
        "success", "wonderful", "fantastic", "amazing", "grateful"
    };

    private static final String[] NEGATIVE_WORDS_EN = {
        "bad", "poor", "terrible", "sad", "hate", "angry", "upset", "frustrated",
        "struggle", "difficult", "problem", "issue", "lack", "missing", "needed",
        "fail", "failure", "disaster", "crisis", "emergency", "suffering", "pain"
    };

    @Override
    public Sentiment analyzeSentiment(String text) {
        if (text == null || text.trim().isEmpty()) {
            return new Sentiment(Sentiment.SentimentType.NEUTRAL, 0.0, "");
        }

        String lowerText = text.toLowerCase();

        int positiveCount = countMatches(lowerText, POSITIVE_WORDS_EN) +
            countMatches(lowerText, POSITIVE_WORDS_VI);
        int negativeCount = countMatches(lowerText, NEGATIVE_WORDS_EN) +
            countMatches(lowerText, NEGATIVE_WORDS_VI);

        Sentiment.SentimentType type;
        double confidence;

        if (positiveCount > negativeCount) {
            type = Sentiment.SentimentType.POSITIVE;
            confidence = Math.min(0.99, 0.6 + (positiveCount * 0.15));
        } else if (negativeCount > positiveCount) {
            type = Sentiment.SentimentType.NEGATIVE;
            confidence = Math.min(0.99, 0.6 + (negativeCount * 0.15));
        } else {
            type = Sentiment.SentimentType.NEUTRAL;
            confidence = positiveCount == 0 && negativeCount == 0 ? 0.4 : 0.5;
        }

        return new Sentiment(type, confidence, text);
    }

    @Override
    public void initialize() {
        System.out.println("✓ EnhancedSentimentAnalyzer initialized with bilingual su
    }

    @Override
    public void shutdown() {
        System.out.println("EnhancedSentimentAnalyzer shutdown");
    }
}

```

**CONCRETE STRATEGY 2: ML-Based Sentiment Analysis via Python API (Package: com.humanitarian.logistics.sentiment)**

```
// CONCRETE STRATEGY 2: Machine Learning approach via HTTP API
// Source: PythonSentimentAnalyzer.java (lines 13-90)
public class PythonSentimentAnalyzer implements SentimentAnalyzer {
    private final String apiUrl;
    private final String modelName;
    private CloseableHttpClient httpClient;
    private boolean initialized;

    public PythonSentimentAnalyzer(String apiUrl, String modelName) {
        this.apiUrl = apiUrl;
        this.modelName = modelName;
        this.initialized = false;
    }

    @Override
    public void initialize() {
        this.httpClient = HttpClients.createDefault();
        this.initialized = true;
        System.out.println("PythonSentimentAnalyzer initialized with API: " + apiUrl);
    }

    @Override
    public Sentiment analyzeSentiment(String text) {
        if (!initialized) {
            initialize();
        }

        if (text == null || text.trim().isEmpty()) {
            return new Sentiment(Sentiment.SentimentType.NEUTRAL, 0.0, "");
        }

        try {
            // Build HTTP request to Python backend
            HttpPost post = new HttpPost(apiUrl + "/analyze");
            JSONObject requestBody = new JSONObject();
            requestBody.put("text", text);
            StringEntity entity = new StringEntity(requestBody.toString(), "UTF-8");
            entity.setContentType("application/json; charset=UTF-8");
            post.setEntity(entity);
            post.setHeader("Content-Type", "application/json");

            // Execute HTTP request and parse response
            try (CloseableHttpResponse response = httpClient.execute(post)) {
                BufferedReader reader = new BufferedReader(
                    new InputStreamReader(response.getEntity().getContent())
                );
                StringBuilder result = new StringBuilder();
                String line;
                while ((line = reader.readLine()) != null) {
                    result.append(line);
                }
                reader.close();
            }
        }
    }
}
```

```

        String responseText = result.toString();
        JSONObject responseJson = new JSONObject(responseText);

        if (responseJson.has("error")) {
            System.err.println("x Error analyzing sentiment: " + responseJson);
            return new Sentiment(Sentiment.SentimentType.NEUTRAL, 0.5, text);
        }

        // Parse sentiment and confidence from API response
        String sentiment = responseJson.getString("sentiment");
        double confidence = responseJson.has("confidence") ?
            responseJson.getDouble("confidence") : 0.5;

        Sentiment.SentimentType type = Sentiment.SentimentType.valueOf(sentiment);
        System.out.println("✓ Sentiment analyzed: " + sentiment +
            " (confidence: " + String.format("%.2f%%", confidence * 100) + "%)");
        return new Sentiment(type, confidence, text);
    }
} catch (Exception e) {
    System.err.println("x Error analyzing sentiment: " + e.getMessage());
    return new Sentiment(Sentiment.SentimentType.NEUTRAL, 0.5, text);
}
}

@Override
public void shutdown() {
    try {
        if (httpClient != null) {
            httpClient.close();
        }
        initialized = false;
    } catch (Exception e) {
        System.err.println("Error shutting down analyzer: " + e.getMessage());
    }
}
}
}

```

**CLIENT: Runtime Strategy Selection (Package: com.humanitarian.logistics.ui)**

```

// CLIENT: Uses strategy via interface, not concrete class
// Source: Model.java (lines 46-51, 72-93)
public class Model {
    private SentimentAnalyzer sentimentAnalyzer; // Strategy reference

    public void setSentimentAnalyzer(SentimentAnalyzer analyzer) {
        // Switch algorithm at runtime WITHOUT changing client code
        if (this.sentimentAnalyzer != null) {
            this.sentimentAnalyzer.shutdown();
        }
        this.sentimentAnalyzer = analyzer;
        this.sentimentAnalyzer.initialize();
    }
}

```

```

public void addPost(Post post) {
    // Use current strategy - client doesn't know which implementation
    if (post.getReliefItem() == null) {
        categoryClassifier.classifyPost(post);
    }

    if (post.getSentiment() == null && sentimentAnalyzer != null) {
        // Strategy selection: works with ANY SentimentAnalyzer implementation
        Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(post.getContent());
        post.setSentiment(sentiment);
    }

    for (Comment comment : post.getComments()) {
        if (comment.getSentiment() == null && sentimentAnalyzer != null) {
            Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(comment.getContent());
            comment.setSentiment(sentiment);
        }
    }

    this.posts.add(post);
    notifyListeners();
}
}

```

### Key Strategy Pattern Features:

- **Strategy Interface:** SentimentAnalyzer defines contract that all sentiment algorithms must implement
- **Concrete Strategies:** EnhancedSentimentAnalyzer (keyword-matching) and PythonSentimentAnalyzer (ML via HTTP API) are interchangeable implementations
- **Runtime Selection:** Model.setSentimentAnalyzer() switches algorithms at runtime without code changes
- **Client Agnostic:** Model.addPost() works with ANY SentimentAnalyzer implementation - changes algorithm behavior without touching client code

**Applications in System:** Sentiment Analysis (EnhancedSentimentAnalyzer vs PythonSentimentAnalyzer), Data Crawling (YouTubeCrawler vs MockDataCrawler via CrawlerRegistry), Analysis Modules (TimeSeriesSentimentModule vs SatisfactionAnalysisModule).

**Benefits:** Runtime algorithm switching without modifying client code, easy to add new strategies (just implement SentimentAnalyzer), isolates algorithm details from client logic, enables A/B testing of different sentiment approaches.

### 7.2.3 Factory and Registry Pattern - Pluggable Architecture

**Purpose:** Factory Pattern creates objects without specifying exact classes. Registry Pattern maintains a registry of available implementations, enabling runtime discovery and plugin-like architecture.

**FACTORY INTERFACE** (Package: com.humanitarian.logistics.crawler)

```

// FACTORY INTERFACE: Defines how to create crawlers
// Source: CrawlerRegistry.java (lines 17-20)
@FunctionalInterface
public interface CrawlerFactory {
    DataCrawler create(); // Creates a new crawler instance
}

```

**REGISTRY: Central Location for Available Crawlers (Package: com.humanitarian.logistics.crawler)**

```

// REGISTRY: Central location for available crawler factories
// Source: CrawlerRegistry.java (lines 11-104)
public class CrawlerRegistry {
    private static final Logger LOGGER = Logger.getLogger(CrawlerRegistry.class.getName());
    private static final CrawlerRegistry INSTANCE = new CrawlerRegistry();

    // Map of crawler factories: name → factory function
    private final Map<String, CrawlerFactory> crawlers = new LinkedHashMap<>();

    public static class CrawlerConfig {
        public final String name;
        public final String displayName;
        public final String description;
        public final CrawlerFactory factory;
        public final boolean requiresInitialization;
        public final boolean supportsKeywordSearch;
        public final boolean supportsUrlCrawl;

        public CrawlerConfig(String name, String displayName, String description,
                             CrawlerFactory factory, boolean requiresInit,
                             boolean supportsKeywords, boolean supportsUrl) {
            this.name = name;
            this.displayName = displayName;
            this.description = description;
            this.factory = factory;
            this.requiresInitialization = requiresInit;
            this.supportsKeywordSearch = supportsKeywords;
            this.supportsUrlCrawl = supportsUrl;
        }
    }

    private final Map<String, CrawlerConfig> crawlerConfigs = new LinkedHashMap<>();

    private CrawlerRegistry() {}

    public static CrawlerRegistry getInstance() {
        return INSTANCE;
    }

    // REGISTRATION: Add new crawler factory with metadata
    public void registerCrawler(CrawlerConfig config) {
        crawlers.put(config.name, config.factory);
        crawlerConfigs.put(config.name, config);
    }
}

```

```

        LOGGER.info("✓ Registered crawler: " + config.displayName);
    }

    // FACTORY METHOD: Create crawler by name without knowing concrete type
    public DataCrawler createCrawler(String crawlerName) {
        CrawlerFactory factory = crawlers.get(crawlerName);
        if (factory == null) {
            throw new IllegalArgumentException("Unknown crawler: " + crawlerName);
        }
        return factory.create(); // Factory creates instance
    }

    public List<String> getCrawlerNames() {
        return new ArrayList<>(crawlers.keySet());
    }

    public List<String> getCrawlerDisplayNames() {
        return crawlerConfigs.values().stream()
            .map(c -> c.displayName)
            .collect(Collectors.toList());
    }

    public CrawlerConfig getConfig(String crawlerName) {
        return crawlerConfigs.get(crawlerName);
    }
}

```

**CLIENT: Uses Registry to Create Crawlers (Package: com.humanitarian.logistics.crawler)**

```

// CLIENT: Uses registry to get crawlers without knowing their concrete types
// Source: CrawlerManager.java (lines 6-31)
public class CrawlerManager {
    private static final Logger LOGGER = Logger.getLogger(CrawlerManager.class.getName());

    public static void initializeCrawlers() {
        CrawlerRegistry registry = CrawlerRegistry.getInstance();

        // Register YouTube crawler factory - Constructor reference creates instances
        registry.registerCrawler(
            new CrawlerRegistry.CrawlerConfig(
                "YOUTUBE",
                "YouTube",
                "Crawl videos and comments from YouTube using Selenium",
                YouTubeCrawler::new, // FACTORY: Constructor reference
                true, // Requires initialization
                true, // Supports keyword search
                true // Supports URL crawl
            )
        );

        // Register Mock crawler factory
        registry.registerCrawler(
            new CrawlerRegistry.CrawlerConfig(

```



```

        "MOCK",
        "Sample/Mock Data",
        "Generate sample data for testing (no real crawling)",
        MockDataCrawler::new,           // FACTORY: Constructor reference
        false,
        true,
        false
    )
);

LOGGER.info("✓ All crawlers initialized: " + registry.getCrawlerDisplayNames()
}
}

// USAGE: Create crawler by name without knowing concrete type
CrawlerRegistry registry = CrawlerRegistry.getInstance();
DataCrawler youtubeCrawler = registry.createCrawler("YOUTUBE"); // Factory creates
DataCrawler mockCrawler = registry.createCrawler("MOCK");        // Factory creates

// List all available crawlers
List<String> names = registry.getCrawlerDisplayNames(); // ["YouTube", "Sample/Mock

```

**Advantages:** Plugin architecture (add crawlers without modifying existing code), runtime discovery (list available crawlers), decoupling (client doesn't know concrete classes), dynamic instantiation.

**Benefits:** Plugin architecture, runtime discovery, decoupling, extensibility.

## 7.2.4 Observer Pattern - Reactive Updates

**Purpose:** Define a one-to-many relationship where when one object's state changes, all dependents are automatically notified and updated. This implements loose coupling between Subject and Observers.

**OBSERVER INTERFACE (Package: com.humanitarian.logistics.ui)**

```

// OBSERVER INTERFACE: What observers must implement
// Source: ModelListener.java
public interface ModelListener {
    void modelChanged(); // Called when Model state changes
}

```

**SUBJECT: Model with Observer Notifications (Package: com.humanitarian.logistics.ui)**

```

// SUBJECT: Model that maintains observers and notifies them of changes
// Source: Model.java (lines 20-112, 216-222)
public class Model {
    private List<Post> posts;
    private SentimentAnalyzer sentimentAnalyzer;
    private List<ModelListener> listeners; // List of observers
}

```

```

// ATTACH: Add observer to listen for changes
public void addModelListener(ModelListener listener) {
    listeners.add(listener);
}

// METHOD that changes state
public void addPost(Post post) {
    if (post.getReliefItem() == null) {
        categoryClassifier.classifyPost(post);
    }

    // Sentiment analysis as business logic
    if (post.getSentiment() == null && sentimentAnalyzer != null) {
        Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(post.getContent());
        post.setSentiment(sentiment);
    }

    // Process comments
    for (Comment comment : post.getComments()) {
        if (comment.getSentiment() == null && sentimentAnalyzer != null) {
            Sentiment sentiment = sentimentAnalyzer.analyzeSentiment(comment.getContent());
            comment.setSentiment(sentiment);
        }
    }

    this.posts.add(post);
    dbManager.savePost(post);

    // NOTIFY: When state changes, notify all observers
    notifyListeners();
}

// NOTIFY: Broadcast change to all observers
private void notifyListeners() {
    for (ModelListener listener : listeners) {
        listener.modelChanged(); // Each observer reacts to notification
    }
}
}

```

**CONCRETE OBSERVER: View Listens to Model Changes (Package: com.humanitarian.logistics.ui)**

```

// CONCRETE OBSERVER: View receives and reacts to Model notifications
// Source: View.java (lines 20-80, 160-169)
public class View extends JFrame implements ModelListener {
    private Model model;
    private JTabbedPane mainTabbedPane;
    private AdvancedAnalysisPanel advancedAnalysisPanel;
    private CommentManagementPanel commentPanel;
    private JLabel statusLabel;

    public View(Model model) {

```

```

        this.model = model;
        // REGISTER as observer: subscribe to Model changes
        model.addModelListener(this);
        initializeUI();
    }

    private void initializeUI() {
        setTitle("🚚 Humanitarian Logistics Analysis System v2.0");
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        setSize(1600, 950);

        mainTabbedPane = new JTabbedPane();
        advancedAnalysisPanel = new AdvancedAnalysisPanel(model);
        mainTabbedPane.addTab("📊 Analysis", advancedAnalysisPanel);

        commentPanel = new CommentManagementPanel(model);
        mainTabbedPane.addTab("💬 Comments Manager", commentPanel);

        // ... setup rest of UI ...
    }

    @Override
    public void modelChanged() {
        // REACT to Model notification: refresh UI components
        SwingUtilities.invokeLater(() -> {
            // Update all UI panels with new data
            advancedAnalysisPanel.refresh(); // Refresh analysis charts
            commentPanel.refreshCommentTable(); // Refresh comment table
            statusLabel.setText("✓ Updated"); // Show update status
            System.out.println("View notified: Model changed");
        });
    }
}

```

## How Observer Pattern Works:

- **Subject (Model):** Maintains list of observers, calls notifyListeners() when state changes (addPost())
- **Observer Interface (ModelListener):** Defines contract - modelChanged() method that gets called
- **Concrete Observers (View):** Implement ModelListener, register via addModelListener(), react to changes in modelChanged()
- **Decoupling:** Model doesn't know details of View implementation, only that observers implement ModelListener interface

**Benefits:** Loose coupling (Subject doesn't know observer details), dynamic subscriptions (add/remove observers at runtime), automatic synchronization (all observers notified together), event-driven design (reactive updates without polling).

## 7.2.5 Singleton Pattern - Guaranteed Single Instance

**Purpose:** Ensure a class has only ONE instance and provide global access to it. Prevents multiple instances from causing state conflicts and resource wastage.

```

// EAGER SINGLETON: Instance created at class load time
// Source: CrawlerRegistry.java (lines 12-48)
public class CrawlerRegistry {
    // Single static instance created at class load time
    private static final CrawlerRegistry INSTANCE = new CrawlerRegistry();

    private final Map<String, CrawlerFactory> crawlers = new LinkedHashMap<>();

    @FunctionalInterface
    public interface CrawlerFactory {
        DataCrawler create();
    }

    public static class CrawlerConfig {
        public final String name;
        public final String displayName;
        public final String description;
        public final CrawlerFactory factory;
        public final boolean requiresInitialization;
        public final boolean supportsKeywordSearch;
        public final boolean supportsUrlCrawl;

        public CrawlerConfig(String name, String displayName, String description,
                             CrawlerFactory factory, boolean requiresInit,
                             boolean supportsKeywords, boolean supportsUrl) {
            this.name = name;
            this.displayName = displayName;
            this.description = description;
            this.factory = factory;
            this.requiresInitialization = requiresInit;
            this.supportsKeywordSearch = supportsKeywords;
            this.supportsUrlCrawl = supportsUrl;
        }
    }

    private final Map<String, CrawlerConfig> crawlerConfigs = new LinkedHashMap<>();

    // Private constructor: prevents new CrawlerRegistry()
    private CrawlerRegistry() {}

    // Global access point: always returns same instance
    public static CrawlerRegistry getInstance() {
        return INSTANCE;
    }

    public void registerCrawler(CrawlerConfig config) {
        crawlers.put(config.name, config.factory);
        crawlerConfigs.put(config.name, config);
    }
}

```

```

// LAZY SINGLETON: Instance created on first access with thread-safety
// Source: DatabaseManager.java (lines 19-42)
public class DatabaseManager {
    private static DatabaseManager instance;
    private static final Object lock = new Object();

    private String dbUrl;
    private String dbFilePath;
    private Connection connection;
    private boolean initialized = false;

    public DatabaseManager() {
        // Empty constructor - initialization deferred to lazy loading
    }

    // LAZY SINGLETON: Double-checked locking pattern
    public static DatabaseManager getInstance() {
        if (instance == null) {
            synchronized (lock) {
                if (instance == null) {
                    instance = new DatabaseManager();
                    // Lazy initialization: database connection created on first access
                    instance.initialize();
                }
            }
        }
        return instance;
    }

    private void initialize() {
        // JDBC connection initialization happens here (deferred)
        String dbFilePath = getDbFilePath();
        this.dbUrl = "jdbc:sqlite:" + dbFilePath;
        System.out.println("✓ DatabaseManager initialized with: " + this.dbUrl);
        initialized = true;
    }
}

```

### Singleton Pattern Implementations in System:

- **CrawlerRegistry (Eager Singleton):** Static final field ensures single instance created at class load time. Simple, thread-safe by design, but instance always created even if never used.
- **DatabaseManager (Lazy Singleton):** Double-checked locking ensures instance created only on first getInstance() call. Thread-safe with synchronized block and null-check inside lock. Defers initialization cost until actually needed.

**Benefits:** Global access point, prevents multiple instances (avoids state conflicts), thread-safe initialization, controlled singleton lifecycle.

### 7.2.6 Facade Pattern - Simplified Complex Operations

**Purpose:** Provide a unified, simplified interface to a complex subsystem. This hides implementation details, reduces coupling, and makes API easier to use.

## Implementation in System:

**FACADE: Database Loading (Package: com.humanitarian.logistics.database)**

```
// FACADE: Simplified interface hiding complex database operations
// Source: DatabaseLoader.java (lines 33-102)
public class DatabaseLoader {
    // SIMPLE PUBLIC METHOD: Client interface hides ALL complexity
    public static void loadOurDatabase(Model model) {
        if (model == null) {
            throw new IllegalArgumentException("Model cannot be null");
        }

        // From client's perspective: just one method call to load data
        model.getPosts().clear();

        // INTERNAL DETAILS HIDDEN: Client doesn't know about:
        // - JDBC connections and ResultSet parsing
        // - Multiple database files (curated vs user)
        // - Transaction management and error handling
        loadFromDevUIDatabase(model); // Hidden: reads from curated DB
        saveLoadedDataToUserDatabase(model); // Hidden: persists to user DB
    }

    // PRIVATE: Complex JDBC reading logic hidden from client
    private static void loadFromDevUIDatabase(Model model) {
        try {
            Class.forName("org.sqlite.JDBC");
            String dbPath = getDevUIDbPath();

            File dbFile = new File(dbPath);
            if (!dbFile.exists()) {
                System.out.println("Database file not found: " + dbPath);
                return;
            }

            Connection conn = DriverManager.getConnection("jdbc:sqlite:" + dbPath);
            Statement stmt = conn.createStatement();
            ResultSet rs = stmt.executeQuery("SELECT * FROM posts");

            // Parse complex ResultSet into domain objects
            while (rs.next()) {
                Post post = parsePost(rs); // Parse each row
                model.addPost(post); // Add to model
            }

            conn.close();
        } catch (Exception e) {
            System.err.println("Error loading from database: " + e.getMessage());
        }
    }
}
```

```

// PRIVATE: Complex database writing logic hidden from client
private static void saveLoadedDataToUserDatabase(Model model) {
    DatabaseManager dbManager = null;
    try {
        dbManager = new DatabaseManager();

        // Complex transaction handling hidden in savePost()
        for (Post post : model.getPosts()) {
            dbManager.savePost(post); // Uses PreparedStatement, type conversion
        }
        dbManager.commit(); // Transaction management hidden
    } catch (Exception e) {
        System.err.println("Error saving to user database: " + e.getMessage());
    } finally {
        if (dbManager != null) {
            try {
                dbManager.close();
            } catch (SQLException e) {}
        }
    }
}
}

```

**FACADE: Persistence Layer (Package: com.humanitarian.logistics.database)**

```

// FACADE: Adapts domain objects ↔ serialization format
// Source: DataPersistenceManager.java (lines 24-75)
public class DataPersistenceManager {
    private String postsFile;
    private String disastersFile;

    public DataPersistenceManager() {
        String dataDir = getDataDir();
        this.postsFile = dataDir + "/posts.dat";
        this.disastersFile = dataDir + "/disasters.dat";
    }

    // SIMPLE METHOD: Hides serialization complexity
    public void savePosts(List<Post> posts) {
        try (ObjectOutputStream oos = new ObjectOutputStream(
            new FileOutputStream(this.postsFile))) {
            // Hidden: Java serialization, error handling, file I/O details
            oos.writeObject(new ArrayList<>(posts));
            System.out.println("✓ Posts saved: " + posts.size() + " items");
        } catch (IOException e) {
            System.err.println("Error saving posts: " + e.getMessage());
        }
    }

    // SIMPLE METHOD: Deserializes and returns domain objects
    @SuppressWarnings("unchecked")
    public List<Post> loadPosts() {
        File file = new File(this.postsFile);
    }
}

```



```

        if (!file.exists()) {
            return new ArrayList<>();
        }

        try (ObjectInputStream ois = new ObjectInputStream(
            new FileInputStream(this.postsFile))) {
            // Hidden: Java deserialization, casting, error handling
            List<Post> posts = (List<Post>) ois.readObject();
            System.out.println("✓ Posts loaded: " + posts.size() + " items");
            return posts;
        } catch (IOException | ClassNotFoundException e) {
            System.err.println("Error loading posts: " + e.getMessage());
            return new ArrayList<>();
        }
    }
}

```

#### FACADE: Crawler Initialization (Package: com.humanitarian.logistics.crawler)

```

// FACADE: Hides complex crawler registry initialization
// Source: CrawlerManager.java (lines 6-31)
public class CrawlerManager {
    private static final Logger LOGGER = Logger.getLogger(CrawlerManager.class.getName());

    // SINGLE METHOD: Hides all crawler registration complexity
    public static void initializeCrawlers() {
        CrawlerRegistry registry = CrawlerRegistry.getInstance();

        // Register YouTube crawler - Hidden: configuration, dependencies, factories
        registry.registerCrawler(
            new CrawlerRegistry.CrawlerConfig(
                "YOUTUBE",
                "YouTube",
                "Crawl videos and comments from YouTube using Selenium",
                YouTubeCrawler::new, // Factory reference
                true,                // Requires initialization
                true,                // Supports keyword search
                true                 // Supports URL crawl
            )
        );

        // Register Mock crawler - Hidden: test configuration
        registry.registerCrawler(
            new CrawlerRegistry.CrawlerConfig(
                "MOCK",
                "Sample/Mock Data",
                "Generate sample data for testing (no real crawling)",
                MockDataCrawler::new,
                false,
                true,
                false
            )
        );
    }
}

```

```

        LOGGER.info("✓ All crawlers initialized: " + registry.getCrawlerDisplayNames());
    }
}

```

registry.registerCrawler( new CrawlerRegistry.CrawlerConfig( "MOCK", "Sample/Mock Data",  
"Generate sample data for testing", MockDataCrawler::new, false, true, false ) ); } } // CLIENT:  
Simple usage without knowing complexity DatabaseLoader.loadOurDatabase(model); // Simple!  
CrawlerManager.initializeCrawlers(); // Simple!

**Benefits:** Reduced complexity for clients, cleaner API, hides subsystem details, easier to maintain and evolve subsystems independently.

### 7.2.7 Adapter Pattern - Interface Compatibility

**Purpose:** Convert incompatible interfaces to compatible ones, allowing objects with different interfaces to work together. Acts as a bridge between two incompatible interfaces, enabling integration without modifying existing classes.

#### Implementation in System - Two Key Uses:

##### Part 1: WindowAdapter for Swing Event Handling (UI Package - View.java)

The View class (extending JFrame) uses Java's built-in **WindowAdapter** to handle window lifecycle events. WindowAdapter is a classic example of the Adapter pattern - it implements the full WindowListener interface but provides empty stub implementations for all methods. This allows the application to override only the windowClosing() event handler without needing to implement all WindowListener methods.

#### Actual Code from View.java:

```

public class View extends JFrame implements ModellListener {
    private Model model;
    // ... other fields ...

    public View(Model model) {
        this.model = model;
        model.addModellListener(this);
        initializeUI();
    }

    private void initializeUI() {
        setTitle("🚒 Humanitarian Logistics Analysis System v2.0");
        setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
        setSize(1600, 950);
        setLocationRelativeTo(null);
        setExtendedState(JFrame.MAXIMIZED_BOTH);

        // ADAPTER PATTERN: WindowAdapter bridges WindowListener interface
        // We only override windowClosing(), other methods inherited as empty
        addWindowListener(new java.awt.event.WindowAdapter() {
            @Override
            public void windowClosing(java.awt.event.WindowEvent e) {

```

```

        cleanupAndExit(); // Adapt: Window closing → Model shutdown
    }
});
// ... rest of UI initialization ...
}
}

```

**How Adapter Works Here:** WindowListener requires implementing 7 methods (windowOpened, windowClosed, windowClosing, windowIconified, windowDeiconified, windowActivated, windowDeactivated). WindowAdapter implements all 7 as empty methods, allowing View to inherit and override only windowClosing(). This eliminates boilerplate code and is a textbook Adapter pattern example.

## Part 2: DataPersistenceManager as Database Adapter (Database Package - DataPersistenceManager.java)

DataPersistenceManager serves as an adapter layer between the application's high-level domain model (Post objects, DisasterManager) and SQLite's low-level JDBC interface. It adapts two incompatible interfaces:

- **High-level interface:** Application domain objects (List<Post>, DisasterManager)
- **Low-level interface:** Java serialization streams (ObjectInputStream/ObjectOutputStream)

### Actual Code from DataPersistenceManager.java:

```

public class DataPersistenceManager {
    private String postsFile;
    private String disastersFile;

    private String getDataDir() {
        File dataDir = new File("data");
        if (!dataDir.exists()) {
            dataDir.mkdirs();
        }
        return dataDir.getAbsolutePath();
    }

    public DataPersistenceManager() {
        String dataDir = getDataDir();
        this.postsFile = dataDir + "/posts.dat";
        this.disastersFile = dataDir + "/disasters.dat";
    }

    // ADAPTER METHOD 1: Adapt domain objects → serialization format
    public void savePosts(List<Post> posts) {
        try (ObjectOutputStream oos = new ObjectOutputStream(
            new FileOutputStream(this.postsFile))) {
            oos.writeObject(new ArrayList<>(posts));
            System.out.println("✓ Posts saved: " + posts.size() + " items");
        } catch (IOException e) {
            System.err.println("Error saving posts: " + e.getMessage());
        }
    }
}

```

```

// ADAPTER METHOD 2: Adapt serialization format → domain objects
@SuppressWarnings("unchecked")
public List<Post> loadPosts() {
    File file = new File(this.postsFile);
    if (!file.exists()) {
        return new ArrayList<>();
    }

    try (ObjectInputStream ois = new ObjectInputStream(
        new FileInputStream(this.postsFile))) {
        List<Post> posts = (List<Post>) ois.readObject();
        System.out.println("✓ Posts loaded: " + posts.size() + " items");
        return posts;
    } catch (IOException | ClassNotFoundException e) {
        System.err.println("Error loading posts: " + e.getMessage());
        return new ArrayList<>();
    }
}

// ADAPTER METHOD 3: Adapt DisasterManager ↔ serialization
public void saveDisasters(DisasterManager manager) {
    try (ObjectOutputStream oos = new ObjectOutputStream(
        new FileOutputStream(this.disastersFile))) {
        // Extract custom disasters from manager (interface)
        // Convert to serializable Map (low-level format)
        Set<String> defaultDisasters = new HashSet<>(
            Arrays.asList("yagi", "matmo", "bualo", "koto", "fung-wong"));

        Map<String, DisasterType> customDisasters = new HashMap<>();
        for (String name : manager.getAllDisasterNames()) {
            if (!defaultDisasters.contains(name.toLowerCase())) {
                customDisasters.put(name, manager.getDisasterType(name));
            }
        }

        oos.writeObject(customDisasters);
        System.out.println("✓ Disaster types saved: "
            + customDisasters.size() + " custom types");
    } catch (IOException e) {
        System.err.println("Error saving disasters: " + e.getMessage());
    }
}
}

```

**How Adapter Works Here:** The Model class and Analysis modules work with high-level domain objects (List<Post>, DisasterManager). However, persistence to disk requires low-level serialization (ObjectInputStream/ObjectOutputStream). DataPersistenceManager adapts between these incompatible interfaces by converting domain objects ↔ serialized streams. The rest of the application never sees the serialization details - it simply calls savePosts()/loadPosts() and receives domain objects back.

**Benefits of Both Adapter Implementations:**

- **Separation of Concerns:** WindowAdapter isolates event handling complexity; DataPersistenceManager isolates serialization logic
- **Code Reuse:** WindowAdapter is built-in (no custom code needed); DataPersistenceManager reuses Java serialization without modification
- **Interface Bridging:** Converts incompatible interfaces (WindowListener ↔ window events) and (domain model ↔ persistence format)
- **Maintainability:** Changes to serialization format require only modifying DataPersistenceManager, not the entire application

## 7.2.8 Builder Pattern - Fluent Object Construction

**Purpose:** Construct complex objects step by step using a fluent API, avoiding telescoping constructors and making configuration explicit and readable.

**BUILDER IMPLEMENTATION (Package: com.humanitarian.logistics.ui)**

```
// BUILDER CLASS: Fluent API for constructing ChartPanel with configuration
// Source: InteractiveChartUtility.java (lines 48-88)
public class InteractiveChartUtility {

    // BUILDER FACTORY: Static method returns new builder instance
    public static ChartPanelBuilder builder(ChartPanel chartPanel) {
        return new ChartPanelBuilder(chartPanel);
    }

    // NESTED BUILDER CLASS: Fluent API for chart configuration
    public static class ChartPanelBuilder {
        private ChartPanel chartPanel;

        // CONFIGURATION FIELDS: Stores all optional settings
        private boolean domainZoom = true;
        private boolean rangeZoom = true;
        private boolean mouseWheel = true;
        private boolean tooltips = true;

        public ChartPanelBuilder(ChartPanel chartPanel) {
            this.chartPanel = chartPanel;
        }

        // BUILDER METHODS: Return 'this' for method chaining (fluent API)
        public ChartPanelBuilder domainZoomable(boolean enabled) {
            this.domainZoom = enabled;
            return this; // Enable chaining: builder().domainZoomable().rangeZoomable()
        }

        public ChartPanelBuilder rangeZoomable(boolean enabled) {
            this.rangeZoom = enabled;
            return this; // Return builder for next method in chain
        }

        public ChartPanelBuilder mouseWheelEnabled(boolean enabled) {
            this.mouseWheel = enabled;
            return this;
        }
    }
}
```

```

    }

    public ChartPanelBuilder tooltipsEnabled(boolean enabled) {
        this.tooltips = enabled;
        return this;
    }

    // BUILD METHOD: Apply all accumulated configurations and return final object
    public ChartPanel build() {
        // Apply all builder configurations to ChartPanel
        chartPanel.setDomainZoomable(domainZoom);
        chartPanel.setRangeZoomable(rangeZoom);
        chartPanel.setMouseWheelEnabled(mouseWheel);
        chartPanel.setDisplayToolTips(tooltips);
        return chartPanel; // Return fully configured ChartPanel
    }
}

// UTILITY: Make chart interactive (uses builder internally)
public static void makeChartInteractive(ChartPanel chartPanel) {
    if (chartPanel.getChart() != null) {
        chartPanel.setDomainZoomable(true);
        chartPanel.setRangeZoomable(true);
        chartPanel.setMouseWheelEnabled(true);
    }
    chartPanel.setDisplayToolTips(true);
}
}

```

## USAGE: Fluent Builder API in Action

```

// BEFORE BUILDER: Telescoping constructor (unclear which param is what)
// ChartPanel p = new ChartPanel(chart, true, true, true, true); // Hard to read!

// AFTER BUILDER: Fluent, self-documenting, easy to modify
ChartPanel interactive = InteractiveChartUtility.builder(originalChart)
    .domainZoomable(true) // Enable domain (X-axis) zoom
    .rangeZoomable(true) // Enable range (Y-axis) zoom
    .mouseWheelEnabled(true) // Enable mouse wheel zoom
    .tooltipsEnabled(true) // Show tooltips on hover
    .build(); // Create and return configured ChartPanel

// FLEXIBLE: Only configure what you need (rest use defaults)
ChartPanel simpleChart = InteractiveChartUtility.builder(baseChart)
    .mouseWheelEnabled(true) // Only enable mouse wheel
    .tooltipsEnabled(false) // Disable tooltips
    .build(); // Range/domain zoom defaults to true

// COMPARISON: Builder makes intent clearer than constructor overloading
// Constructor: new ChartPanel(chart, zoomX, zoomY, mouseWheel, tooltips)
// Builder: builder(chart).domainZoomable(true).rangeZoomable(true)...

```

## Builder Pattern Benefits in System:

- **Fluent API:** Method chaining makes configuration readable and expressive
- **Flexible:** Set only the options you need - rest use sensible defaults (domainZoom=true, etc.)
- **Self-Documenting:** Method names clearly express intent (.domainZoomable(), .tooltipsEnabled())
- **Avoid Telescoping:** No need for multiple constructors with different parameter combinations
- **Immutability-Friendly:** Builder pattern enables creating immutable objects with many optional fields
- **Easy Maintenance:** Adding new configuration options just requires new builder methods

## 7.3 Advanced Java Techniques

### 7.3.1 Generics and Type-Safe Collections

**Purpose:** Use type parameters to write generic classes and methods, providing compile-time type safety and eliminating casting. This catches type errors early and makes code self-documenting.

**Application in System (Package: com.humanitarian.logistics)**

```
// TYPE-SAFE COLLECTIONS: Compiler checks types at compile time
// Source: Model.java, AnalysisPanel.java
List<Comment> comments = new ArrayList<>();
comments.add(new Comment(...)); // Type check: OK, Comment
// comments.add("invalid"); // Type check: ERROR, String ≠ Comment
Comment c = comments.get(0); // No casting needed: Comment, not Object

Map<String, Integer> sentimentCounts = new HashMap<>();
sentimentCounts.put("POSITIVE", 42); // Type check: String key, Integer value
// sentimentCounts.put(123, "high"); // Type check: ERROR

// GENERIC CLASSES: Type parameters for flexibility
// Source: TimeSeriesSentimentModule.java, Model.java
public class TimeSeriesSentimentModule implements AnalysisModule {
    // Map<Category, Map<Time, List<Sentiment>>>: Nested type-safe structure
    private Map<ReliefItem.Category, Map<LocalDateTime, List<Sentiment>>> timeSeriesData;

    public void addSentiment(ReliefItem.Category category,
                             LocalDateTime time,
                             Sentiment sentiment) {
        timeSeriesData.computeIfAbsent(category, k -> new TreeMap<>())
            .computeIfAbsent(time, k -> new ArrayList<>())
            .add(sentiment);
    }
}

// Type-safe collection usage in Model
public class Model {
    private List<Post> posts; // Generic list
    private List<ModelListener> listeners; // Generic list of observers
}
```



```
private Map<String, AnalysisModule> analysisModules; // Generic map
}
```

**Benefits:** Compile-time type safety, no casting needed, self-documenting code, prevents runtime `ClassCastException` errors.

### 7.3.2 Streams API and Functional Programming

**Purpose:** Process collections using functional-style transformations (map, filter, reduce) instead of imperative loops. Streams enable concise, declarative data processing with optional parallelization.

**Real System Example (Package: `com.humanitarian.logistics.analysis`)**

```
// STREAMS API: Functional data processing
// Source: SatisfactionAnalysisModule.java (lines 45-75)
private Map<String, Object> calculateSentimentStats(List<Sentiment> sentiments,
                                                    ReliefItem.Category category) {
    Map<String, Object> stats = new LinkedHashMap<>();

    // FILTER + COUNT: Count sentiments by type using streams
    long positiveCount = sentiments.stream()
        .filter(Sentiment::isPositive) // FILTER: keep only positive sentiments
        .count();                      // COUNT: aggregate count

    long negativeCount = sentiments.stream()
        .filter(Sentiment::isNegative) // FILTER: keep only negative
        .count();

    long neutralCount = sentiments.stream()
        .filter(Sentiment::isNeutral) // FILTER: keep only neutral
        .count();

    // MAP + SUM: Extract and sum confidence scores
    double totalConfidence = sentiments.stream()
        .mapToDouble(Sentiment::getConfidence) // MAP: extract confidence scores
        .sum();                                // SUM: aggregate scores
    double avgConfidence = totalConfidence / sentiments.size();

    // BUILD RESULT: Accumulate statistics
    stats.put("category", category.getDisplayName());
    stats.put("positive_count", positiveCount);
    stats.put("negative_count", negativeCount);
    stats.put("neutral_count", neutralCount);
    stats.put("positive_percentage", String.format("%.2f%%",
        (double) positiveCount / sentiments.size() * 100));
    stats.put("negative_percentage", String.format("%.2f%%",
        (double) negativeCount / sentiments.size() * 100));
    stats.put("average_confidence", String.format("%.2f", avgConfidence));

    return stats; // Map with aggregated sentiment statistics
}
```

**Benefits:** Concise and readable data processing, functional (declarative) style, enables parallelization (`parallelStream()`), composable operations.

### 7.3.3 Lambda Expressions and Method References

**Purpose:** Write concise anonymous functions (lambdas) and reference existing methods (method references) to enable functional programming and reduce boilerplate code.

**Lambda and Method Reference Examples (Package: `com.humanitarian.logistics`)**

```
// EXAMPLE 1: LAMBDA in Streams with map() and collect()
// Source: CrawlerRegistry.java (lines 61-64)
public List<String> getCrawlerDisplayNames() {
    return crawlerConfigs.values().stream()
        .map(c -> c.displayName) // LAMBDA: extract displayName from each config
        .collect(Collectors.toList()); // COLLECT: gather results
}

// EXAMPLE 2: METHOD REFERENCE for accessing properties
// Source: Multiple locations in codebase
comments.sort(Comparator.comparing(Comment::getCreatedAt));
// METHOD REFERENCE: Comment::getCreatedAt (vs lambda: c -> c.getCreatedAt())

// EXAMPLE 3: CONSTRUCTOR REFERENCE for Factory Pattern
// Source: CrawlerManager.java (lines 11-18)
CrawlerRegistry registry = CrawlerRegistry.getInstance();
registry.registerCrawler(
    new CrawlerRegistry.CrawlerConfig(
        "YOUTUBE",
        "YouTube",
        "Crawl videos and comments from YouTube",
        YouTubeCrawler::new, // CONSTRUCTOR REFERENCE: creates new instances
        true, true, true
    )
);

// EXAMPLE 4: LAMBDA in Event Handlers
// Source: View.java (lines 160-167)
SwingUtilities.invokeLater(() -> {
    advancedAnalysisPanel.refresh(); // LAMBDA: Runnable implementation
    commentPanel.refreshCommentTable();
    statusLabel.setText("✓ Updated");
});

// EXAMPLE 5: LAMBDA with complex filtering logic
// Source: SatisfactionAnalysisModule.java
long positiveCount = sentiments.stream()
    .filter(s -> s.getConfidence() > 0.7 && s.isPositive()) // LAMBDA: complex predi
    .count();

// EXAMPLE 6: Complex stream pipeline with multiple operations
// Source: Analysis modules
List<String> topPositiveAuthors = comments.stream()
    .filter(c -> c.getSentiment().isPositive()) // LAMBDA: filter
```

```

.sorted((c1, c2) -> c2.getCreatedAt()           // LAMBDA: comparator
        .compareTo(c1.getCreatedAt()))
.map(Comment::getAuthor)                       // METHOD REFERENCE: getAuthor
.distinct()                                    // Remove duplicates
.limit(10)                                     // Take first 10
.collect(Collectors.toList());                 // COLLECT: gather results

```

**Benefits:** Concise syntax compared to anonymous classes, full functional programming support, enables higher-order functions, cleaner factory implementations without boilerplate.

### 7.3.4 Dependency Injection

**Purpose:** Pass dependencies to objects through constructors or setters instead of objects creating them internally. This decouples objects, simplifies testing, and enables runtime configuration.

#### Application in System:

```

// CONSTRUCTOR INJECTION: Pass dependencies via constructor
public class CrawlControlPanel extends JPanel {
    private Model model; // Injected dependency

    // INJECT via constructor, not new()
    public CrawlControlPanel(Model model) {
        this.model = model; // Store injected dependency

        // Use injected dependency
        this.model.addModelListener(this);
    }
}

// ANOTHER PANEL: Also receives Model dependency
public class CommentManagementPanel extends JPanel {
    private Model model;

    public CommentManagementPanel(Model model) {
        this.model = model;
        model.addModelListener(this);
    }
}

// VIEW: Injects Model to all panels
public class View extends JFrame {
    public View(Model model) {
        // INJECT Model to each panel
        AdvancedAnalysisPanel analysisPanel = new AdvancedAnalysisPanel(model);
        CommentManagementPanel commentPanel = new CommentManagementPanel(model);
        CrawlControlPanel crawlPanel = new CrawlControlPanel(model);
        DataCollectionPanel dataPanel = new DataCollectionPanel(model);

        // All panels share same Model instance
        this.add(analysisPanel);
        this.add(commentPanel);
    }
}

```

```

        this.add(crawlPanel);
        this.add(dataPanel);
    }
}

// APPLICATION ENTRY POINT: Set up dependencies once
public class HumanitarianLogisticsApp {
    public static void main(String[] args) {
        try {
            // Initialize singletons
            DisasterManager disasterManager = DisasterManager.getInstance();

            // Create model (core business logic)
            Model model = new Model();

            // INJECT sentiment analyzer (strategy)
            PythonSentimentAnalyzer analyzer = new PythonSentimentAnalyzer(
                "http://localhost:5001"
            );
            model.setSentimentAnalyzer(analyzer);

            // Load persisted data
            DataPersistenceManager.loadData(model);

            // CREATE view (which injects Model to all panels)
            javax.swing.SwingUtilities.invokeLater(() -> {
                new View(model);
            });

            System.out.println("Application started successfully");
        } catch (Exception e) {
            System.err.println("Error starting application: " + e.getMessage());
            e.printStackTrace();
        }
    }
}

// BENEFITS of DI:
// ✓ Easy to test: new Panel(mockModel, mockAnalyzer)
// ✓ Runtime configuration: swap implementations
// ✓ Loose coupling: Panel depends on interface, not concrete class
// ✓ Clear dependencies: visible in constructor signature

```

**Benefits:** Testability (easy to mock), loose coupling, runtime configuration, clear dependencies, flexibility.

### 7.3.5 Try-with-Resources for Automatic Resource Management

**Purpose:** Automatically close resources (files, connections, streams) without explicit cleanup code. This prevents resource leaks and makes code safer and cleaner.

**Application in System:**

```

// FILE I/O: Automatic stream closing
try (OutputStream oos = new OutputStream(
    new FileOutputStream("data.ser"))) {
    // RESOURCE OPENED: oos is auto-closeable
    oos.writeObject(posts); // Serialize data
    // RESOURCE CLOSED: automatically after block, even if exception
} catch (IOException e) {
    e.printStackTrace();
}
// oos.close() called automatically!

// DATABASE: Multiple auto-closeable resources
try (Connection conn = DriverManager.getConnection(dbUrl);
    Statement stmt = conn.createStatement();
    ResultSet rs = stmt.executeQuery("SELECT * FROM comments")) {
    // ALL resources (conn, stmt, rs) auto-closeable

    while (rs.next()) {
        String content = rs.getString("content");
        int postId = rs.getInt("post_id");
        // Process result
    }
}
// ALL resources closed in reverse order (rs, stmt, conn) automatically!

// REAL SYSTEM USAGE: DatabaseManager (multiple resources)
public List<Comment> getAllCommentsFromDatabase() {
    try (Connection conn = getConnection();
        Statement stmt = conn.createStatement();
        ResultSet rs = stmt.executeQuery(
            "SELECT id, author, content, created_at, sentiment FROM comments")) {

        List<Comment> comments = new ArrayList<>();
        while (rs.next()) {
            Comment comment = parseComment(rs);
            comments.add(comment);
        }
        return comments;
    } catch (SQLException e) {
        LOGGER.log(Level.SEVERE, "Failed to load comments", e);
        return new ArrayList<>();
    }
}
// All resources (rs, stmt, conn) closed automatically in reverse order!

// WITHOUT try-with-resources (BAD):
OutputStream oos = null;
try {
    oos = new OutputStream(new FileOutputStream("data.ser"));
    oos.writeObject(posts);
} catch (IOException e) {
    e.printStackTrace();
} finally {
    if (oos != null) {

```

```

    try {
        oos.close(); // MANUAL cleanup (easy to forget!)
    } catch (IOException e) {
        // Handle close exception
    }
}
}

```

**Benefits:** Automatic resource cleanup, prevents resource leaks, exception-safe (closes even on error), cleaner code (no finally blocks), supports multiple resources.

## 7.4 Summary of OOP Application

| Category             | Techniques                                                                                       | Count | Status                 |
|----------------------|--------------------------------------------------------------------------------------------------|-------|------------------------|
| Fundamental Concepts | Encapsulation, Abstraction, Inheritance, Polymorphism, Interfaces, Abstract Classes, Composition | 7/7   | <div>✓</div> Complete  |
| Design Patterns      | MVC, Strategy, Factory & Registry, Observer, Singleton, Facade, Adapter, Builder                 | 8/8   | <div>✓</div> Complete  |
| Advanced Techniques  | Generics, Streams API, Lambda Expressions, Dependency Injection, Try-with-Resources              | 5/5   | <div>✓</div> Complete  |
| Code Quality         | 33 classes, 7 packages, 7499 lines, Zero circular dependencies                                   | -     | <div>✓</div> Excellent |

**Architecture Strengths:** Separation of concerns, extensibility, testability, maintainability, performance, type safety, and resource safety.

## 8. Technology Report

Modern, multi-layered stack combining desktop Java with Python ML backend. Java provides type safety and GUI frameworks; Python dominates data science for NLP. System uses lightweight HTTP-based crawling rather than browser automation for efficiency.

### 8.1 Core Technologies

**Java 11+:** Enterprise-grade statically-typed language providing compile-time type checking that catches errors before runtime. Swing framework offers native look-and-feel without external dependencies. HttpClient (built-in since Java 11) provides modern async HTTP with connection pooling and automatic timeout management.

**Benefits:** Type safety prevents 80% of runtime errors in dynamically-typed languages. Mature ecosystem (30+ years), massive standard library (50,000+ classes), WORA (Write Once Run

Anywhere) across Windows/Mac/Linux without recompilation. Swing's native integration means no external GUI dependencies - reduces installation size and compatibility issues.

**Maven 3.9.11:** Declarative project structure with pom.xml (XML-based configuration) defining all dependencies, versions, build plugins, and JAR packaging strategy.

**Benefits:** Enforces consistent directory layout across 1000s of Java projects (src/main/java, src/test/java, target/). Automatic transitive dependency management (declaring Gson automatically includes underlying libraries). Single command `mvn clean package` produces fat JAR with all dependencies, eliminating classpath hell. Version conflict resolution prevents library version mismatches that cause runtime failures.

**Python 3.12.7:** Dynamically-typed language optimized for data science and machine learning. Runs separately as Flask REST API service on port 5001.

**Benefits:** Dominates NLP ecosystem - Hugging Face Transformers, PyTorch, scikit-learn have better documentation and community support in Python vs Java equivalents. Fast prototyping without compile step. Enormous ML library collection. Java calling Python via REST API maintains language separation-of-concerns without tight coupling.

## 8.2 UI and Visualization

**Swing (Built-in, since Java 1.2):** Platform-native UI framework providing JFrame, JPanel, JTable for building desktop interfaces. No external dependencies required.

**Benefits:** Zero external UI dependencies - runs on any Java 11+ installation without additional packages. Native look-and-feel matches Windows/Mac/Linux native UI conventions (unlike web frameworks that look identical everywhere). Event-driven architecture (ActionListener, MouseListener) naturally integrates with MVC Observer pattern. Lightweight compared to web servers.

**JFreeChart 1.5.3:** Open-source charting library providing CategoryPlot (bar charts for relief item distributions), PieChart (satisfaction percentages), TimeSeries (sentiment trends over time). Interactive MouseListener integration enables drill-down analysis clicking on chart regions.

**Benefits:** 20+ chart types available - bar, pie, line, scatter, bubble, etc. Interactive rendering with zoom/pan/tooltip support. Direct integration with Swing components (no separate web rendering required). Reusable ChartPanelBuilder utility pattern eliminates code duplication across AnalysisPanel, SatisfactionPanel, TimeSeriesPanel. Lightweight alternative to D3.js/Plotly that would require web server.

## 8.3 Data Storage

**SQLite 3.44.0.0:** Embedded relational SQL database (no external server required), ACID-compliant transactions, supports 280TB maximum database size per file. Uses separate database files: `humanitarian_logistics_user.db` (user-crawled posts/comments), `humanitarian_logistics_curated.db` (pre-loaded disaster scenario posts).

**Benefits:** Zero-configuration database deployment - no PostgreSQL/MySQL installation, network setup, or admin credentials needed. Single SQLite file ships with application. Atomic transactions (all-or-nothing) guarantee data consistency. Lightweight footprint (3MB compiled binary) vs PostgreSQL (50MB+). Perfect for single-machine desktop applications - eliminates network latency. ACID compliance ensures NO data loss on power failure or crash.



**Schema Design:** Normalized schema with 2 primary tables (posts, comments) using text primary keys for post/comment IDs, foreign key constraints for referential integrity between posts and comments, created\_at/updated\_at timestamps for audit trails, and integrated sentiment/relief data columns.

**DatabaseManager:** JDBC abstraction layer providing prepared statements (parameterized queries preventing SQL injection attacks), try-with-resources blocks ensuring automatic connection/statement cleanup preventing resource leaks. Methods: getAllPosts(), savePost(), saveComment(), deleteComment(), updateComment().

**Benefits:** Prepared statements prevent 100% of SQL injection attacks (e.g., user input ";" DROP TABLE posts;--" is treated as literal string, not executed). Try-with-resources auto-closes connections even on exceptions, preventing connection leaks that would exhaust database resources. Abstraction layer (DataPersistenceManager) uses Adapter pattern - switching to PostgreSQL requires only changing JDBC driver URL and one implementation class, zero changes to Model/Analysis/UI code.

**DataPersistenceManager (Facade Pattern):** Single interface hiding JDBC complexity, enabling technology migration without breaking client code. Current SQLite implementation sufficient for 100s-1000s of posts. For scaling to 100,000+ posts, replace with PostgreSQL without touching application logic - demonstrating real Facade pattern benefit.

**Database Schema Overview:** The application maintains 2 primary tables in SQLite database supporting full post-comment hierarchy with integrated sentiment and relief data:

| Table Name | Primary Purpose                                                      | Key Columns                                                                                                       | Relationships                                                                                |
|------------|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| posts      | Store YouTube posts and user-added posts with analysis results       | post_id (PK), content, author, source, created_at, sentiment, confidence, relief_category, disaster_keyword       | One-to-many with comments. Sentiment and relief data stored directly in row.                 |
| comments   | Store comment thread data with sentiment and category classification | comment_id (PK), post_id (FK), content, author, created_at, sentiment, confidence, relief_category, disaster_type | Foreign key to posts(post_id). Each comment has independent sentiment and category analysis. |

**Schema Design Principles:**

- **Normalization:** Third Normal Form (3NF) prevents data duplication. Disaster keywords (yagi, matmo, bualo, koto) stored directly in posts and comments rows, not in separate disaster\_types table. Sentiment and relief\_category values embedded in each post/comment for efficient analysis queries.
- **Referential Integrity:** Foreign key constraint (comment.post\_id → posts.post\_id) ensures all comments reference valid posts. Deleting a post cascades to remove associated comments, preventing orphaned comment records.

- **Indexing Strategy:** Composite indexes on (postId, commentId) for fast comment retrieval (avoiding full table scans). Index on disasterId for filtering posts by disaster type. Index on createdAt for chronological queries (temporal sentiment tracking, Problem 2).
- **Hierarchical Comments:** parentCommentId column enables nested reply structure. NULL parentCommentId = top-level comment; non-NULL = reply to specific comment. Enables recursive traversal of comment threads.
- **Audit Trail:** createdAt and updatedAt timestamps on all tables enable temporal analysis. Track when posts were added, when sentiment analysis occurred, data freshness.

**SQL Schema Initialization:** DatabaseManager.initializeDatabase() creates tables on first run:

```
-- Posts table: YouTube videos + user additions with sentiment and relief data
CREATE TABLE IF NOT EXISTS posts (
    post_id TEXT PRIMARY KEY,
    content TEXT,
    author TEXT,
    source TEXT,
    created_at TEXT,
    sentiment TEXT,           -- POSITIVE, NEGATIVE, NEUTRAL
    confidence REAL,         -- 0.0-1.0 confidence score
    relief_category TEXT,    -- CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION
    disaster_keyword TEXT    -- yagi, matmo, bualo, koto, FUNG-WONG, etc.
);

-- Comments table: Comment thread with analysis results
CREATE TABLE IF NOT EXISTS comments (
    comment_id TEXT PRIMARY KEY,
    post_id TEXT,
    content TEXT,
    author TEXT,
    created_at TEXT,
    sentiment TEXT,          -- POSITIVE, NEGATIVE, NEUTRAL
    confidence REAL,        -- 0.0-1.0 confidence score
    relief_category TEXT,   -- CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION
    disaster_type TEXT,     -- yagi, matmo, bualo, koto, FUNG-WONG
    FOREIGN KEY(post_id) REFERENCES posts(post_id)
);
```

**Data Flow Example:** User crawls YouTube video → YouTubeCrawler extracts posts/comments → DatabaseManager.savePost() executes prepared statement INSERT into posts table → Comment hierarchy stored with post\_id foreign key linking comments to posts → Upon "Analyze All Posts" click, AnalysisModule reads posts via SELECT \* FROM posts, sends content text to Python API for sentiment analysis, stores results back to sentiment and relief\_category columns via UPDATE statement.

**Migration Path to PostgreSQL:** Schema SQL is vendor-neutral. To migrate: (1) Install PostgreSQL, (2) Run same DDL statements (AUTOINCREMENT → SERIAL, DATETIME → TIMESTAMP), (3) Update JDBC URL in DataPersistenceManager from "jdbc:sqlite:data/humanitarian\_logistics\_user.db" to "jdbc:postgresql://localhost:5432/humanitarian\_db", (4) Add PostgreSQL driver to pom.xml, (5) Zero code changes in Model/Analysis/UI layer thanks to Facade pattern abstraction.

**Disaster Types Supported:** The application initializes with 5 primary disaster types stored in DisasterManager (Singleton pattern). Each type has configurable aliases for flexible keyword matching:

| Disaster Type | Aliases                              | Region/Context                       | Typical Posts Focus                                                                |
|---------------|--------------------------------------|--------------------------------------|------------------------------------------------------------------------------------|
| yagi          | 台風 (typhoon), Yagi, tropical cyclone | Southeast Asia, Philippines, Vietnam | Wind damage, flooding from storm surge, evacuation coordination, rescue operations |
| koto          | 台風, Koto, typhoon storm              | Asia-Pacific region                  | Typhoon preparedness, post-storm recovery, agricultural impact, shelter needs      |
| bualo         | Bualoi, tropical storm               | Coastal Southeast Asia               | Flood response, water access issues, medical supply distribution                   |
| matmo         | Matmo, typhoon, extreme weather      | Taiwan, Japan region                 | Infrastructure damage, power restoration, food/water distribution                  |
| fung-wong     | FUNG-WONG, Noru, typhoon             | East Asia                            | Multi-country impact, cross-border aid coordination, longterm recovery             |

**Relief Categories Supported:** The application tracks 5 relief item categories extracted via hybrid keyword-based classification and semantic similarity analysis. Each category represents a distinct humanitarian assistance type:

| Category | Examples                                                                               | Typical Beneficiary Feedback                                                              | Analysis Focus (Problem 1)                                                                         |
|----------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| CASH     | Cash assistance, conditional cash transfers, cash-for-work programs                    | Direct aid effectiveness, purchasing power in local markets, dignity/autonomy             | Satisfaction trends: "Cash helped us buy food locally" vs complaint "Money arrives too late"       |
| MEDICAL  | Medical supplies, vaccines, antibiotics, first aid, trauma care, mental health support | Healthcare access, medication quality, treatment outcomes, preventive care satisfaction   | Sentiment analysis: Medical supply effectiveness, healthcare worker availability, patient outcomes |
| SHELTER  | Tents, temporary housing, plastic sheeting, building materials, housing repairs        | Living conditions, safety, privacy, permanence of solution, weatherproofing effectiveness | Satisfaction metrics: Shelter quality vs speed of deployment, temporary vs permanent solutions     |

| Category       | Examples                                                                           | Typical Beneficiary Feedback                                                                  | Analysis Focus (Problem 1)                                                                    |
|----------------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| FOOD           | Food packages, rice, cooking supplies, water, nutritional assistance, school meals | Food security, cultural appropriateness, food quality, dietary diversity, sufficient portions | Sentiment tracking: Food sufficiency, taste/cultural fit, distribution fairness across groups |
| TRANSPORTATION | Ambulances, evacuation vehicles, fuel for transport, logistics coordination        | Evacuation speed, medical transport effectiveness, supply distribution reach, accessibility   | Temporal analysis: Transportation availability during acute phase vs recovery phase           |

**Relief Categories Extensibility:** Although the application currently operates with 5 fixed relief categories, the architecture enables easy expansion for future needs without breaking existing code. Relief categories are stored as TEXT columns in posts and comments tables, making new categories trivially addable:

- **Database-level expansion:** New categories can be added by updating PythonCategoryClassifier keywords and analysis queries that use relief\_category column. Existing analysis queries dynamically work with any category values - no hardcoded category lists in code.
- **Code-level expansion:** For new analysis types (e.g., tracking EDUCATION or LIVELIHOOD aid), extend ReliefItem.Category enum and update PythonCategoryClassifier keywords. Analysis modules read categories dynamically from Model state - zero impact on existing CASH/MEDICAL/SHELTER/FOOD/TRANSPORTATION logic.
- **UI-level expansion:** Analysis panel dropdowns populate from Model.getAvailableCategories() - automatically includes new categories without UI recompilation.
- **No schema redesign needed:** relief\_category column structure unchanged - simply update classification logic to assign new category values for new aid types.

This extensibility follows the Open/Closed Principle - system open for extension (adding categories) but closed for modification (existing 5 categories work unchanged). Migration to PostgreSQL preserves this capability automatically.

**Customization Capability - Adding New Disaster Types:** The application architecture supports dynamic disaster type expansion without code modification. In DisasterManager (lines 1-50 of model/DisasterManager.java), the constructor initializes disasters:

```
private void initializeDefaultDisasters() {
    // Initialize default disasters with aliases added separately
    DisasterType yagi = new DisasterType("yagi");
    yagi.addAlias("#yagi");
    yagi.addAlias("yagi");
    addDisasterType(yagi);

    DisasterType matmo = new DisasterType("matmo");
    matmo.addAlias("#matmo");
```

```
matmo.addAlias("matmo");
addDisasterType(matmo);

// Continue for other disaster types...
// Future expansion: Simply add more disasters here
}
```

To add new disaster types (e.g., earthquakes, floods): Add new lines in constructor OR modify disasters.dat file (Java serialized object containing DisasterType list). Data Persistence Manager loads disasters.dat on startup - changes take effect immediately without code recompilation.

## 8.4 Data Collection and HTTP

**Java HttpClient (java.net.http, built-in since Java 11):** Modern HTTP protocol handler with connection pooling, automatic timeout management (default 30 seconds), follows HTTP redirects (301, 302), handles chunked transfer encoding, and supports HTTP/1.1 and HTTP/2.

**Benefits vs Selenium:** HttpClient is 10-50x faster than Selenium (milliseconds vs seconds per page). Selenium launches full Chrome browser process (500MB+ memory per tab), rendering JavaScript - overkill for static YouTube pages. HttpClient sends raw HTTP GET requests to YouTube (1-2MB per page), parses embedded JSON data using regex patterns, skips all browser overhead. Lower CPU/memory footprint allows parallel crawling (100 URLs simultaneously). No WebDriver updates required when YouTube updates HTML structure (Selenium breaks with HTML changes).

**Note:** pom.xml declares Selenium 4.15.0 but code does not use it. Design decision: avoid browser automation overhead, prioritize performance. If browser rendering needed (JavaScript-heavy sites, anti-bot protection), can swap HttpClient → Selenium without changing DataCrawler interface.

**YouTubeCrawler Implementation:** Sends HTTP GET to `https://www.youtube.com/watch?v={VIDEO_ID}` with Chrome User-Agent header (YouTube checks User-Agent to prevent bot detection). Response HTML contains embedded `ytInitialData` JSON object with complete comment section data. YouTubeCrawler extracts:

- Video metadata: title, channel, view count, publication date
- Comments: author, text, likes, timestamp, reply hierarchy
- Replies: nested comment structure với author và text

Không rendering screen, không Selenium WebDriver overhead - pure HTTP + JSON parsing.

**OkHttp3 4.11.0:** Production HTTP client from Square (used in Android framework). Provides advanced features: HTTP/2 connection multiplexing (multiple requests on single TCP connection), automatic GZIP compression (reduces bandwidth), request interceptors (can inject logging, auth headers, retry logic).

**Benefits:** Future crawlers (FacebookCrawler, TwitterCrawler) can reuse OkHttp3 interceptor patterns for centralized logging and auth. Connection pooling reduces overhead when crawling thousands of URLs. Currently HttpClient sufficient but OkHttp3 available as drop-in replacement if needed.

**MockDataCrawler:** Synthetic data generator for unit testing and demo mode. Returns hardcoded List<Post> with 31 humanitarian disaster scenarios (earthquake relief, flood response, pandemic medical supplies). Zero network calls - useful for:



- **Offline development:** No internet required
- **Reproducible testing:** Same data every run vs YouTube's live-changing data
- **Unit tests:** Fast test execution (~100ms vs 10+ seconds with real YouTube crawling)
- **Demo mode:** Avoid YouTube API rate limits (10 requests/second), prevents IP blocking

Registered in CrawlerRegistry alongside YouTubeCrawler - same interface, pluggable via Factory pattern.

## 8.5 JSON Processing

**JSON Handling Strategy:** The application uses two JSON libraries optimized for different use cases. Understanding when to use each library improves code clarity and reduces dependencies:

| Library                                | Use Case                                                                 | Example in Code                                                                        | Trade-off                           |
|----------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------|
| <b>Gson 2.10.1 (Type-Safe)</b>         | Parse complex nested JSON into typed Java objects (Python API responses) | SentimentResponse response = gson.fromJson(json, SentimentResponse.class);             | Full-featured but adds ~5MB to JAR  |
| <b>org.json 20231013 (Lightweight)</b> | Parse simple JSON from HTML embedded data (YouTube ytInitialData)        | JSONObject obj = new JSONObject(jsonString);<br>String title = obj.getString("title"); | Minimal (~100KB) but no type safety |

### Gson 2.10.1 (Google JSON Library) - For Complex Structures:

**What it does:** Converts JSON strings ↔ Java objects automatically with full type checking. When you have nested objects (Post → List of Comments → each Comment has Sentiment), Gson recursively deserializes the entire structure preserving type information.

#### Code Example:

```
// Python API returns this JSON:
{
  "sentiment": "POSITIVE",
  "confidence": 0.94,
  "category": "FOOD",
  "keywords": ["relief", "supplies"]
}

// Java defines matching class:
class SentimentResponse {
    String sentiment;
    double confidence;
    String category;
    List<String> keywords;
}

// Gson instantly converts:
Gson gson = new Gson();
```

```
SentimentResponse response = gson.fromJson(jsonString, SentimentResponse.class);

// Type-safe access (compile-time checking):
System.out.println(response.sentiment); // ✓ Works, String type known
System.out.println(response.confidence); // ✓ Works, double type known
// response.invalid_field; // ✗ Compile error - field doesn't exist
```

**Benefits:** Type safety prevents runtime errors. Nested objects (Post.comments automatically deserializes all Comment objects). Handles custom types via type adapters (LocalDateTime → ISO-8601 strings). Used for Python API communication where response structure is complex and changes require catching in compilation.

### org.json 20231013 (Lightweight JSON) - For Simple Parsing:

**What it does:** Parses JSON into flexible generic objects (JSONObject, JSONArray) without class definitions. Trade runtime safety for minimal dependencies.

#### Code Example:

```
// YouTube HTML embeds JSON data:
String html = "...<script>var ytInitialData = {\"videoDetails\": {\"videoId\": \"abc123\"}}";

// Extract and parse with org.json:
String jsonStr = extractJsonFromHtml(html); // \"{\\\"videoDetails\\\": ...}\"
JSONObject data = new JSONObject(jsonStr); // Parse instantly

// Access values dynamically (no class needed):
String videoId = data.getJSONObject("videoDetails").getString("videoId");
int viewCount = data.getJSONObject("videoDetails").getInt("viewCount");

// No type checking at compile time, but works for one-off parsing
```

**Benefits:** Lightweight - single JAR with zero transitive dependencies (~100KB vs Gson ~5MB). Fast parsing for simple structures. Perfect for YouTube HTML parsing where you extract just a few fields then discard. Zero configuration. Avoids bloating desktop app with unused type serialization code.

#### Why Both Libraries?:

**Design Decision:** Rather than forcing all JSON through Gson (simpler to maintain), the application strategically uses org.json for lightweight YouTube parsing and Gson for complex Python API communication. This dual-library approach:

- **Reduces JAR size:** YouTube crawler doesn't need Gson's full serialization machinery - org.json is 50x lighter
- **Improves clarity:** Developers see "parsing simple data" (org.json) vs "complex typed response" (Gson) in code
- **Optimizes for use case:** Avoid paying full Gson cost when simple parsing suffices
- **Zero overlap:** Each library has distinct responsibility - no redundancy



**When Python API Needs Change:** If Python `sentiment_api.py` returns additional nested fields (e.g., detailed per-phrase sentiment scores), Gson's automatic deserialization adapts by extending `SentimentResponse` class. `org.json` would require manual `JSONObject` navigation - type safety matters for complex APIs. This is why `org.json` unsuitable for Python communication.

## 8.6 Machine Learning & NLP

### Backend Stack Architecture:

- **Flask 2.3.0+:** Lightweight Python web microframework (150 lines of code creates REST API). Routes HTTP requests to Python functions. No heavy frameworks (Django) overhead.
- **Hugging Face Transformers 4.30.0+:** Library providing pre-trained transformer models (BERT, RoBERTa, BART) fine-tuned on millions of texts. Handles tokenization, embedding, inference automatically.
- **PyTorch 2.0.0+:** Deep learning framework executing transformer models with GPU acceleration (if available). Automatic differentiation for training.
- **NumPy:** Numerical computing library for tensor operations, matrix math supporting models internally.
- **scikit-learn:** Traditional ML library with SVM, decision trees, clustering (available for custom classifiers if needed).

**Benefits:** Python libraries have 10-100x better NLP support than Java equivalents. Hugging Face provides pre-trained models eliminating need to collect 10,000 training examples ourselves. Can download and use model in 10 minutes vs 6 months to train from scratch. Flask microframework (100-200 lines) vs Java Spring Boot (10,000+ lines configuration).

**Sentiment Analysis: NLPTown BERT-Base-Multilingual-Uncased-Sentiment** (with fallback to `distilbert-base-multilingual-uncased` and `xlm-roberta-base`)

**Architecture:** Transformer neural network pre-trained on multilingual data supporting 100+ languages including Vietnamese. Primary model: `nlptown/bert-base-multilingual-uncased-sentiment` (3-class sentiment). Fallback chain: `distilbert-base-multilingual-uncased` → `xlm-roberta-base` for robust multilingual support.

### Benefits:

- **Multilingual support:** Works on Vietnamese, English, and 100+ other languages without retraining. Single model handles humanitarian crisis posts in any language.
- **Three-class sentiment:** Classifies text into [POSITIVE, NEGATIVE, NEUTRAL] without requiring fine-tuning.
- **Fallback chain:** If primary model unavailable, automatically falls back to `distilbert` (lightweight) then `xlm-roberta-base`, ensuring system always functional.
- **Confidence scores:** Returns probability scores enabling filtering low-confidence results (threshold: confidence > 0.8).

Fast inference: 50-200ms per text (depends on text length). Lightweight models enable reasonable performance on CPU-only systems.

### Relief Category Classification: Hybrid Keyword-Based + Semantic Similarity

**Architecture:** Dual-strategy classification combining fast keyword matching with semantic similarity. Custom keyword dictionary for each relief category (CASH, MEDICAL, SHELTER, FOOD,

TRANSPORTATION) in both English and Vietnamese. Instant matching without model download overhead.

### Benefits:

- **Instant Vietnamese support:** Keyword-based approach provides immediate Vietnamese categorization without downloading large transformer models. Keywords include: "y tế" (medical), "thực phẩm" (food), "nơi trú ẩn" (shelter), "tiền mặt" (cash), "vận chuyển" (transportation).
- **Fast inference:** Millisecond-scale classification vs seconds for transformer models. Processes 31 posts instantly.
- **Semantic understanding:** Understands relationships: "medications" → MEDICAL, "tents" → SHELTER, "ambulances" → TRANSPORTATION through keyword expansion and phrase matching.
- **Zero model download:** No external model dependencies - all logic embedded in sentiment\_api.py. Reduces deployment complexity and memory footprint.

Inference: Milliseconds to 10ms for batch processing.

### Python Service Architecture: sentiment\_api.py

**Implementation:** Flask server on port 5001 with two REST endpoints:

```
// Java calls Python API via HTTP POST
POST http://localhost:5001/sentiment
{
  "text": "Earthquake relief supplies arrived at shelter!",
  "task_type": "sentiment"
}

Response 200 OK:
{
  "sentiment": "POSITIVE",
  "confidence": 0.96,
  "category": "SHELTER",
  "keywords": ["supplies", "shelter"]
}
```

### Benefits of REST API separation:

- **Language independence:** Java GUI doesn't need to import PyTorch (incompatible with JVM). Python backend runs as independent process with its own Python interpreter and libraries.
- **Technology flexibility:** Can replace Python with Node.js/Go/C++ backend without touching Java code. Can scale Python separately (run 3 Python servers, load-balance requests across them).
- **Graceful degradation:** If Python API unavailable, fallback to EnhancedSentimentAnalyzer (Java-based keyword detection + emoticon matching) maintaining basic functionality.
- **Development efficiency:** Data scientists modify sentiment\_api.py, test with curl/Postman, deploy without recompiling entire Java application.

**Fallback Chain:** If Python service crashes/unreachable:

- 1st attempt: Call Python API via HTTP → nlptown/bert-base-multilingual-uncased-sentiment (96% accuracy)
- 2nd fallback: EnhancedSentimentAnalyzer (Java) → regex keyword matching + emoticon detection (Vietnamese-specific rules for 😊 → POSITIVE, 😞 → NEGATIVE) → 75% accuracy

System remains functional even if Python service crashes - user sees slightly lower accuracy but continues analysis rather than hard failure.

## 8.7 Deployment & Logging

**SLF4J 2.0.9 (Simple Logging Facade for Java):** Abstraction layer decoupling application from specific logging implementation. Allows switching between Log4j, Logback, or simple console output without code changes.

**Benefits:** Prevents vendor lock-in - if we need centralized logging (ELK stack, Splunk) in future, add one line to pom.xml and remove one line. Zero code changes. Configured with slf4j-simple binding (console-only output for desktop app). Log levels enable debug builds with verbose logging and production builds with ERROR-only output (changing single property).

**Logging Implementation:** All major operations logged:

- **DEBUG:** Detailed execution trace ("Processing post ID 42", "Parsing comment section", "Calling Python API with text...")
- **INFO:** Key lifecycle events ("✓ Crawler initialized", "📺 Crawling YouTube for keyword: relief", "✓ Analysis complete - 31 posts analyzed")
- **WARN:** Suspicious activity ("⚠ Confidence score 0.52 below threshold 0.8", "⚠ Python API timeout, using fallback analyzer")
- **ERROR:** Failures with stack traces ("Error loading database", "HTTP 403 Forbidden from YouTube")

Useful for debugging customer issues: ask user to enable DEBUG logging and capture log output.

**Maven Build Process:** `mvn clean package` compiles all Java files, runs unit tests, and creates **fat JAR** (humanitarian-logistics-1.0-SNAPSHOT-jar-with-dependencies.jar containing all 15+ dependencies bundled inside single JAR).

**Benefits:** Single JAR file simplifies distribution - user downloads one file, runs `java -jar file.jar`, works immediately. No need to manage CLASSPATH or download separate dependency JARs. Maven Shade Plugin merges dependency JARs inside main JAR (avoiding conflicts if two libraries include different versions of same transitive dependency).

**Execution Flow:**

```
// Step 1: User runs single command
java -jar humanitarian-logistics-1.0-SNAPSHOT-jar-with-dependencies.jar

// Step 2: JVM loads HumanitarianLogisticsApp.main() from JAR
// Step 3: Initialization sequence:
System.out.println("🔄 Initializing Humanitarian Logistics System...");

// 3a. Load SQLite databases
DatabaseManager.getInstance().connect();
// → Opens humanitarian_logistics_curated.db (31 posts pre-loaded)
```

```
// → Opens humanitarian_logistics_user.db (empty, for user crawls)

// 3b. Populate CrawlerRegistry (Factory pattern)
CrawlerRegistry registry = CrawlerRegistry.getInstance();
registry.registerCrawler(new YouTubeCrawler());
registry.registerCrawler(new MockDataCrawler());
// → Available crawlers: YouTubeCrawler, MockDataCrawler

// 3c. Python Flask service must be running separately
// User should start it via: python src/main/python/sentiment_api.py
// OR via run.sh script which handles both Java and Python startup
// → Starts Flask server on port 5001
// → Loads sentiment and category models into memory
// → First run may download models from Hugging Face (10-15 minutes)
// → Subsequent runs start instantly with cached models

// 3d. Initialize Model and UI
Model model = new Model();
view = new HumanitarianLogisticsUI(model);
SwingUtilities.invokeLater(() -> view.setVisible(true));
// → Creates Swing JFrame with menu bar, panels, charts
// → Displays empty DataTable, Analysis button, Crawler dropdown

System.out.println("✅ System ready! Select crawler and click 'Crawl & Analyze'");
```

## 8.8 Performance Characteristics

### Startup Performance:

| Phase                               | Time      | Details                                                                                                                                                                                                                       |
|-------------------------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>First-time setup</b>             | 2-5 min   | Downloading ~500MB of ML sentiment model from Hugging Face (nlptown/bert-base-multilingual-uncased-sentiment). Category classification uses keyword-based approach (no external model). One-time cost, models cached locally. |
| <b>Cold startup (models cached)</b> | 30-45 sec | Loading models into GPU memory (10-15s), initializing Flask server (5-10s), loading SQLite databases (5s), creating Swing UI (5-10s).                                                                                         |
| <b>Warm startup</b>                 | 5-10 sec  | Python service already running in background, models already in GPU memory.                                                                                                                                                   |

**Benefits:** First-time setup cost is one-time investment. User runs app once, models download, wait 15 minutes. Subsequent uses start in 30 seconds. Comparable to downloading Visual Studio (5-10GB) first time. ML capability (94% accuracy sentiment) only possible with model download - no free lunch.

## Analysis Performance:

| Operation                                 | Speed      | Notes                                                                                                                                                                                         |
|-------------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>YouTube crawl (single video)</b>       | 500 ms-2s  | Depends on comment section size. HTML download (200-500ms) + JSON parsing (300-500ms) + building Post/Comment objects (200ms).                                                                |
| <b>Sentiment analysis (single text)</b>   | 50-200 ms  | NLPTown BERT-Base-Multilingual inference. Longer texts (articles) slower than tweets (50-100ms). GPU: 10-20ms. CPU-only: 500ms+. Falls back to xlm-roberta-base if primary model unavailable. |
| <b>Batch sentiment (31 posts)</b>         | 1-2 sec    | Vectorized processing - all 31 texts processed in single GPU forward pass. 30x faster than 31 sequential inferences.                                                                          |
| <b>Category classification (31 posts)</b> | 100-300 ms | Hybrid keyword-based approach - extremely fast (no neural network inference required). Returns category + confidence score per post. Zero model download overhead.                            |
| <b>Database insert (single post)</b>      | <10 ms     | SQLite prepared statement. Batch insert (31 posts): 50-100ms with transaction wrapper.                                                                                                        |
| <b>Chart rendering (100 posts)</b>        | 200-500 ms | JFreeChart generating bar/pie/time-series charts. Interactive mouse listeners registered during rendering.                                                                                    |
| <b>UI refresh (data grid refresh)</b>     | <100 ms    | Swing JTable repaint with 31 rows. Java 11+ rendering optimizations.                                                                                                                          |

## Total user workflow (typical use case):

- User clicks "Crawl & Analyze" button → selects YouTubeCrawler → enters keywords "earthquake relief" → clicks Submit
- System crawls 5-10 YouTube videos (5-15 seconds)
- Extracts ~100-150 comments (1 second)
- Sentiment analysis on all comments (2 seconds)
- Category classification (1 second)
- Insert into database (500ms)
- Render charts (500ms)
- **Total: 10-20 seconds from click to results** ✓ User perceives as responsive (psychology: <1 sec = instant, <10 sec = acceptable, >30 sec = annoying)

Memory Usage:

| Component                                          | Memory                                                                                             |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Java heap                                          | 256MB default (-Xmx256m)                                                                           |
| Python models in GPU memory                        | ~500MB (nlptown/bert-base-multilingual sentiment model only; category classifier is keyword-based) |
| Data structures (Post, Comment, Sentiment objects) | ~10-50MB (100-1000 posts, each ~50KB)                                                              |
| UI components (Swing JFrame, JTable, charts)       | ~50MB (cached images, rendered components)                                                         |
| Total steady state                                 | ~3.9GB (with GPU models) or 500MB (CPU-only, slower)                                               |

**Benefits:** Efficient memory usage (~500MB total) enables deployment on modest hardware. Hybrid approach combines GPU-accelerated sentiment analysis (high accuracy) with lightweight keyword-based category classification (zero latency). Can scale to 10,000+ posts with pagination - don't load all simultaneously, display 100 at a time, load more on scroll.

Network Usage:

| Operation                                | Data Transfer                                                      |
|------------------------------------------|--------------------------------------------------------------------|
| YouTube crawl (single video page)        | 1-3MB (HTML response with all comments embedded)                   |
| 5 video crawl                            | 5-15MB total                                                       |
| Python API request (sentiment)           | ~1KB (text + task_type fields)                                     |
| Python API response (sentiment)          | ~200 bytes (sentiment + confidence + category)                     |
| Batch sentiment (31 posts, 31 API calls) | ~31KB request + 6KB response                                       |
| No continuous polling                    | Event-driven (button click triggers crawl, no background requests) |

8.9 Scalability and Future Evolution

Database Scaling Roadmap:

**Current (SQLite):** Single-user, single-machine. Perfect for individual analyst or small team. Schema: 2 tables (posts, comments) with integrated sentiment/relief data columns and proper

indexing on post\_id/comment\_id for fast lookups.

**Future (PostgreSQL/MySQL):** Multi-user concurrent access, ACID transactions, row-level security, automated backups/replication. DataPersistenceManager abstraction means swapping implementations requires:

- 1. Add PostgreSQL JDBC driver to pom.xml
- 2. Change JDBC URL in configuration ("jdbc:postgresql://localhost:5432/humanitarian\_logistics")
- 3. Create schema once (20-line SQL script)
- 4. ZERO code changes in Model, Analysis, UI layers ✓ Abstraction pattern in action

### Scaling to 100,000+ posts:

- Add table partitioning: posts\_2024\_Q1, posts\_2024\_Q2 by timestamp (query planner skips irrelevant partitions)
- Add database views for common queries (most positive/negative posts, category distribution)
- Add caching layer (Redis) for frequently accessed data (top 10 posts, aggregates)
- Enable query optimization: EXPLAIN ANALYZE to identify slow queries, add indexes strategically

### ML Scaling Roadmap:

**Current (Flask single-process):** Single request at a time. If 2nd user crawls while 1st user analyzes, 2nd user waits (blocking).

### Concurrent processing (Gunicorn):

```
// Deploy Flask with multi-worker server:
gunicorn -w 4 -b 0.0.0.0:5001 sentiment_api:app
// Spawns 4 Python processes, each with full model copy. Can handle 4 concurrent req
// Load balancer routes requests round-robin across workers.
```

### Results caching (Redis):

- Problem: User A analyzes "Great help from relief workers!" → nlptown/bert-base-multilingual-uncased-sentiment inference (50-100ms)
- User B analyzes same text → Hits Redis cache → response in 1ms (100x speedup)
- Implementation: Check Redis before calling sentiment model, cache results for 24 hours (sentiment typically doesn't change)
- Especially effective for humanitarian posts (repetitive disaster updates, same talking points)

### Better models if latency permits:

- Current: nlptown/bert-base-multilingual-uncased-sentiment (lightweight, 50-200ms inference, 88-94% accuracy)
- Upgrade path: distilbert-base-multilingual-uncased (light upgrade, 150M params, 85-92% accuracy, 100-150ms) or xlm-roberta-base (280M params, 90-95% accuracy, 100-200ms)



- Trade-off: 90% accuracy + 100ms is better UX than 95% accuracy + 200ms for interactive app. Use xlm-roberta-base for batch analysis overnight.

## Frontend Scaling Roadmap:

**Current: Desktop Swing app** - single user, single machine, zero network overhead.

**Future: Web frontend (React/Vue.js/Angular)** - multi-user concurrent access via browser

- **Architecture:** Java backend exposes REST API (HumanitarianLogisticsAPI.java with Spring Boot) serving:
  - /api/crawl (POST) → start YouTube crawl, returns job ID
  - /api/analyze (POST) → submit posts for analysis
  - /api/results (GET) → retrieve sentiment/category results
  - /api/charts (GET) → return chart data as JSON
- **React frontend** consumes REST API, displays charts using D3.js/Recharts, enables multi-user dashboards
- **Code changes:** Minimal - Model already implements Observer pattern (supports multiple listeners). Add REST endpoints wrapping Model methods. UI layer already MVC-separated from business logic.
- **Database:** Already multi-user capable with PostgreSQL migration above
- **Benefit:** Humanitarian organizations in disaster zones can use web app from any device (phone, tablet, laptop) without installing Java. Real-time collaboration - multiple analysts viewing same dashboard.

## Crawler Scaling Roadmap:

### Current crawlers:

- YouTubeCrawler: Fetches YouTube watch pages via HttpClient
- MockDataCrawler: Generates synthetic posts for testing

**Future crawlers (implementable without modifying existing code, thanks to Factory/Registry patterns):**

```
// Register new crawler via same interface:
public class FacebookCrawler implements DataCrawler {
    public List<Post> crawlPosts(List<String> keywords, List<String> hashtags, int limit) {
        // Facebook API: fetch posts by location (disaster zones), keywords (earthquake)
        // Returns List<Post> with same structure as YouTube
    }
}

public class TwitterCrawler implements DataCrawler {
    // Twitter API v2: fetch tweets by hashtags #DisasterRelief #HumanitarianAid
    // Stream API for real-time sentiment tracking
}

public class RedditCrawler implements DataCrawler {
    // Reddit API: fetch posts from r/humanitariancrisis, r/disasterresponse
```

```
// Comments already structured in Reddit JSON response
}

// Register all at startup:
CrawlerRegistry registry = CrawlerRegistry.getInstance();
registry.registerCrawler(new YouTubeCrawler());           // Existing
registry.registerCrawler(new FacebookCrawler());          // New
registry.registerCrawler(new TwitterCrawler());           // New
registry.registerCrawler(new RedditCrawler());            // New
// UI dropdown automatically includes all registered crawlers ✓ Factory pattern bene
```

**Rate limiting:** Social platforms enforce rate limits (YouTube: 10 req/sec, Twitter: 300 req/15min). Implement exponential backoff:

- 1st request fails (429 Too Many Requests) → wait 1 second, retry
- 2nd request fails → wait 4 seconds, retry
- 3rd request fails → wait 16 seconds, retry
- Max retries: 5 (total wait:  $1+4+16+64+256 = 341$  seconds = 5.6 minutes)

Allows system to gracefully handle rate limits without crashing.

## Disaster Types and Relief Categories - Customization and Expansion:

**Current Configuration:** The application currently operates with exactly 5 disaster types and 5 relief categories:

- **Disaster Types (stored in disasters.dat):** yagi, koto, bualo, matmo, fung-wong
- **Relief Categories (hardcoded in ReliefItem.Category enum):** CASH, MEDICAL, SHELTER, FOOD, TRANSPORTATION

These types are loaded during application startup from persistent storage:

- DisasterManager.getInstance() reads from data/disasters.dat (Java serialized DisasterType objects)
- ReliefItem.Category enum defines the 5 relief categories
- Model instance caches loaded categories in memory for UI/Analysis access

**Persistence Architecture Enabling Easy Expansion:** The application achieves flexibility through intermediate file storage and dynamic loading patterns:

- **Disasters.dat File Strategy:** Disaster types are persisted to data/disasters.dat using Java object serialization (NOT hardcoded in code). This file contains a serialized DisasterType list. On application startup, DataPersistenceManager.loadDisasters() deserializes disasters.dat and populates DisasterManager singleton with current disaster types. This separation means:
  - Adding new disasters = modify disasters.dat file (via programmatic API or direct serialization)
  - No code recompilation required - disasters.dat loaded fresh each startup
  - Users can clone/backup disasters.dat across machines - instant disaster type sharing
  - Example: Organization A has disaster set {yagi, koto, bualo}, Organization B adds {earthquake, flood} - separate disasters.dat files, zero code conflicts

- **Relief Categories Code Storage:** Relief categories are defined in `ReliefItem.Category` enum. For expansion:
  - Current: 5 categories defined in enum and stored in posts/comments `relief_category` column
  - Expansion: Add new enum value + update `PythonCategoryClassifier` keywords for recognition
  - Dynamic UI discovery via `Model.getAvailableCategories()`

**Expansion Mechanism - Adding New Disaster Types:** Thanks to `disasters.dat` persistence strategy, expanding disaster types is straightforward:

```
// At runtime, modify disasters.dat:
DisasterManager manager = DisasterManager.getInstance();
manager.addDisaster(new DisasterType("earthquake", "Earthquake,EQ,seismic,tremor"));
manager.addDisaster(new DisasterType("flood", "Flood,flooding,water,inundation"));

// Persist updated disasters list:
DataPersistenceManager persistence = new DataPersistenceManager();
persistence.saveDisasters(manager); // Writes updated disasters.dat

// Application restart automatically loads new disasters
// Next startup: DisasterManager loads {yagi, koto, bualo, matmo, fung-wong, earthqu
// UI dropdowns automatically include new disaster types - no code changes
```

### Why This Architecture Enables Easy Expansion:

- **Separation of Concerns:** Data (`disasters.dat`, `relief_items` rows) separate from code (`DisasterManager`, `ReliefItem`). Changing data doesn't require code recompilation.
- **Lazy Loading Pattern:** `DisasterManager` and relief categories loaded once at startup from persistent storage. If storage changes, next startup reflects changes automatically. No hot-reloading complexity.
- **Single Source of Truth:** `disasters.dat` is the definitive source for disaster types. All references (UI dropdowns, Analysis tabs, Model cache) read from this single source via Singleton pattern.
- **No Breaking Changes:** Existing 5 disaster types (yagi, koto, bualo, matmo, fung-wong) continue to work unchanged. New types add to the set without modifying existing hardcoded assumptions.
- **Migration Path Preserved:** When migrating from SQLite to PostgreSQL, `disasters.dat` loading strategy unchanged - `DisasterManager.getInstance()` still works identically. Database schema change (SQLite → PostgreSQL) is transparent to disaster loading logic.

### Scalability Implications:

- **Current (5 disaster types, 5 relief categories):** UI dropdowns load instantly, analysis completes in seconds
- **Expanded (50+ disaster types):** Still performant - `DisasterManager` caches loaded disasters in memory, database indexes on `disasterId` column. Relief categories remain fixed at 5 types for consistency.

- **Multi-tenant future:** Each organization maintains separate disasters.dat file - OrganizationA.disasters.dat vs OrganizationB.disasters.dat with distinct disaster sets. Zero code conflict, zero deployment complexity.

**Migration and Backup Strategy:** The disasters.dat file-based approach enables simple data portability:

- Backup: Copy data/disasters.dat to safe location
- Restore: Copy disasters.dat back to data/ directory, restart application
- Share: Email disasters.dat to partner organization - they copy to their data/ folder, get identical disaster types instantly
- Version Control: disasters.dat can be committed to Git - disaster type evolution is auditable and rollbackable
- No SQL migration scripts needed - file-based persistence is simpler than database versioning for this use case

## 8.10 Technology Stack Summary

| Category               | Technology                | Version           | Purpose                                                                               |
|------------------------|---------------------------|-------------------|---------------------------------------------------------------------------------------|
| <b>Languages</b>       | Java / Python             | 11+ / 3.12.7      | Desktop app / ML backend                                                              |
| <b>Build</b>           | Maven                     | 3.9.11            | Compilation, packaging, dependency management                                         |
| <b>Desktop UI</b>      | Swing                     | Built-in          | GUI with zero external dependencies                                                   |
| <b>Charting</b>        | JFreeChart                | 1.5.3             | Bar, pie, time-series charts with interactivity                                       |
| <b>Database</b>        | SQLite + JDBC             | 3.44.0.0          | Embedded persistence, two DB instances                                                |
| <b>HTTP Client</b>     | Java HttpClient / OkHttp3 | Built-in / 4.11.0 | YouTube crawling, API calls                                                           |
| <b>JSON Processing</b> | Gson / org.json           | 2.10.1 / 20231013 | Complex / lightweight serialization                                                   |
| <b>Web Framework</b>   | Flask                     | 2.3.0+            | Python REST API for ML services                                                       |
| <b>NLP Models</b>      | Transformers / PyTorch    | 4.30.0+ / 2.0.0+  | Sentiment (nlptown/bert-base-multilingual) / Category (keyword-based hybrid approach) |

| Category | Technology           | Version | Purpose                               |
|----------|----------------------|---------|---------------------------------------|
| Logging  | SLF4J + slf4j-simple | 2.0.9   | Abstraction layer with console output |
| Testing  | JUnit                | 4.13.2  | Unit test framework                   |

**Architecture Decisions:** Lightweight HTTP-based data collection for efficiency and reduced resource footprint. Microservices pattern: Java desktop app communicates with Python ML backend via REST (loose coupling, language independence). Abstraction layers (DataPersistenceManager, CrawlerRegistry) enable technology switching without breaking client code. Observer pattern ensures responsive UI without polling.

**Production Readiness:** Mature, battle-tested libraries (Swing since 1996, Flask since 2010, SQLite since 2000). Try-with-resources ensures resource cleanup. Prepared statements prevent SQL injection. Error handling with graceful fallbacks (Python unavailable → use Enhanced/Simple analyzers). Future evolution supported via abstraction patterns without major refactoring.