

T_EMBC - Quiz Day 3

Total Questions:	20	(20 Points)
Correctly Answered Questions:	13	(13 Points)
Percentage Score	65%	

Questions (displaying incorrect responses only)

Question: In the following code `main() { FILE *fp ; fp = fopen ("trial", "r") ; } fp points to` (1 Points)

Your answer: The first character in the file

Question: Which of the following is something you can do that will make debugging easier? (1 Points)

Your answer: Breaking down into smaller parts

Question: what is effect of this code `FILE *file_pointer; char hi[10]="Hi"; int i=0;clrscr(); do{ file_pointer=fopen("text.txt","w"); fprintf(file_pointer,"%s",hi); }while(i++<5); fclose(file_pointer);` (1 Points)

Your answer: Add "Hi

Question: What type of error will you find in this code: `var message= "Welcome to our site" document.write(Message)` (1 Points)

Your answer: Missing quotes

Question: Which one of the following standard c functions can be used to reset end-of-file and error conditions on an open stream? (1 Points)

Your answer: `clearerr()`

Question: What will be the position of the file marker? a: `fseek(ptr,0,SEEK_SET)`; b: `fseek(ptr,0,SEEK_CUR)`; (1 Points)

Your answer:

Question: What is the purpose of "rb" in `fopen()` function used in the following code snippets? `FILE *fp; fp = fopen("source.txt", rb);` (1 Points)

Your answer:



Print