Program of

The 119th Conference of Japan Institute of Light Metals

(November 13-14, 2010, Nagaoka)

| 1. Effect of specimen size on compressive properties of aluminum foams |
|--|
| Y.Suzumura , Y.Kume , M.Kobashi , N.Kanetake , T.Miyoshi , F.Ono 2. Evaluation of forming condition and compression characteristic of A6063 porous aluminum alloy and AZX912 porous magnesium alloy A.Takematsu , T.Aida , N.Takatsuji |
| 3. Compression properties of porous Ti6Al4V alloy prepared by sintering |
| 4. Oxidation of TiAl alloys with beta-Ti phase K.Niinobe , S.Endo |
| 5. Effects of Compressive torsion processing conditions on consolidation behavior of CNF/Al composite powder H.Kimura , Y.Kume , M.Kobashi , N.Kanetake |
| 6. Production of Al-Al2O3 nanocomposites by High-Pressure Torsion M.Ashida , Z.Horita , T.Kita , A.Kato |
| 7. Effect of Ti and TiN on synthesizing process of in situ AlN/TiB2 composite |
| 8. Superconductive property and microstructure of extruded 1mm wire of MgB ₂ /Al composite material made with ground MgB ₂ M.Mizutani , K.Matsuda , K.Nishimura , T.Kawabata , Y.Hishinuma , S.Aoyama , S.Ikeno |
| 9. Effect of La addition on microstructure in a metastable beta Ti-6.8Mo-4.5Fe-1.5Al alloy |
| $T.Sakamoto\ ,\ D.Okada\ ,\ K.Nakai\ ,\ S.Kobayashi$ 10. Formation process of β' phase in a metastable beta Ti-6.8Mo-4.5Fe-1.5Al alloy |
| T.Sakamoto , Y.Higaki , K.Nakai , S.Kobayashi 11. Effect of solute oxygen on mechanical properties of Ti-29Nb-13Ta-4.6Zr for biomedical applications |
| M.Nakai , M.Niinomi , F.Geng 12. Design and evaluation of mechanical characteristics of Ti-Fe-Cu alloys with high strength and high Young's modulus |
| Y.Kawasaki , M.Niinomi , M.Nakai |
| 13. Isothermal aging behavior in Ti-Mn-Fe alloys |
| 14. Effect of heat treatments on acceleration or suppression of α" phase formation in Ti alloys S.Kobayashi , T.Yamamoto , K.Nakai , T.Sakamoto |
| 15. Effect of alloying elements on the formation of α " and athermal ω phases in Ti alloys |
| $R.Wakamoto\ ,\ S.Kobayashi\ ,\ K.Nakai\ ,\ T.Sakamoto$ 16. Effects of growth and dissolution processes of ω phase on α phase formation in Ti alloys |
| T.Takeichi , S.Kobayashi , K.Nakai , T.Sakamoto 17. Development and evaluation of bioactive coating for Ti alloys by using mother-of-pearl shell |
| M.Ui , S.Kobayashi , K.Nakai , T.Sakamoto 18. Effect of deformation-induced phase on mechanical properties of Ti-Cr alloys for spinal fixation devices |
| 19. Fabrication of Ti-based Composites by High-Pressure Torsion X.Zhao , M.Niinomi , M.Nakai |
| 19. Fabrication of 11-based Composites by High-Pressure Torsion K.Edalati , Z.Horita |
| 20. Detection of solidification defects on levitation melted Ti castings and development of βtype Ti alloys with high strength K.Matsugi , K.Shizuma , Y.B.Choi , G.Sasaki |
| 21. Blazing of industrial pure titanium by a variety of titanium filler metal and its corrosion resistance evaluation test |
| 22. Microstructure control in surface layer of titanium sheet by friction roll surface processing with different applied planes and directions Y.Ougiya , Y.Takayama , H.Kato , H.Watanabe |
| 23. Depth profiling of trace low-melting-point metals in high-purity aluminum foils by GD-OES A.Ito , S.Kuroiwa , N.Arai , H.Okada |
| 24. Detection of hydrogen evolution during fatigue deformation of 6061 and 7075 aluminum alloys K.Horikawa , H.Yamada , H.Kobayashi |
| 25. Effect of ion-plating on hydrogen detection by means of microprint technique H.Iwahashi , K.Saitoh , G.Itoh , T.Shikagawa , T.Tsutsumi |
| 26. Visualization of hydrogen in electrolytically charged 6061 and 7075 aluminum alloys |
| T.Tsutsumi , T.Watakabe , G.Itoh , N.itoh 27. Effect of Mg content on age hardening property of Al-10%Si-X%Mg casting alloys |
| K.Kitamura , M.Furui , S.Ikeno , N.Sakai , S.Saikawa |

```
28. Effect of Mg content on age hardening property of Al-10%Si-X%Mg alloy sand castings
   ..... K.Morita , T.Kitamura , M.Furui , S.Ikeno , N.Sakai , S.Saikawa
29. Effect of demolding temperature on aging behavior in Al-10mass%Si-0.3mass%Mg permanent mold castings
   ······ Y.Takada , M.Furui , S.Ikeno , S.Saikawa , N.Sakai
30. Effect of demolding temperature on aging behavior in Al-10mass%Si-0.3mass%Mg alloy cast into sand mold
    Y.Kano , M.Furui , S.Ikeno , S.Saikawa , N.Sakai
31. Mechanical properties and fracture behaviors of Al-Cu system alloys in mushy zone
    ····· N.Sakaguchi , M.Tsunekawa , Y.Watanabe
32. Preparation of sand mold Al casting alloy by counter pressure casting prosess
    ······ K.Fujii , T.Yachi , N.Sunayama , K.Komai , T.Kawabata , K.Matsuda , S.Ikeno
33. Mold filling property and microstructure of thin-walled AC4C castings using low mold temperatures.
    ····· H.Yamagata , Y. Miwa , M.Nikawa
34. Fabrication of Mg-Mg<sub>2</sub>Si FGM by a reaction centrifugal mixed-powder method
    ······ Y.Watanabe , M.Shibuya , H.Sato , E.Miura-Fujiwara , S.Kawamori
35. Casting of five layers of aluminum alloy clad strip using a vertical type tandem twin roll caster
    R.Nakamura , K.Shinchi , T.Haga , S.Kumai , H.Watari
36. Casting of Aluminum Alloy Strip by an Improved Single-Roll Caster
    ..... K.Akitsu , K.Kamakura , T.Haga , S.Kumai , H.Watari
37. Microstructure and mechanical properties of high-speed twin-roll cast Al-11%Si-2.5%Cu alloy plates
   ····· T.Hoshino , Y.Harada , S.Kumai
38. Casting of 6000 series aluminum alloy strips using a vertical type high-speed twin roll caster equipped with 1000mm of diameter rolls
    ..... K.Todo , T.Haga , S.Kumai , H.Watari
39. Effects of various conditions on refinement of primary Si by ultrasonic treatment
   ······ K.Oda , I.Yamamoto , H.Okada , S.Komarov , Y.Ishiwata
40. Effect of Mg and Si content on hot tearing tendency of Al-Mg-Si casing alloys
    ····· Y.Maeda , M.Furui , S.Ikeno , N.Sakai , S.Saikawa
41. Influence of Fe and Fe/Mn combined additions on semi-solid microstructures of Al-Mg-Si alloys produced by D-SSF process
    ····· Chakkrist Phongphisutthinan , H.Tezuka , E.Kobayashi , T.Sato
42. Effect of three-step aging on properties of Al-Zn-Mg-Cu-Zr alloy
    43. Influence of artificial aging on tensile properties of 7N01-T6 alloy
    ····· T.Minoda , H.Yoshida
44. Relation between strain stored by compressive deformation and crystallographic orientation in a high purity aluminum
    ..... T.Yoshimura , Y.Takayama , H.Kato , H.Watanabe
45. Change in microstructure by plane strain compression and holding at a room temperature in ultra high purity alminum
   A.Ito, Y.Takayama, H.Kato, H.Watanabe
46. EBSD analysis of nucleation of ultra high purity aluminum
   ..... K.Ogawa, Y.Takayama, H.Kato, H.Watanabe
47. Influence of texture on grain glowth of cube texture in high purity aluminum foils
    K.Ohara
48. Effects of the size and distribution of precipitates on recrystallization behavior of Al-Mn alloys
    ····· K.Oishi , H.Tezuka , E.Kobayashi , T.Sato
49. Influence of processing temperature on microstructure evolution of AZ31 magnesium alloy deformed by torsion
    K.Aoyama, M.Furui, S.Ikeno
50. Effect of heat treatment condition on elongation of Al-Mn alloy at H1n temper with fiber structure
    ..... M.Yoshino , S.Kuroda
51. Effect of torsional rotation times on refinement of eutectic Si particle in continuous cast alloy
    S.Ota , Y.Kume , M.Kobashi , N.Kanetake
52. Effect of overheating during solution treatment on mechanical properties of 6061 aluminum alloy
    ······ F.Shang , E.Sekiya , Y.Nakayama
53. Material modeling and formability evaluation of 6000-series aluminum alloy sheet based on biaxial tensile test
    D.Yanaga , T.Kuwabara , N.Uema , M.Asano
54. Effect of tool position on mechanical properties of friction stir welded 5052/2024 aluminum alloys dissimilar joint
   D.Nakama, K.Katoh
55. Effect of Tool Geometry on Material Flow during Friction Stir Spot Welding
   ······ S.Horie , K.Shinozaki , M.Yamamoto , K.Kadoi , T.H.North
56. Effect of Tool Geometry on Material Flow during Friction Stir Spot Welding
   ······ S.Horie , K.Shinozaki , M.Yamamoto , K.Kadoi , T.H.North
57. Effect of joining parameter on tool temperature during FSW on allminum alloy
    Y.Katsuragi , T.Shinoda , K.Tani
```

| 58. Relationship between Vickers hardness and microstructure on friction stir welded 7075 aluminum alloy joints T.Ito , A.Goloborodko , Y.Motohashi , G.Itoh , S.Hirano |
|---|
| 59. Effects of welding time on microstructure and strength of friction stir spot welded aluminum alloy sheets and plated steel sheets K.Feng, M.Watanabe, S.Kumai |
| 60. Fabrication of aluminum alloy/plated steel joints using high speed solid-state welding |
| 61. Weldability of Ti-15V-3Al-3Cr-3Sn alloy and magnesium alloy by friction stir welding |
| 62. Optimization of friction stir welding for T-joints of 5052 aluminum alloy and pure aluminum foils K.Fushiki , Y.Takayama , H.Kato , H.Watanabe |
| 63. Interfacial microstructures and its micro-tensile properties of friction stir welded A3003/SUS dissimilar joint T.Ogura , Y.Saito , H.Nishida , M.Fujimoro , T.Yoshida , N.Omichi , A.Hirose |
| 64. Flatness suppression on 5056 circular tube-draw bending by applying a lateral compression K.Takahashi , T.Hiratsuka , T.Kuboki , M.Murata , K.Yano |
| 65. Development of cold plate using oval pipe |
| 66. Evaluation of pressure welding in various aluminum alloys N.Takatsuji , N.Sakuda , T.Aida |
| 67. Basic research about the back flow control in hot extrusion processing |
| 68. Effect of working condition on undesirable deformation on draw bending of channel sections Y.Okude , S.Sakaki , S.Yoshihara |
| 69. Effect of zirconium on high temperature ductility in Al-8mass%Mg alloys M.Ninomiya , T.Uesugi , Y.Takigawa , K.Higashi |
| 70. 3D/4D analysis of the Blister growth behavior during heat-treatment process of the aluminum die-casting alloy S.Ito, H.Toda, M.Kobayashi, K.Uesugi, Y.Suzuki |
| 71. Properties of 1070 Al alloy sheet rolled by cone-shape roll Y. Chino , X.Huang , K.Suzuki , M.Mabuchi |
| 72. A study of aluminum foil rolling oil on amount of wear particles and roll-coating H.Sugii , K.Matsumoto , Y.Tsuda |
| 73. A study to reduce wear particles with plastic formation lubricants for aluminiumu N.Tanino , T.Iiduka , H.Sugii |
| 74. A study of wear particles in aluminum cold rolling M.Miyazaki , Y.Tamaki , J.Shibata , H.Sugii , M.Ikeda , N.Shinano |
| 75. The Mechanism of roll-coating buildup during hot rolling of aluminum K.Ueda , Y.Hosomi , T.Watanabe , Y.Kita , M.Muramatsu , T.Yoshigai |
| 76. Internal strain distribution and deformation homogenization of long specimen on compressive torsion processing Y.Kume , M.Motohashi , M.Kobashi , N.Kanetake , Y.Oki |
| 77. Tensile Property and Screw Form Rolling of β Type Titanium Alloy preliminary worked by Torsion and Back-Torsion K.Kume , M.Furui , S.Ikeno , T.Aida , Y.Ishisaka , M.Yamamoto |
| 78. Microstructure Evolution and Mechanical Property Improvement of Al-Fe Alloys processed by High-Pressure Torsion J.Cubero , Z.Horita |
| 79. Comparison of cutting force in new shearing method and conventional shearing of 1050 aluminum sheet D.Lu, M.Murata, T.Kuboki, Y.JIN |
| 80. Research on air bending of aluminum alloy 5083 plate KHAMT NARANBAATAR, M.Murata, T.Kuboki, Y.Jin, T.Shibata |
| 81. Evaluation of fatigue lives of various AZ31 magnesium alloys and their unification T.Seto , Y.Tsuchida |
| 82. Fatugue behavior of AZ31 magnesium alloy via RCP process Y.Miyashita , Y.Shimotsuya , K.Kondoh |
| 83. Mechanical and fatigue properties of the AM60B vacuum Die-Casts T.Suzuki , T.koike , Sofian.Bin.Mohd , O.Yuuichi , Y.Miyashita , Y.Mutoh |
| 84. Giga-cycle fatigue properties of extruded AZ80 and ZK60 magnesium alloys |
| *** S.Morita , M.Nakahara , N.Ohno , F.Tamai , Y.Kawakami , Y.Harada 85. Investigation of fatigue crack initiation and propagation behavior from casting defects inside materials by μCT with synchrotron radiation |
| 86. 4-dimensional quantitative evaluation of local deformation behavior |
| 87. True origin of ductile fracture in Aluminum H.Toda , M.Kobayashi , K.Uesugi , Y.Suzuki , K.Horikawa |

| 88. Deformation behavior prior to formation of stretcher-strain marks in tensile deformed 5083 aluminum alloy sheet M.Maeda , Y.Nakayama |
|--|
| 89. Effect of high-frequency switching electrolysis on the film thickness uniformity of anodic oxide film formed on AC8A Aluminum alloy T.Yamamoto , H.Tanaka , M.Fujita , H.Asoh , S.Ono |
| 90. α-alumina membrane having nanopores formed by anodizing |
| 91. Influence of shot-peening treatment of sintered 7000 series aluminium alloy under SSRT Condition |
| 92. One year atmospheric exposure test results of aluminum alloys in Choshi and Miyakojima A.Konno |
| 93. Cooling effect comparison of the pre-coated aluminum case with different infrared radiation properties T.Usami |
| 94. Odor characteristic of pre-coated aluminum fin-stocks |
| 95. IInfluence of the pollution substances on the hydrophilicity of surface alminium fin K.Kubo |
| 96. Effect of paint film thickness for formability of pre-coated aluminium sheets |
| 97. Effect of inner wax particle size and molecular weight on lubricity of pre-coated aluminium sheets |
| 98. The effect of Fe content in aluminum on corrosion resistance of chemical conversion coating |
| ····· K.Katou , M.Yonemitsu |
| 99. Galvanic corrosion behavior for the couple of aluminum alloy and galvanized steel T.Miyajima, T.Kobayashi, M.Kurata, Y.Kojima |
| 100. Thermal and electrical conduction properties of nanodiamond films on aluminum substrates K.Teii , T.Ikeda |
| 101. Preparation of B-doped diamond usnig microwave plasma CVD and its application for anodic oxidation Y.Sakamoto , M.Takai , M.Maejima |
| 102. Microbially influenced corrosion properties of non-ferrous antibacterial materials D. Kuroda , N.Kamakura , H.Ikigai , H.Kanematsu |
| 103. Formation of corrosion resistant oxide film on Mg by LPD M.Sakairi , R.Fujita |
| 104. Removal processing of anodized magnesium alloy by short pulse laser M.Hino , Y.Mitooka , K.Murakami , K.Nishimoto , T.Kanadani |
| 105. Surface modification of Mg alloy using various process and corrosion resistance evaluation in simulated body fluid |
| H.Suzuki , M.Okido , R.Ichino , K.Kuroda 106. Electrochemical behavior of Mg-6mass%Al alloy immersed in Na2SO4 and NaCl solution S.Saito , S.Sunada , M.Furui , S.Ikeno , S.Saikawa |
| 107. Electrochemistry characteristic of AZ31B Mg alloy composed of CNT |
| $T.Tsugawa\ ,\ S.Sunada\ ,\ K.Kondoh$ 108. Influence of nanocluster formation on the nucleation and growth behavior of the β " phase in an Al-Mg-Si alloy |
| Y.Shinoda , H.Tezuka , E.Kobayashi , T.Sato 109. Influence of natural aging time on two-step aging behavior of Al-Mg-Si(-Cu) alloys |
| J.H.Kim , E.Kobayashi , T.Sato 110. Change of aging behavior of Al-Mg-Si alloys with different TMs addition |
| S.Wang , K.Matsuda , T.Kawabata , S.Ikeno |
| 111. Crystal structure of β '-phase including Ag in Ag-added Al-Mg-Si alloy J.Nakamura , K.Matsuda , T.Sato , C.D.Marioara , S.J.Andersen , R.Holmestad , S.Ikeno |
| 112. Mechanism for recrystallization in Al-Mg-Si alloy after cold-rolling at 30 and 50 % |
| 113. Effects of grain orientations on bending deformation behavior in 6061 T.Amagumo , A.Yamamoto |
| 114. Mechanism of {111} recrystallization texture evolution in 6022 aluminum alloy sheets produced by symmetric/asymmetric combination roll H.Inoue, S.Kobayashi, O.Noguchi |
| 115. Recrystallized microstructure and tensile deformation behavior of Al-Mg-Si alloy with Sc and Zr addition R.Akiyoshi , T.Takashita , K.Ikeda , S.Hata , H.Nakashima , K.Yamada , K.Kaneko |
| 116. (Keynote) Severe plastic deformation and precipitation on Aluminum alloys |
| 117. Effect of SPD processing on aging behavior of Al-Mg-Si alloys D.Akama , Z.Horita , K.Matsuda , S.Hirosawa |

```
118. Precipitation behavior of an Al-Mg-Si alloy with cold rolling or severe plastic deformation
   T.Masuda , Y.Kasai , S.Hirosawa , Z.Horita , K.Matsuda
119. Precipitation Hardening of Ultrafine grained Al 2091 Alloy Processed by High-Pressure Torsion
    ······ S.W.Lee , D.Akama , Z.Horita , T.Masuda , S.Hirosawa , K.Matsuda
120. Effect of HPT or rolling on age-hardening in Al-Mg-Si alloys
   ······ T.Nagai , K.Matsuda , J.Nakamura , T.Kawabata , S.Ikeno , D.Akama , Z.Horita , S.Hirosawa
121. Aging behavior and mechanical properties of ultrafine grained Al-Si-Ge alloys fabricated by ARB
   ······ K.Nakagawa , K.Nizam , T.Kanadani , T.Nakano , J. Nakano , N.Tsuji , D.Terada
122.\ Changes\ in\ microstructure\ and\ mechanical\ properties\ of\ pre-aged\ Al-0.2wt\%\ Sc\ deformed\ by\ ARB
   H.Adachi , E.Borhani , D.Terada , N.Tsuji
123. Strength characteristics of 6063 aluminum alloy subjected to torsion extrusion
    ······ K.Mitsui , Y.Nishihara , T.Takeuchi , T.Iizuka , S.Mizunuma , M.Kohzu
124. First-principles studies on solute-solute interaction energy in aluminum base alloys
      T.Uesugi , K.Higashi
125. Effect of solution treatment using by high-frequency induction heating apparatus on mechanical properties of AC4CH casting alloy
    ····· N.Saruwatari , E.Sekiya , Y.Nakayama
126. Age-hardening characteristics of Al-Mg-Si alloys subjected to ultrasound treatment
    ..... S.Hirosawa , J.Kamibeppu , M.Iqbal , H.Hosoda , T.Sato
127. Effect of high-velocity impact compression on aging behavior of Al-Cu aluminum alloy
    ······ Y.Kitano , K.Horikawa , H.Kobayashi , K.Watanabe , K.Yamada
128. Interfacial reaction at dissimiar joints produced by some joining processes utilizing friction
    ····· T.Shibayanagi , K.Ikeuchi , M.Takahashi
129. Microstructure of Friction Stir Welds Using ARB-ed Plates Fabricated by Dissimilar Aluminum Alloy Sheets
    K.Lee , K.Woo , S.Lee
130. Influence of Gap Length on Magnetic Pressure Seam Welding
    K.Sasaki , M.Miyazaki , M.Okada
131. Fine Hole Drilling by Micro Drills of Magnesium Alloys
           S.Katayama , K.Sakurai , T.Sawai
132. Change in texture of magnesium alloy AZ91 during superplastic deformation
    ····· H.Watanabe , M.Fukusumi , H.Somekawa , T.Mukai
133. Influence of deformation temperature on recrystallization behavior of homogenized AZ91 magnesium alloy during hot compressive deforma
    ····· S.W. Xu , S.Kamado , T.Honma
134. Microstructure of continuous cast AZ61 alloy deformed by Compressive Torsion Process with Decreasing Temperature
    S.Shibazaki , Y.Kume , M.Kobashi , N.Kanetake
135. Effect of microalloying on enhanced age hardening response in Mg-2.4at%Zn alloy
    ····· K.Oh-ishi , C.L.Mendis , T.Ohkubo , K.Hono
136. Effect of amount of Zn addition on microstructures and tensile properties of Mg-Gd-Zn-Zr alloy castings.
    ····· T.Ishihara , T.Ozaki , S.Kamado , T.Homma
137. Effects of Mn or Zr addition and cooling rate on mechanical properties of Mg-Gd-Y-Zn alloys
    ······ Y.Hiramitsu , S.Kamado , T.Honma , T.Koike , M.Katsui
138. Preparation of Mg-Zn-Y alloy sheet and its bending workability
    T.Inazawa , T.Itoi , M.Yamasaki , Y.Kawamura , M.Hirohashi
139. Microstructure Observation of As-cast Process in AM60 Magnesium alloy
    ····· T.Maekawa , M.Furui , S.Ikeno , T.Yamaguchi , S.Saikawa
140. High temperature deformation behavior of Mg-Al-Ca alloy with various Al composition
   ····· K. Ikeda, T.Shibata, S.Hata, H.Nakashima, H.Omura
141. Effect of Mn contents on creep behavior in heat-resistant Mg-6Al-3Ca alloys
    T.Homma, H.Takahashi, S.Kamado
142. Effect of forced air cooling at extrusion exit on mechanical properties of Mg-Al-Ca-Mn alloys.
   F.O.Uchida , S.W.Xu , S.Kamado , T.Homma
143. High Temperature Creep Strengh and Deformation Microstructures in an Long Period Stacking Ordered Mg-Ni-Y alloy
    ······ M.Suzuki , J.Anzai , K.Maruyama , Y.Kuroda , T.Itoi , M.Hirohashi
144. Microstructures of a twin roll cast and rolled Mg-2.4Zn-0.1Ag-0.1Ca-0.16Zr alloy with high strength
    145. Effect of Grain refinement on the property of AZ31 magnesium alloy sheets for twin-rolled cast.
    J.Sugimoto , Y.Nakaura , A.Watanabe
146. Improvement of rollability of twin roll cast AZ61 magnesium alloy sheet by high speed rolling
    ······ G.Hamada , R.Koizumi , A.Hashimoto , M.Hattori , T.Sakai , H.Utsunomiya
147. Texture and microstructure control of AM60 magnesium alloy sheet by high speed rolling
```

| 148. Fabrication of AZ91 magnesium alloy sheet through accumulative diffusion-bonding process |
|---|
| 149. Hardness and Microstructure Evolution during Aging Treatment in AM System Magnesium Alloys cast into Sand Mold Y.Ebata , M.Furui , S.Ikeno , K.Sakakibara , S.Saikawa |
| 150. Influence of Aluminum Content on Age Hardening of Mg-Al-Mn Alloy cast into Iron Mold |
| H.Yamada , M.Furui , S.Ikeno , K.Sakakibara , S.Saikawa 151. Dependence of Aluminum Content on Age Hardening of Mg-Al-Zn System Alloys cast into Permanent Mold K.Minami , H.Yamada , M.Furui , S.ikeno , S.Saikawa |
| 152. Grain Size Dependence of Aging Behavior in AM60 Magnesium Alloy |
| H.Takano , M.Furui , S.Ikeno , T.Yamaguchi , S.Saikawa 153. Effect of aging treatment on microstructure and mechanical properties in AM60 magnesium alloy K.Watanabe , K.Matsuda , T.Kawabata , K.Sakakibara , T.Yamaguchi , S.Saikawa , S.Ikeno |
| 154. The tensile behavior of AZ61/Carbon nanotube composite H.Fukuda , K.Kondoh |
| 155. Effect of reacted layer on galvanic corrosion phenomenon at interface between Ti dispersion and Mg-Al alloy N.Nakanishi , R.Takei , K.Kondoh |
| 156. Thermal expansion of SiC dispersed AZ91 alloys prepared by powder metallurgy |
| 157. Backward forging of billet recycled AZ31 plate scrap Y.Murakoshi , K.Matsuzaki , K.Hatsukano , T.Shimizu |
| 158. Gas state recycling of Mg-Al-Ca alloy |
| P1. Relation between the wear properties of rapidly solidified Al-10Mg-Si alloys and the sliding distance H.Egawa , M.Kubota |
| P2. Effect of Cu addition and grain size on hydrogen evolution during tensile deformation in Al-Zn-Mg alloys |
| [Cancellation] P3. Dissolution of aluminum in acetic anhydride solution O.Seri , H.Minoshima |
| P4. SSRT test response of high-strength aluminum alloys in high-humidity air -On the crack initiation process- Y.Nakashima , S.Haruyama , S.Osaki |
| P5. Production of semi-solid slurry of hypereutectic Al-Si-Cu-Mg alloy by polygonal rotor process and rheoextrusion N.Mori , T.Kose , Y.Uetani , M.Dohi , K.Matsuda , S.Ikeno |
| P6. Effect of Si content on formation of globular grain band and internal crack in high-speed twin-roll cast Al-Si alloy plates Y.Kunimoto , M.Kim , Y.Harada , S.Kumai |
| P7. Microstructural control of Al-Zn eutectoid alloy by hot-rolling |
| P8. Application of High-Pressure Sliding (HPS) for Al alloys K. Tazoe , Z. Horita |
| P9. Structural change of Gum Metal by annealing after cold working Y.Ohta , G.Itoh , Y.Motohashi |
| P10. Grain Refinement of AZ61 Alloy by High-Pressure Sliding (HPS) S.Honda , Z.Horita |
| P11. Effect of second-phase particles on the behavior of environmental hydrogen in aluminum T. Watakabe , M.Nakano , G.Itoh |
| P12. Behavior of hydrogen invading aluminum alloys during deformation in moist air |
| [Cancellation] P13. Dislocation Structures of New Low-tempreture Creep in FCC Metals F.Terasawa, T.Matsunaga, E.Satou |
| P14. Effect of extrusion torsion processing conditions on mechanical properties of Al-Mg-Si system aluminium alloy K. Yoshida , T. Aida , H. Adachi , M. Furui , N. Takatsuji |
| P15. Room temperature formability in hot rolling material of Mg-Zn-Ce alloy. K.Okamoto , T.Aida , M.Ishiguro , N.Takatsuji |
| P16. Further study on the assessment of bendability of aluminum alloy sheets by means of resistivity measurement G.Itoh , K.Masuda , N.Itoh |
| P17. The effect of step quenching on microstructures and mechanical properties of the Al-Mg-Si-X alloys J.Tian , S.Kim , K.Woo , Z.Liu , K.Lee |
| P18. Properties of Ti-HAp composite materials produced by mechanical alloying and spark plasma sintering T.Ohno , M.Kubota |
| P19. Fabrication of aluminum-phosphorescence based composite materials Y.Watanabe , M.kubota |
| 1. w ataliaue, ivi.kuoota |

| P20. Adsorption performance of chemically surface modified nano-porous alumina membranes for aromatic compounds and metal ions K.Kakiage , M.Hanaya |
|--|
| P21. Adhesive properties of surface modified magnesium alloys |
| P22. Preparation of high purity Al-Mg spinel by corrosion synthesis method |
| (Cancellation) P23. Synthesis of CaTiO ₃ by Application of calcium corrosion in methanol |
| P24. Preparation of Mullite by Application Corrosion of Aluminum in acetic acid solution |
| P25. Investigation of compressive behavior of porous aluminum by X ray CT observation |
| S.Takahashi , R.Yamaguchi , Y.hangai , T.Utunomiya , O.Kuwazuru , N.Yoshikawa P26. Mechanical properties of phase controlled friction weld 5052 aluminum alloy joint |
| P27. Mechanical properties of friction stir lap welding of 6061 aluminum alloy to SPCC steel S.Omachi , D.Nakama , K.Katoh |
| P28. Mechanical properties of AZ31 magnesium alloy friction seam butt welded joint |
| W.Nakamura , N.Seo , D.Nakama , K.Katoh P29. Preparation of anodized magnesium alloys in a trisodium phosphate contained carbonate bath |
| P30. Relationship between mechanical properties and microstructure of welded $\alpha+\beta$ -type titanium alloy for next-generation air crafts |
| P31. Anodizing for magnesium alloys in the alkali bath Y.Sakuma , Y.Sakamoto |
| P32. Corrosion behavior of aluminum alloy/rubber joints |
| P33. Two-dimensional model analysis for the anisotropic foaming behavior of aluminum foams R.Suzuki, K.Kitazono |
| P34. Fabrication and Properties of Magnesium Based Composite Materials Exhibiting Hard Magnetic Properties |
| P35. Mechanical characteristic of magnesium radical accumulating material by nickel corpuscle |
| T.Nakajima , H.Miyamura , B.Jeyadevan , S.Kikuchi P36. Texture and microstructure of magnesium alloy sheets produced by asymmetric hot-rolling |
| P37. Development of heat r esistant magnesium alloy |
| P38. The effect of strain and annealing on stress corrosion cracking of the rolled AM60 magnesium alloy |
| P39. Effect of Lanthanum and Zirconium on the structure and mechanical properties of magnesium alloy. |
| P40. High-temperature deformation and microstructure of Mg-Al-Ca-Sr alloy |
| |
| S.Kuroda , T.Homma , S.Kamado , K.Oh-ishi , K.Hono |