Program of The 125th Conference of Japan Institute of Light Metals (November 9-10, 2013, Yokohama National University)

1. Recrystallization and aging behavior in Al-Mg-Si alloy sheets produced by combination of symmetric and asymmetric rolling
2. Effect of initial precipitates size on its refinement by compressive torsion process
K.Uchida, Y.Kume, M.Kobasi, N.Kanetake, S.Okaniwa 3. Effect of solute contents on grain refinement after friction stir processing in high-purity Al alloys
4. Mechanical property of magnesium alloys with various compositions processed by compressive torsion with decreasing temperature S.Oosuka, Y.Kume, M.Kobashi, N.Kanetake
5. Intermediate annealing and recrystallization behavior on continuous casting 3003 aluminum alloy
6. Recrystallization in 3004 Aluminum alloy after cold-rolling T.Kajiura, A.Yamamoto
7. Effects of solute atoms on the load during hot deformation of aluminum binary alloy S.Tateyama, Y.Yamamoto, M.Asano, H.Yoshida
8. Effect of aging on fatigue and creep property of 2618 aluminum alloy R.Kuramoto, H.Takeda, A.Hibino
9. Morphology change of cluster during natural aging and BH response in an Al-Mg-Si alloy
10. The effect of pre-aging on serrated flow in Al-Mg-Si alloys Y.Takaki, I.Kobayashi, T.Sato
11. Soft X-ray XAFS analysis of nano-clusters formed in Al-Mg-Si alloy H.Adachi, Y.Yamamoto
12. Effects of Cu or Li addition and multi-step aging conditions on the bake-hardenability of an Al-Mg-Si alloy
13. TEM observation for precipitates in aged Ag/Cu addition Al-Mg-Si alloys aged at 473K
14. Observation of corase precipitates for Al-Mg-Si alloy addition of Ag/Cu aged at 673K S.Hida, K.Wsatanabe, S.Ikeno, K.matsuda
15. TEM observation of age-precipitate in excess Mg-type Al-Mg-Si alloys after deformation
17. Effect of the cooling rate in quenching on the aging behavior of Al-Zn-Mg alloy T. Watanabe, H. Hatta, H. Yoshida
18. TEM Observation for precipitates Structure of 7000 system Al Alloys of Different Zn/Mg Ratio
19. TEM Observation for Precipitates Structure of Al-Zn-Mg Alloys Addition of Cu/Ag
20. Effect of severe plastic deformation on microstructural evolution in 7075 alloy
21. Effects of precipitates on serration in Al-Mg-Zn alloys
22. Nanostructure control for extra high strength of age-hardenable Al-Cu alloy by high-pressure torsion process
IntanM.Fadhlina, Y.Yonenaga, S.Lee, Z.Horita 23. Nanocluster formation and two-step aging behavior of an Al-Mg-Cu alloy
24. Formation of lattice defects by impact compression and its effect on age-hardening properties in 6061 aluminum alloy
25. Aging behavior of high volume fraction MgB2/Al-1.0% Mg2Si composite materials
C.Kawamoto, K.Matsuda, K.Nishimura, S.Ikeno, Y.Hishinuma 26. High temperature creep strength and deformation microstructures in a directionally solidificated long-period stacking ordered Mg-Zn M.Suzuki, S.Harada, K.Hagihara
27. Influence of kink band spacing on creep strength of Mg-Zn-Y alloy with synchronized LPSO structure
T.Watanabe, M.Fujiwara, H.Takagi 28. Deformed microstructure of LPSO-Mg alloys
D.Egusa, E.Abe

29. Morphology of Kink bands in Mg-Zn-Y LPSO structure after Vickers indentation
T.Tashiro, M.Yamasaki, K.Hagihara, Y.Kawamura 30. Preparation and microstructure observation of LPSO phase in Mg-Ni-Y alloy system S.Arakawa, R.Masui, T.Shimizu, T.Takaomi
31. Microstructure and mechanical properties of Mg-M-Y(M=Ni,Cu) alloy sheet with LPSO phase T.Hosono, T.Katsumata, T.Itoi
32. Microstructure and mechanical properties of non-flammable Mg alloy strengthened by compound dispersion T.Ito, M.Yamasaki, Y.Kawamura
33. Effect of element addition on corrosion and electrochemical behavior of non-flammable with high strength Mg alloy
34. Effect of temperature on fatigue crack propagation behavior of extruded Mg-Al-Ca-Mn alloy
35. Effects of extrusion ratio and homogenization condition on microstructures and mechanical properties of Mg-RE-Zn-Ca-Zr alloys Y.Yamamura, T.Ozaki, S.Kamado
36. Local elongation of extruded magnesium alloys during tensile deformation at room temperature
37. The mechanical properties of Mg-Li extruded alloy. M.Inoue, J.Wang, H.Shimasaki, H.Ueda, M.Nagahiro
38. Effect of solidification process on microstructures of AM 90 magnesium alloy with T5 heat treatment
····· Y.Matsuoka, K.Watanabe, S.Saikawa, S.Ikeno, K.Matsuda
41. Strengthening of high-speed-extrudable Mg-Ca-In alloy through prismatic precipitates T.Nakata, S.Kamado
42. Influence of calcium concentration on tensile strength of fine-grained Mg-Ca alloys
43. Solidification structures and mechanical properties of AM90 magnesium alloys with different grain size
45. Effect of pretreatment on anodizing for magunesium ally
46. Environment-assisted cracking of magnesium alloy in aqueous carbonate solutions
····· H.Ohshima, T.Haruna
47. Influence of processing conditions on friction induced reaction of aluminum alloy with tool T.Koike, Y.Takayama, T.Yamamoto, H.Watanabe 48. Influence of bonding conditions on friction stir diffusion bonding of 5052 aluminum alloy and titanium foils
····· H.Hosokawa, Y.Takayama, T.Yamamoto, H.Watanabe
49. FSW properties of A5052 aluminium alloy
50. Weldability of hypereutectic Al-Si alloy and 2024 aluminum alloy by friction stir welding
51. Development of well closed container with Liner Friction Welding R.Yoshida, H.Hori
52. Analysis of ultrasonic welding of 5000 type aluminum alloy and mild steel sheet T.Sasaki, T.Nagai
53. Ultrasonic Welding process of pure aluminum using Weld tool with Curved shape
54. Strength and microstructure of laser welds in Aluminum alloys
55. Correlation between Mg diffusion profile and post braze strength of aluminum alloy with sacrificial layer containing Mg Y.Shibuya, S.Kimura, A.Tsuruno
56. Microstructural change of aluminum/copper sheets processed by Magnetic Pulse Welding by heat treatment K.Morimoto, T.Itoi, K.Okagawa
57. Influence of high current on interfacial structure and joint strength of pure aluminum electrodes soldered by tin-based lead-free solder
58. Effect of Fe contents on filler and base metal for lap joint of aluminum vacuum brazing K.Minami, K.Kobori

59. The effect of purity and temper on the elongation of pure aluminum
61. Effect of crystal orientation on work hardening behavior of polycrystal aluminum alloy sheet
62. Crystallographic Orientation and Structure near Grain Boundaries on intergranular fracture of 7000 Al Alloy
63. Behavior in heat treatment and tensile property of 7050 aluminum alloy recycled from chip wastes by compressive torsion process Y.Kume, R.Morimoto, M.Kobashi, N.Kanetake
64. Production of 1 ongitudinally f inned t ube by r oll b onding- b ulge p rocess
65. Development of High-Pressure Sliding for homogeneous grain refinement throughout rod-shape Al alloys
66. Plastic strain prediction of aircraft aluminum ally sheet during stretch forming
A.Kono, T.Yamada, S.Takahashi 67. Microstructure and Superplasticity of Al-6%Cu-0.4%Zr alloy Processed by High-Pressure Torsion
A.Alhamidi, Z.Horita
68. Tensile property of alumina nano-particles dispersed aluminum/aluminum laminated material
69. Effect of Strain Rate on Indentation Properties in Ultrahigh-Purity Aluminum H.Yamada, N.Ogasawara
70. Analysis of serration in 5000 series aluminum alloy by electronic s peckle p attern interferometry.
71. Material modeling of 5000 series aluminum alloy sheet with differential work hardening and hydraulic bulge forming simulation J.Kawaguchi, T.Kuwabara, S.Takeo
72. Effect of second phase particles on work hardening of Al-Mg-Si alloy
73. Effect of low temperature annealing on the work hardening behavior of cold rolled aluminum alloy sheets. Y.Inoue, M.Yamaguchi, K.Masada, K.Tsuruda
74. Effect of immersion in liquid bismuth on hot ductility in 5083 aluminum alloys
76. [Keynote] Recent Progress of X-ray Tomography in Material Science Field M.Kobayashi, K.Uesugi, A.Takeuchi, Y.Suzuki
77. 3D/4D imaging for grain and phase boundaries H.Toda, A.Hosokawa
78. Hydrogen micropore and its control in Aluminum
79. [Keynote] Geometrical modeling and finite element analysis based on X-ray CT images
O.Kuwazuru, Y.Hangai, T.Utsunomiya, N.Yoshikawa
80. Capability of industrial X-ray CT equipment for observation of micro-porosities on aluminum castings
81. 3D visualization of defects and microstructural features of aluminum wrought products with laboratory-scale X-ray tomography appa
82. Material flow obsevation for dissimilar metal welding by friction stirring Yasui Toshiaki, Fukumoto Masahiro
83. X-ray CT observation and analysis of compressive deformation behavior of polymer/aluminium IPC W.Naruse, M.Kobashi, N.Kanetake, Y.Iwama, T.Nishiwaki
84. Analysis of casting defects distribution in semi-solid injection molded piece of magnesium alloy with X-ray CT Y.Murakami, K.Miwa, N.Omura, N.Kanetake, S.Tada
85. 3D imaging of eutectic solidification in Al-7%Si alloy
M.Toyoda, M.Morinaka, M.Kobayashi, H.Toda 86. Fatigue damage assessment of cast aluminum alloys by synchrotron radiation CT

······ V.Aguiar, H.Ho, O.Kuwazuru, M.Kobayashi, H.Toda
88. Fabrication and compression properties of porous aluminum core thin-walled pipe composite materials by applying friction welding

89. Influence on compression deformation behavior of ADC12 porous aluminum by composite of A1050 porous aluminum
90. Image-based finite element analysis of porous aluminum and its accuracy examination
T.Utsunomiya, Y.Kondo, T.Kunikane, Y.Hangai, O.Kuwazuru
91. Electrical resistivity and microstructure of cold rolled pure Ti. K.Ota, M.Ueda, M.Ikeda
92. Microstructure and Mechanical properties of Ti-Mo alloys with self-tunable elastic modulus
93. Wear behavior of Ti64/TNTZ combination under dry sliding condition
94. Correlation between amount of bound water and temperature in pasivation treatment to Ti T.Haruna, S.Ito
95. Continuous detection of hydrogen on the surface of 6061 aluminum alloy by means of cyclic operation in HMT Y.Takahashi, K.Horikawa, H.Kobayashi, K.Tanigaki
96. Effect of surface relief and crystal orientation on the hydrogen behavior in a tensile-deformed Al-9%Mg alloy
97. Automatically measuring PoDFA applied to some aluminum die-casting alloys
98. Analysis of anodic oxide films on aluminum foils by cathodoluminescence. A.Ito, S.Kuroiwa
99. Corrosion properties of AZ91 magnesium alloy coated with aluminum sputtered film
100. Influence of b phase on the corrosion behavior for Mg-9mass%Al alloys in NaCl solution
101. Electrochemical Impedance characteristics of AM30 and AS31 magnesium alloy immersed in Na2SO4 solution
102. Influence of Ca content on the corrosion behavior in AX heat-resistant magnesium alloys in NaCl solution
103. Galvanic corrosion between aluminum 1050 with chromic acid anodic oxide coating and CFRP C.Sakamoto, M.Sakai
104. Corrosion and wear resistance of anodized aluminum alloy castings K.Hio, Y.Kanamori, T.Motegi
105. Evaluation of alkali resistance of sealed anodic porous alumina by pore-filling method
106. Development of Aluminum Bipolar Plate for Fuel Cell with Resin Coating Containing Graphite Y.Kawamura, Y.Taguchi, Y.Hatazawa, K.Minami
107. Effect of Ti distribution on the corrosion of Aluminum alloy.
108. Effect of added elements on electrochemical behavior for aluminum alloys in alkaline electrolytic solution R.Fujimura, T.Koyama, H.Tanaka
109. Galvanic and non-Galvanic corrosion behavior between aluminum alloy and zinc
T.Shimada, Y.Oya, Y.Honkawa, Y.Kojima 110. Corrosion behavior of 3xxx alloy under low Cl- in the presence of SO42- or NO3-
T.Murata, Y.Oya, Y.Honkawa, Y.Kojima 111. Influence of pH on effect of pitting corrosion inhibitors
Y.Oya, Y.Honkawa, Y.Kojima 112. Adhesion of tin plated films on commercial pure aluminum and growth of tin whiskers
K.Murakami, N.Nagata, M.Hino, T.Kanadani
113. Influence of surface properties of pretreatment layer on formation condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer of pre-coated aluminum fin-store with the condition of the hydrophilic layer with the condition of the hydrophili
114. Effect of processing conditions on the carrosion morphology of the 7050 Aluminium alloy bolt
115. Effects of Si addition amount on corrosion resistance of Zn content filler brazing sheet S.Ishigami, M.Edo, M.Yoshino
116. Investigation of quality of aluminum casting alloy melt Y.Kanamori, K.Hio, S.Nakamura, T.Onoue
117. Effect of mechanical properties in semi solid state on hot tearing of aluminum alloys N.Sakaguchi
118. Morphology changes of eutectic Si particles in AC4CH casting alloy processed by ECAP

119. Microstructure and mechanical properties of semi-solid cast step-like ingots of an Al-7%Si-0.6%Mg alloy
H.Nagai, T.F.M.Chang, M.Sone, E.Kobayashi, T.Sato
120. Microstructure and Tensile Properties of 4045/3003 Aluminum Alloy Clad Sheets Produced by Two Processes
121. Microstructure and mechanical properties of D-SSF processed Al-Zn-Mg alloys with high Fe content
122. Microstructure and mechanical properties of extruded Al-Mg-Si alloys containing 1mass%Fe produced by Deformation Semi-Solid
123. Structure and aging behavior of high-strength Al-Zn-Mg system alloys cast by sand-mold
K.Komai, T.Furuta, G.Aoshima, S.Koumura, S.Saikawa, K.Terayama, S.Ikeno, K.fujii
124. Microstructural evolution on heating in the surface layer of Al plates coated with electrodeposited FeNi
125. Formation of wear resistant layer on A6061 plate by using WC powder
W.Q.Wang, T.Yamaguchi, N.Ohno, K.Nishio
126. Microstructure control of CNF/aluminum composites and effect on electrical conductivity
G.Sasaki, Y.Ishii, O.Lee, Y.Choi, K.Sugio, K.Matsugi
127. Influence of metal powder blending ratio on processing of porous Ti-Al alloy using spacer holder material
S.Miyake, M.Kobashi, N.Kanetake 128. Formation of open-porous surface on aluminum substrate as bonding interface with resin
128. Formation of open-porous surface on adminishin substrate as bonding interface with resin Y.Arai, M.Kobashi, N.Kanetake
P1. Thermoelectric nanowire using nanoporous alumina
· · · · · Y.Hasegawa
P2. Properties of up-gradable recycled aluminum based composite materials produced by powder metallurgy process R.Watanabe, M.Kubota
P3. Effects of ball milling conditions on properties of Al-Fe based magnetic materials produced by powder metallurgy process
T.Watanabe, M.Kubota
P4. Fabrication and properties of titanium based photoluminescence materials by powder metallurgy process
P5. Fabrication of porous aluminum alloy with unidirectional pores using nickel tubes T.Yuasa, T.Hayashida, K.Suganuma, S.Suzuki
P6. Mechanical properties of porous aluminum alloy with aligned unidirectional pores using pure aluminum tubes and Al-4mass%Cu allo
T.Hayashida, K.Suganuma, T.Yuasa, S.Suzuki
P7. Formation of anticorrosion film on non-combustible magnesium alloy by steam coating
K.Watanabe, T.Ishizaki
P8. Effect of outside diameter of tools on microstructures and mechanical properties of 5052 aluminum alloy protrusion by friction weldi
P9. Effect of pressure speed of friction process in micro friction welding on microstructures and mechanical properties of joint.
Y.Asano, M.Nomoto, K.Katoh
P10. Singular mechanical behaviors of P/M pure titanium materials prepared by hot extrusion with in-process microstructure control
T.Mimoto, J.Umeda, K.Kondoh
P11. Deformation structure and micro-cracking of Ti-Fe-O alloy under low temperature fatigue W.B.Li, O.Umezawa
P12. Effect of strain rate on tensile properties of 7075 aluminum alloys subjected to pre-fatigue under humid environment
······ M.Tsurudome, H.Yamada, N.Ogasawara, K.Horikawa
P13. Polarization curve and its analysis of aluminum in sodium chloride solution
P14. Forming limit diagram of perforated aluminum sheet metal with square holes
14. Forming minit diagram of perforated aluminum sheet metal with square noies
P15. Effect of ECAP temperature on aluminum foams recycled from aluminum foil chips
P16. Indentation creep behavior after sudden load changes in fine-grained Al-Mg solid solutions
P17. Corrosion behavior of calcium phosphate film formed on magnesium alloy in simulated body fluid
P18. Fabrication of cladded material of magnesium alloys by using a horizonral twin roll caster
18. Fabrication of cladded material of magnesium anoys by using a nonzonial twin fon caster H.Li, H.Harada, Y.Akaike, S.Nishida, H.Watari
P19. Corrosion resistance of Mg alloy with superhydrophobic surface
A.Nagata, K.Kuroda, M.Okido
P20. Grain refinement of 5052 aluminum alloy sheets by warm high-speed rolling T.Kazaoka, R.Matsumoto, H.Utsunomiya
1.Kazaoka, R.Matsumoto, H.Utsunomiya

P21. Study on production of aluminum alloys claded materials and characteristics of their bonds using vacuum roll bonding
P22. Cold roll forming analysis for wrought magnesium alloy
P23. Mechanical property and microstructures of cast AZ91 alloy plate after hot pressing
P24. Influence of temperature gradient annealing on microstructure evolution in titanium subjected to continuous cyclic bending K.Tanaka, Y.Takayama, H.Watanabe
P25. Improvement of the bolt loosening in the fastening of aluminium frame structure
P26. Relationship between second-phase particles and hydrogen in 7075 series alloys
P27. Changes in microstructures and tensile properties of extruded Mg-Al-Ca-Mn alloy sheets with heat treatment Y.Tanaka, S.Kamado, Y.Matsumoto, K.Shimizu, S.Hanaki
P28. Hydrogen behavior in Al-Zn-Mg alloys affected by stress loading
P29. Sustained-load cracking behavior of some heat-treatable aluminum alloys
P30. Behavior of hydrogen during tensile deformation in a magnesium alloy with synchronized LPSO phase T.Kunii, G.Itoh, M.Yamasaki, Y.Kawamura, R.Hisa
P31. Study on cellular precipitation during T6 treatment in Mg-Al alloys by sand mold
P32. Fatigue crack growth behavior of aluminum alloys for aircraft components R.Yamada, S.Ishizawa, G.Itoh, A.Kurumada, M.Nakai
P33. TEM observation for p recipitates structure of Al-Mg-Ge alloys aged at 473K
P34. Anodizing of AZ31 Mg Alloy by DC and AC methods, and Corrosion Resistance K. Watashda, R.
P35. Effect of Sr addition on hot tearing in Mg-Al-Ca alloys
P36. Strain rate- and temperature-dependent deformation behavior of AZ80Mg alloy processed by multi-directional forging A.Ako, C.Watanabe, R.Monzen, H.Miura
P37. Structure and aging behavior of T6 treated Al-10%Si-0.3%Mg alloy
P38. Improvement of mechanical properties of porous A6061 alloy with unidirectional pores through ECAE K.Suganuma, T.Hayashida, T.Yuasa, S.Suzuki
P39. Influence of Ca addition on in vitro degradation behavior and mechanical properties of Mg-Ca alloy
P40. Effect of Mn contents on microstructure of Mg-Al alloys cast by permanent mold R.Furui, R.Sasaki, S.Saikawa, K.Terayama, S.Ikeno, S.Takeda, S.Orii, E.Yanagihara
P41. Influence of grain structure on impact fracture toughness of AZ31 magnesium alloy T.Kawa, N.Ikeo, T.Mukai
P42. The relationship between shapememory properties and microstructure in a Cu-Zn-Al alloy S.Nobu, A.Yamaguchi, M.Takeda
5.Noou, A.1 alliaguelli, W.1 akeua