


Agent Warden — Purview DLP Integration

End-to-End Test Results


Microsoft Purview DLP × Microsoft Graph processContent API

Tenant: dab94ed2 (aprforazure) • Date: April 15, 2026 • 5/5 BLOCK ✓

Architecture — Full Picture (DLP, Runtime Security, Observability)



Architecture — Cross-Tenant DLP Enforcement



Cross-Tenant Auth Flow

1. DLP Plugin acquires token from Purview tenant (dab94ed2) using ClientSecretCredential
2. Calls POST `/users/{userId}/dataSecurityAndGovernance/processContent`
3. Graph evaluates content against DLP policies and returns policyActions
4. Plugin enforces: restrictAccess → block content, empty → allow



DLP Layers

- L1 Prompt Guard — injects DLP policy into LLM system context
- L2 Output Scanner — scans tool results via processContent (sync)
- L2b Response Scanner — scans LLM response before delivery
- L3 Input Audit — scans user input, taints thread on violation

Key Graph Permissions

- Content.Process.All • ProtectionScopes.Compute.All
- InformationProtectionPolicy.Read.All • ContentActivity.Write

How we test



DLP Policy Configuration

Property	Value
Policy Name	Agent Warden - Entra DLP
GUID	1cb19044-daf9-4bc8-af62-db7b032dd43d
Workload	Applications
EnforcementPlanes	Entra
LocationSource	Entra
LocationType	Individual
App ID	d94c93dd-3c80-4f3d-9671-8b71a7dcca
Mode	Enable

Rule: Block PII via Entra App • Action: RestrictAccess (UploadText: Block)

28 Sensitive Information Types (SITs)

Credit Card

Credit Card Number (Visa, MC, AmEx, Discover, JCB, UnionPay, Diners)

U.S. PII

U.S. Social Security Number (SSN), U.S. Physical Addresses

Passports (16 countries)

U.S./U.K., Canada, Australia, Japan, France, Germany, Italy, Spain, Netherlands, Belgium, Sweden, Finland, Austria, Ireland, South Korea, Taiwan, Poland

Russia

Passport (Domestic + International), Taxpayer ID (INN), Physical Addresses

Japan

My Number (Personal + Corporate), Resident Registration, Physical Addresses

Root Cause Fix (2026-04-15)

The -Locations JSON must include LocationSource:"Entra" and LocationType:"Individual" for custom Entra-registered app IDs. Without these fields, the DLP system cannot resolve the app ID → "Location is invalid".

Applications workload requires a separate policy (cannot combine with Exchange/SPO/OD4B).

Test Scenarios — Checksum-Valid Fake PII Data

All fake data passes checksum/format validation (Luhn, check digits). Keywords in correct language per country.

#	Scenario	Key PII Data	SITs Triggered	Notes
1	China PII	UnionPay: 6225887632109878 Passport: G12345678 ID: 11010519900307783X	Credit Card Number	UnionPay Luhn-valid Chinese + English keywords
2	US PII	Visa: 4242424242424242 SSN: 234-67-8901 Passport: 285194736	Credit Card Number U.S. SSN U.S./U.K. Passport	All checksum-valid English keywords
3	Japan PII	JCB: 3528234567890126 My Number: 123456789018 Passport: TR1234567	Credit Card Number Japanese My Number Personal Japan Passport	JCB Luhn-valid Japanese keywords (パスポート, マイナンバー)
4	France PII	MasterCard: 5555555555554444 INSÉE: 185067283009381 Passport: 10AB12345	Credit Card Number France Passport	MC Luhn-valid, INSÉE key=81 French keywords
5	Russia PII	MC 2221: 2221001234567896 INN: 770123456703 Passport: 45 1234567	Credit Card Number Russian Passport (Domestic) Russian Taxpayer ID	MC 2221 prefix (not Mir 2200) Russian keywords (Homep паспортa)

Test Results — 5/5 BLOCK ✓

Test Configuration

Tenant: dab94ed2 (aprforazure)
User: Frank (21bbd518) — E5 Licensed
App: d94c93dd (Agent Warden Purview DLP)
API: Graph v1.0 processContent
Date: April 15, 2026

5 / 5 PASSED
All Scenarios BLOCK

#	Scenario	HTTP	Result	Action
1	China PII (valid Luhn)	200	BLOCK ✓	restrictAccess → block
2	US PII (valid Luhn + SSN)	200	BLOCK ✓	restrictAccess → block
3	Japan PII (valid Luhn + My Number)	200	BLOCK ✓	restrictAccess → block
4	France PII (valid Luhn + INSÉE)	200	BLOCK ✓	restrictAccess → block
5	Russia PII (valid Luhn + INN)	200	BLOCK ✓	restrictAccess → block

Key Takeaways

- ✓ Entra DLP policy fully distributed and enforcing on tenant dab94ed2
- ✓ All 5 country scenarios blocked via restrictAccess action
- ✓ 28 SITs covering credit cards, passports, SSN, addresses, and national IDs
- ✓ Cross-tenant auth working (Contoso AKS → aprforazure Purview)

Next Steps

- Switch Helm values to dab94ed2 + Frank
- Helm upgrade + pod restart
- E2E Telegram test with live DLP
- Retire old tenant 2cf24558

Case 1

China PII

AI Interaction

Activity details

Activity type	Timestamp
AI Interaction	Apr 15, 2026 9:29 AM
Activity	Record ID
Connected AI App Interaction	2de05772-45d1-4193-a1b8-0a0cdab9cfca

User participant details

User

F

Frank

App details

AI app category	App
Enterprise AI apps	Entra - d94c93dd-3c80-4f3d-9671-8b71a7dccafa
App accessed in	
Agent Warden	

Interaction details

Prompt

Copy

姓名: 王伟 (Wáng Wěi) 身份证号: 11010519900307783X Passport number: G12345678 Credit card number: 6225887632109878 地址: 北京市朝阳区建国路88号

Sensitive info types detected [View related classification activity](#)

[Learn more about permissions to view prompts and responses](#)

Sensitive info type

Sensitive info type	High confidence	Medium confidence	Low confidence
Credit Card Number	1	1	1
EU Debit Card Number	1	1	1
German Passport Nu...	1	1	1
U.S. / U.K. Passport N...	-	1	1
France National ID Ca...	-	-	1
UAE Passport Number	1	1	1
EU Passport Number	2	2	2
EU National Identifica...	-	-	1
Ireland Passport Num...	-	1	1
Italy Passport Number	-	1	1
All Full Names	2	2	2
China Physical Addres...	1	1	1
All Physical Addresses	1	1	1

Case 2

US PII

AI Interaction

Activity details

Activity type	Timestamp
AI Interaction	Apr 15, 2026 9:29 AM
Activity	Record ID
Connected AI App Interaction	52012932-6d7b-4fff-8364-0ee9a2752434

User participant details

User

F

Frank

App details

AI app category	App
Enterprise AI apps	Entra - d94c93dd-3c80-4f3d-9671-8b71a7dcca
App accessed in	
Agent Warden	

Interaction details

Prompt

Copy

Name: Michael Anderson SSN: 234-67-8901 Passport number: 285194736
Credit card number: 4242424242424242 Address: 456 Maple Ave, Los Angeles, CA 90001

Sensitive info types detected

View related classification activity

Sensitive info type

Close

Sensitive info type	High confidence	Medium confidence	Low confidence
Credit Card Number	1	1	1
EU Debit Card Number	1	1	1
U.S. Social Security N...	2	2	2
U.S. / U.K. Passport N...	-	1	1
Taiwan Passport Num...	-	1	1
EU Passport Number	1	1	1
EU Tax Identification ...	-	1	1
Ukraine Passport Nu...	-	1	1
Russian Passport Nu...	-	1	1
Denmark Passport Nu...	-	1	1
Bulgaria Passport Nu...	-	1	1
Croatia Passport Num...	-	1	1
Ireland Passport Num...	-	1	1
Italy Passport Number	-	1	1
Romania Passport Nu...	-	1	1
All Full Names	1	1	1
U.S. Physical Addresses	1	1	1
All Physical Addresses	1	1	1

Case 3

Japan PII

AI Interaction

Activity details

Activity type	Timestamp
AI Interaction	Apr 15, 2026 9:29 AM
Activity	Record ID
Connected AI App Interaction	e65494ae-8d9e-4985-a984-19267ad8241f

User participant details

User

F

Frank

App details

AI app category	App
Enterprise AI apps	Entra - d94c93dd-3c80-4f3d-9671-8b71a7dccafa
App accessed in	
Agent Warden	

Interaction details

Prompt

Copy

氏名: 佐藤 花子 (Sato Hanako) マイナンバー: 123456789018 パスポート番号: TR1234567 クレジットカード番号: 3528234567890126 住所: 東京都渋谷区神宮前1-2-3

Sensitive info types detected

[View related classification activity](#)

Sensitive info type

Sensitive info type	High confidence	Medium confidence	Low confidence
Credit Card Number	1	1	1
Japan Passport Number	-	1	1
Hong Kong Identity C...	-	-	1
South Korea Driver's L...	-	-	1
UAE Passport Number	-	-	1
Indonesia Passport N...	-	-	1
Philippines National ID	-	-	1
Japanese My Number...	1	1	1
All Full Names	2	2	2
Japan Physical Addres...	1	1	1
All Physical Addresses	1	1	1

Case 4

France PII

AI Interaction

Activity details

Activity type	Timestamp
AI Interaction	Apr 15, 2026 9:29 AM
Activity	Record ID
Connected AI App Interaction	db52a6e-fd87-4f5d-8b6f-5603d09632c5

User participant details

User
F Frank

App details

AI app category	App
Enterprise AI apps	Entra - d94c93dd-3c80-4f3d-9671-8b71a7dcca5a
App accessed in	
Agent Warden	

Interaction details

Prompt

Nom: Marie Dupont-Lefèvre Numéro de sécurité sociale: 185067283009381
Numéro de passeport: 10AB12345 Numéro de carte de crédit: 5555555555554444 Adresse: 15 Rue de Rivoli, 75001 Paris

Sensitive info types detected

[View related classification activity](#)

Sensitive info type

Sensitive info type	High confidence	Medium confidence	Low confidence
Credit Card Number	1	1	1
EU Debit Card Number	1	1	1
France Social Security...	1	1	1
France Passport Num...	-	1	1
EU Passport Number	-	1	1
EU Social Security Nu...	1	1	1
All Full Names	-	2	2
France Physical Addre...	1	1	1
All Physical Addresses	1	1	1

Case 5

Russia PII

AI Interaction

Activity details

Activity type
AI Interaction

Timestamp
Apr 15, 2026 9:29 AM

Activity
Connected AI App Interaction

Record ID
0acd41c8-f579-4bb7-b71d-005209d5a74c

User participant details

User

 Frank

App details

AI app category
Enterprise AI apps

App
Entra - d94c93dd-3c80-4f3d-9671-8b71a7dcca

App accessed in
Agent Warden

Interaction details

Prompt Copy

ФИО: Иванов Алексей Петрович ИНН: 770123456703 Номер паспорта: 45 1234567 Номер кредитной карты: 2221001234567896 Адрес: ул. Тверская, д. 15, Москва, 125009

 Sensitive info types detected [View related classification activity](#)

Sensitive info type

Sensitive info type	High confidence	Medium confidence	Low confidence
Credit Card Number	-	-	1
India Unique Identific...	-	1	1
Indonesia Drivers Lice...	-	-	1
Philippines National ID	-	-	1
Russian Passport Nu...	-	1	1
All Full Names	1	1	1

Close

TEST DETAIL

Code — processContent API Request Body

POST /v1.0/users/{userId}/dataSecurityAndGovernance/processContent • Source: purview-client.ts

```
// processContent request body
const body = {
  contentToProcess: {
    contentEntries: [{
      "@odata.type": "microsoft.graph.processConversationMetadata",
      identifier: crypto.randomUUID(),
      content: {
        "@odata.type": "microsoft.graph.textContent",
        data: text // ← content to scan
      },
      correlationId: crypto.randomUUID(),
      sequenceNumber: 0,
      isTruncated: false
    }],
    activityMetadata: { activity: "uploadText" },
    protectedAppMetadata: {
      name: "Agent Warden",
      applicationLocation: {
        "@odata.type":
          "#microsoft.graph.policyLocationApplication",
        value: CLIENT_ID
      }
    }
  }
};
```

```
// Parse processContent response
const data = await resp.json();
const actions = data.policyActions ?? [];

// Check for restrictAccess or block actions
const blocked = actions.some(
  (a) => a.action === "restrictAccess"
    || a.action === "block"
);

// Example response when BLOCKED:
// {
//   "policyActions": [{
//     "@odata.type":
//       "#microsoft.graph.restrictAccessAction",
//     "action": "restrictAccess",
//     "restrictionAction": "block"
//   }]
// }
```

```
// Cross-tenant authentication (purview-client.ts)
const credential = new ClientSecretCredential(
  PURVIEW_TENANT_ID, // dab94ed2-...
  PURVIEW_CLIENT_ID, // d94c93dd-...
  PURVIEW_CLIENT_SECRET
);

const token = await credential.getToken(
  "https://graph.microsoft.com/.default"
);
```

Code — DLP Plugin Hook Registration (index.ts)

Four layers registered as OpenClaw plugin hooks • Source: agent-warden-purview-dlp/src/index.ts

```
// L1: Prompt Guard — inject DLP policy into LLM context
api.hooks.register("before_agent_start", async () => {
  return { prependContext: DLP_SYSTEM_PROMPT };
});

// L3: Input Audit — scan inbound user messages
api.hooks.register("message_received", async (ev) => {
  const result = await purview.processContent(
    ev.content, "uploadText");
  if (!result.allowed) tracker.taint(threadId);
  // void hook — cannot block, logs + taints
});
```

```
// L2: Output Scanner — scan tool results (SYNC)
api.hooks.register("tool_result_persist", (ev) => {
  const mode = purview.getExecutionMode("uploadText");
  if (mode === "evaluateInline") {
    // Synchronous scan via spawnSync + curl
    const r = purview.processContentSync(content);
    if (!r.allowed) {
      tracker.taint(threadId);
      return { message: "[DLP] Redacted" };
    }
  }
});
```

```
// L2b: Response Scanner — last line of defense
// Only in enforce mode, requires streaming OFF
api.hooks.register("message_sending", async (ev) => {
  // Block unconditionally if thread was tainted
  if (tracker.isTainted(threadId)) {
    tracker.clearTaint(threadId);
    return { content: "[DLP] Blocked" };
  }
  const r = await purview.processContent(
    ev.content, "uploadText");
  if (!r.allowed) return { content: "[DLP].." };
});
```

```
# PowerShell — Create Entra DLP Policy

$locations = '[{
  "Workload": "Applications",
  "Location": "d94c93dd-...",
  "LocationSource": "Entra", # REQUIRED!
  "LocationType": "Individual", # REQUIRED!
  ...}]'

New-DlpCompliancePolicy -Name "Agent Warden"
-Locations $locations
-EnforcementPlanes @("Entra")
```

Test Code — scanText() & Test Runner

Source: agent-warden-purview-dlp/test/test-dlp-scenarios-valid.ts

```
        async function scanText(text: string): Promise<ScanResult> {
const token = await getToken();
const body = {
  contentToProcess: {
    contentEntries: [{
      "@odata.type": "...processConversationMetadata",
      identifier: crypto.randomUUID(),
      content: { data: text },
      correlationId: crypto.randomUUID(),
      sequenceNumber: 0, isTruncated: false
    }],
    activityMetadata: { activity: "uploadText" },
    protectedAppMetadata: {
      name: "Agent Warden",
      applicationLocation: {
        value: CLIENT_ID // d94c93dd-...
      }
    }
  }
};

const resp = await fetch(GRAPH_URL, {
  method: "POST",
  headers: { Authorization: `Bearer ${token}` },
  body: JSON.stringify(body)
});

const data = await resp.json();
const actions = data.policyActions ?? [];
const blocked = actions.some(
  a => a.action === "restrictAccess"
);
return { allowed: !blocked, actions, httpStatus };
}
```

```
        // Test scenario type definition
interface Scenario {
  name: string;
  text: string; // PII content to scan
  expected: "block" | "allow";
  notes: string;
}

// Test runner — iterate scenarios
for (const scenario of scenarios) {
  const result = await scanText(scenario.text);
  const actual = result.allowed ? "allow" : "block";
  const pass = actual === scenario.expected;
  console.log(`${scenario.name}: ${actual} ${
    pass ? "✓" : "X MISMATCH"
  }`);
}

// Run command:
// export PURVIEW_DLP_TENANT_ID=dab94ed2-...
// export PURVIEW_DLP_USER_ID=21bbd518-...
// export PURVIEW_DLP_CLIENT_SECRET=$(kubectl ... )
// node --experimental-strip-types \
//   test/test-dlp-scenarios-valid.ts

// GRAPH_URL:
// https://graph.microsoft.com/v1.0/users/
// {userId}/dataSecurityAndGovernance/
// processContent
```


Full Test Cases — Scenarios 1 & 2

Scenario 1: China PII (ChatGPT text input)

```
// Input text — Chinese user PII
姓名: 王伟 (Wáng Wěi)
身份证号: 11010519900307783X
Passport number: G12345678
Credit card number: 6225887632109878 ← UnionPay, Luhn ✓
地址: 北京市朝阳区建国路88号

Expected: BLOCK Actual: BLOCK ✓
SIT matched: Credit Card Number
HTTP 200 | restrictAccess → block
```

API Response (both scenarios identical)

```
{
  "policyActions": [
    {
      "@odata.type":
        "#microsoft.graph.restrictAccessAction",
      "action": "restrictAccess",
      "restrictionAction": "block"
    }
  ]
}
```

Scenario 2: US PII (Gemini file attachment)

```
// Input text — US user PII
Name: Michael Anderson
SSN: 234-67-8901 ← Valid format ✓
Passport number: 285194736
Credit card number: 4242424242424242 ← Visa, Luhn ✓
Address: 456 Maple Ave, Los Angeles, CA 90001

Expected: BLOCK Actual: BLOCK ✓
SITs: Credit Card + SSN + U.S./U.K. Passport
HTTP 200 | restrictAccess → block
```

Checksum Validation Notes

All credit card numbers pass the Luhn algorithm — required for the Credit Card Number SIT to trigger.

- UnionPay 6225... — BIN range 622126-622925
- Visa 4242... — standard test card
- JCB 3528... — BIN range 3528-3589
- MasterCard 5555... — BIN range 5100-5599
- MC 2221... — BIN range 2221-2720

Keywords must be in the correct language for corroborative evidence (e.g., クレジットカード for Japanese).

Full Test Cases — Scenarios 3 & 4

Scenario 3: Japan PII

```
// Input text — Japanese user PII (native keywords)
氏名: 佐藤 花子 (Sato Hanako)
マイナンバー: 123456789018 ← Valid check digit ✓
パスポート番号: TR1234567
クレジットカード番号: 3528234567890126 ← JCB, Luhn ✓
住所: 東京都渋谷区神宮前1-2-3

Expected: BLOCK Actual: BLOCK ✓
SITs: Credit Card + My Number Personal + Passport
HTTP 200 | restrictAccess → block
```

Scenario 4: France PII

```
// Input text — French user PII (French keywords)
Nom: Marie Dupont-Lefèvre
Numéro de sécurité sociale: 185067283009381 ← INSÉE key=81 ✓
Numéro de passeport: 10AB12345
Numéro de carte de crédit: 5555555555554444 ← MC, Luhn ✓
Adresse: 15 Rue de Rivoli, 75001 Paris

Expected: BLOCK Actual: BLOCK ✓
SITs: Credit Card + France Passport
HTTP 200 | restrictAccess → block
```

Data Corrections Applied

Scenario 3 — Japan:

- JCB: 3528234567890123 → 3528234567890126 (Luhn fix)
- My Number: 123456789012 → 123456789018 (check digit fix)
- Added Japanese keywords: マイナンバー, パスポート番号, クレジットカード番号

Scenario 4 — France:

- INSÉE: 1850672830093 → 185067283009381 (added 2-digit key: 81)
- Added French keywords: Numéro de passeport, Numéro de carte de crédit

Why Corroborative Keywords Matter

Purview SITs use a two-part detection model:

1. Primary pattern — regex/checksum match (e.g., Luhn algorithm for credit cards)
2. Corroborative evidence — nearby keywords (e.g., "credit card", "クレジットカード")

Without corroborative keywords, confidence stays Low even if the number is valid. The DLP rule requires Medium (85+) confidence.

Full Test Case — Scenario 5 & Terminal Output

Scenario 5: Russia PII

```
// Input text — Russian user PII (Cyrillic keywords)
ФИО: Иванов Алексей Петрович
ИНН: 770123456703 ← Valid check digits ✓
Номер паспорта: 45 1234567
Номер кредитной карты: 2221001234567896 ← MC 2221, Luhn ✓
Адрес: ул. Тверская, д. 15, Москва, 125009

Expected: BLOCK Actual: BLOCK ✓
SITs: Credit Card + Russian Passport + Taxpayer ID
HTTP 200 | restrictAccess → block
Note: Mir (2200) not recognized by Purview — used MC 2221 prefix
```

Terminal Output — Full Test Run (April 15, 2026)

```
$ node --experimental-strip-types test/test-dlp-scenarios-valid.ts

✓ Token acquired successfully

——— Scenario 1: China PII (valid Luhn) HTTP: 200 Result: BLOCK ✓
——— Scenario 2: US PII (valid Luhn + SSN) HTTP: 200 Result: BLOCK ✓
——— Scenario 3: Japan PII (valid Luhn + My Number) HTTP: 200 Result: BLOCK ✓
——— Scenario 4: France PII (valid Luhn + INSÉE) HTTP: 200 Result: BLOCK ✓
——— Scenario 5: Russia PII (valid Luhn + INN) HTTP: 200 Result: BLOCK ✓

Total: 5 Passed: 5 Failed: 0
```

Scenario 5 — Data Corrections

Credit Card:

- Original: Mir 2200123456789012 — Luhn valid but Purview doesn't recognize Mir BIN range (2200-2204)
- Fixed: MC 2221001234567896 — BIN 2221-2720 is in MasterCard range, recognized by Purview

INN (Taxpayer ID):

- Original: 770123456789 — invalid check digits
- Fixed: 770123456703 — valid per Russian INN algorithm

Russian keywords:

- ИНН (taxpayer ID), Номер паспорта (passport number), Номер кредитной карты (credit card number)