

Product data specification

Use this guide to format your product information for Merchant Center. Google uses this data to match your products to the right queries, and as a foundational input to help optimize and enhance the content of the ads being served in our AI powered formats and experiences. Providing accurate and correctly formatted product data is essential for creating successful ads and free listings, and for preventing product disapprovals or display issues.

Incorrect, inaccurate, or missing product information can cause disapprovals, limited eligibility, incorrect displays for your products, or other [Issues in Merchant Center](#). Common problems include, incorrect google product category [`google_product_category`] or gtin [`gtin`] attribute values, missing or incorrect variant attributes (such as item group id [`item_group_id`], color [`color`] or size [`size`]), low-quality images, or conflicting data between your feed and website. These issues can prevent your ads and free listings from showing on Google.



Fix Missing Attributes in Google Me

Google Ads



Watch on

To view subtitles in your language, [turn on YouTube captions](#). Select the **Settings** icon  at the top right corner of the video player, select **Captions**, and then specify your language.

Note: In the Issue Details Page (IDP) of your Merchant Center account, you can view all the diagnostic information for any issues affecting your products. It will allow you to more easily identify, understand, and resolve issues. Learn more [About the Issue Details Page](#).

On this page

- [Before you begin](#)
- [Definitions](#)

Product data attributes:

- [Basic product data](#)
 - [Price and availability](#)
 - [Product category](#)
 - [Product identifiers](#)
 - [Detailed product description](#)
 - [Shopping campaigns and other configurations](#)
 - [Marketplaces](#)
 - [Destinations](#)
 - [Shipping and returns](#)
-

Before you begin

Other requirements

Formatting your product data

Definitions

- **Product:** This is the actual product that potential customers search for on Google.
- **Item:** This is a product that has been added to your product data, either in a text feed, XML feed, or API. For example, an item is one line in your text feed.
- **Variant:** These are specific versions of a product that comes in different variations. For example, a shirt that comes in different sizes has size variants.

 **Required:** Submit this attribute. If you don't, your product won't be able to serve in ads and free listings.

 **It depends:** You may or may not need to submit this attribute depending on the product or the countries in which your products show.

 **Optional:** You can submit this attribute if you want to help boost your product's performance.

Basic product data

The product information you submit using these attributes is the foundation for creating successful ads and free listings for your products. Make sure everything you submit is of the quality you'd show to a customer.

Label assets that are AI edited or created

AI regulations in the European Union, India, and New York require that ads with certain AI-generated or edited assets include disclosures and/or labels that inform consumers that the ads were made with AI.

Add labels directly to your creatives or use the AI label setting in Google Ads, Display & Video 360, Campaign Manager 360, Merchant Center, and Ads Editor to add AI labels to your creatives. Learn more about how to [Use AI content label settings to label your ads](#).

Notes

- These labels will not be in violation of [Google policies prohibiting text overlays](#) and watermarks.
- Use of the AI label setting in Google’s advertising products doesn't guarantee your compliance with specific regulations. Seek legal guidance and take measures as needed to [ensure your ads and assets follow all local legal obligations and policies](#)

Attribute and format	Minimum requirements at a glance
ID [id]  Required Your product’s unique identifier. Learn more about the ID [id] attribute. Example A2B4 Syntax Max 50 characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Use a unique value for each product. • Use the product's SKU where possible. • Keep the ID the same when updating your data. • Use only valid unicode characters. • Use the same ID for the same product across countries or languages.
Title [title]	• Use one of the title [title] and structured title [structured_title] attributes to clearly identify the product you are selling.

9/29/26, 1:19 PM Product data specification - Google Merchant Center Help or Structured title [structured_title]  Required Your product's name. Learn more about the Title [title] and Structured title [structured_title] attribute. Example (Title [title]): Mens Pique Polo Shirt Example (Structured title [structured_title]): trained_algorithmic_media:"Stride & Conquer: Original Google Men's Blue & Orange Power Shoes (Size 8)" Syntax Title [title]: Plain text. Max 150 characters Structured title [structured_title]: 2 sub-attributes: Digital source type [digital_source_type] (Optional): This sub-attribute supports 2 values: • Default [default]: Specifies that the title provided using the content [content] sub-attribute was not created using generative AI. • Trained algorithmic media [trained_algorithmic_media]. Specifies that the title provided using the content [content] sub-attribute was created using Generative AI. If no value is specified, the Default [default] value is used. Content [content] (Required): The title text. Max 150 characters. Schema.org property: Title [title]: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central) Structured title [structured_title]: No	• For titles created using generative AI, use the structured title [structured_title] attribute, otherwise use the title [title] attribute. • Accurately describe your product and match the title from your landing page. • Don't include promotional text like "free shipping", all capital letters, or gimmicky foreign characters. For variants: • Include distinguishing features such as color or size. For mobile devices: • Include "with contract" if sold with a contract. • For the United States, include "with payment plan" if sold in installments. For Russia: • For books and other information products, include the age rating at the beginning of the title.
Description [description]	• Use one of the description [description] and structured

or

Structured description

[structured_description]

 Required

Your product's description. Learn more about [Description](#) [description].

and [Structured description](#) [structured_description] attribute.

Example (description [description]): Made from 100% organic cotton, this classic red men's polo has a slim fit and signature logo embroidered on the left chest. Machine wash cold; imported.

Example (structured description [structured_description]):

trained_algorithmic_media:"Transform your TV with the effortless power of Google Chromecast. This sleek device discreetly connects to your television, unlocking a world of wireless streaming and mirroring possibilities. From movies and TV shows to photos and presentations, cast your favorite content directly to the big screen with its integrated HDMI connector."

Syntax

Description [description]: Plain Text. Max 5000 characters

Structured description [structured_description]: 2 sub-attributes:

- **Digital source type [digital_source_type]** (Optional): This sub-attribute supports 2 values:
 - **Default [default]:** Specifies that the title provided using the content [content] sub-attribute was not created using generative AI.
 - **Trained algorithmic media [trained_algorithmic_media]:** Specifies that the title provided using the content [content] sub-attribute was created using Generative AI.

description [structured_description] attributes to accurately describe your product and match the description from your landing page.

- For descriptions created using generative AI, use the structured description [structured_description] attribute, otherwise use the description [description] attribute.
- Don't include promotional text like "free shipping," all capital letters, or gimmicky foreign characters.
- Include only information about the product. Don't include links to your store, sales information, details about competitors, other products, or accessories.
- Use formatting (for example, line breaks, lists, or italics) to format your description.

If no value is specified, the Default <code>[default]</code> value is used. Content <code>[content]</code> (Required): The description text. Max 5000 characters Schema.org property: Description <code>[description]</code>: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central) Structured description <code>[structured_description]</code>: No	
Link <code>[link]</code>  Required Your product's landing page. Learn more about the Link <code>[link]</code> attribute. Example <code>http://www.example.com/asp/sp.asp?cat=12&id=1030</code> Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Use your verified domain name. • Start with <code>http</code> or <code>https</code>. • Use an encoded URL that complies with RFC 2396 or RFC 1738. • Don't link to an interstitial page unless legally required.

Image link [[image_link](#)]

! Required

The URL of your product's main image. Learn more about the [Image link \[\[image_link\]\(#\)\]](#) attribute.

Example

[http:// www.example.com/image1.jpg](http://www.example.com/image1.jpg)

Schema.org property: **Yes** (Learn more about [Merchant listing \(Product, Offer\) structured data](#) on Google Search Central)

We recently announced new image size requirements of at least 500 x 500 pixels for all product images. Enforcement of the new requirements will begin January 31, 2027.

For the image URL:


- Link to the main image of your product.
- Start with [http](#) or [https](#).
- Use an encoded URL that complies with RFC 2396 or RFC 1738.
- Make sure the URL can be crawled by Google (robots.txt configuration allowing Googlebot and Googlebot-image).

For the image:

- Accurately display the product.
- Use an accepted format: JPEG (.jpg/.jpeg), WebP (.webp), PNG (.png), non-animated GIF (.gif), BMP (.bmp), and TIFF (.tif/.tiff).
- Don't scale up an image or submit a thumbnail.
- Don't include promotional text, watermarks, or borders.
- Don't submit a placeholder or a generic image.
- All images created using generative AI must contain meta data indicating that the image was AI-generated (for example, the IPTC [DigitalSourceType TrainedAlgorithmicMedia](#) metadata tag). Don't remove embedded metadata tags such as the IPTC [DigitalSourceType](#) property from images created using generative AI tools, for example [Product Studio](#). The following IPTC NewsCodes specify the type of digital source that was used to create the image, and should be preserved:
 - [TrainedAlgorithmicMedia](#) : The image was created using a model derived from sampled content.
 - [CompositeSynthetic](#) : The image is a composite that includes synthetic elements.
 - [AlgorithmicMedia](#) : The image was created purely by an algorithm not based on any sampled training data (for example, an image created by software using a mathematical formula).

Additional image link

[additional_image_link]



Optional

The URL of an additional image for your product. Learn more about the [Additional image link \[additional_image_link\]](#) attribute.

Example

<http://www.example.com/image1.jpg>

Syntax

Max 2000 characters

Schema.org property: No

- Meet the requirements for the image link [\[image_link\]](#) attribute with these exceptions:
 - The image can include product staging and show the product in use.
 - Graphics or illustrations can be included.
- Submit up to 10 additional product images by including this attribute multiple times.
- All images created using generative AI must contain meta data indicating that the image was AI-generated (for example, the IPTC [DigitalSourceType TrainedAlgorithmicMedia](#) metadata tag). Don't remove embedded metadata tags such as the IPTC [DigitalSourceType](#) property from images created using generative AI tools, for example [Product Studio](#). The following IPTC NewsCodes specify the type of digital source that was used to create the image, and should be preserved:
 - [TrainedAlgorithmicMedia](#) : The image was created using a model derived from sampled content.
 - [CompositeSynthetic](#) : The image is a composite that includes synthetic elements.
 - [AlgorithmicMedia](#) : The image was created purely by an algorithm not based on any sampled training data (for example, an image created by software using a mathematical formula).

3D model link [virtual_model_link]



Optional (available only in the US)

Additional link to show a 3D model of your product. Learn more about the [3D model link \[virtual_model_link\]](#) attribute.

Example

<https://www.google.com/products/xyz.glb>

- Use a 3D model. Your file shouldn't exceed 15MB. Textures in the file can be up to 2K (4K isn't supported).
- Provide a valid URL in your product data. The link should point to a .gltf, or .glb file.
- Review your 3D model. You can use [a validation tool](#) to verify if your 3D model works properly.

Syntax • URL (Must start with "http://" or "https://") • Up to 2000 characters	
Mobile link <code>[mobile_link]</code>  Optional Your product's mobile-optimized landing page when you have a different URL for mobile and desktop traffic. Learn more about the Mobile link <code>[mobile_link]</code> attribute. Example <code>http://www.m.example.com/asp/ sp.asp?cat=12 id=1030</code> Syntax Max 2000 alphanumeric characters Schema.org property: No	• Meet the requirements for the link <code>[link]</code> attribute.

Price and availability

These attributes define the price and availability for your products. This information is shown to potential customers in ads and free listings. If your products' prices and availability change often, you'll need to let us know in order to show your products. [Check out these tips for keeping your product information fresh](#)

Attribute and format	Minimum requirements at a glance
Availability <code>[availability]</code>  Required Your product's availability. Learn more about the Availability <code>[availability]</code> attribute. Example <code>in_stock</code> Supported values • In stock <code>[in_stock]</code> • Out of stock <code>[out_of_stock]</code> • Preorder <code>[preorder]</code>	• Accurately submit the product's availability and match the availability from your landing page, checkout pages, and structured data (for example, "<code>in_stock</code>" or "<code>out_of_stock</code>" in your Schema.org markup). • If an item is out of stock, the price must still be clearly visible on the landing page. • Provide the availability date <code>[availability_date]</code> attribute if you submit preorder <code>[preorder]</code> or backorder <code>[backorder]</code> as the availability value.

• Backorder [backorder] Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Availability date [availability_date]  Required if product availability is set to preorder The date a preordered product becomes available for delivery. Learn more about the Availability date [availability_date] attribute. Example (For UTC+1) 2016-02-24T11:07+0100 Syntax • Max 25 alphanumeric characters • ISO 8601 • YYYY-MM-DDThh:mm [+hhmm] • YYYY-MM-DDThh:mmZ Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Use this attribute if your product's availability is set to preorder. Provide a value up to one year in the future. • The availability date should also be added to the product's landing page and be clear to your customers (for example, "May 6, 2023"). • If an exact date can't be provided, you can use an estimated date (for example, "May 2023").
Cost of goods sold [cost_of_goods_sold]  Optional The costs associated with the sale of a particular product as defined by the accounting convention you set up. These costs may include material, labor, freight, or other overhead expenses. By submitting the COGS for your products, you gain insights about other metrics, such as your gross margin and the amount of revenue generated by your ads and free listings. Learn more about the Cost of goods sold [cost_of_goods_sold] attribute. Example 23.00 USD	• The currency must be in the ISO 4217 format. For example, USD for US dollars. • The decimal point must be a period (.). For example, 10.00 USD.

Syntax • ISO 4217 codes • Use '.' rather than ',' to indicate a decimal point • Numeric Schema.org property: No	
Expiration date [expiration_date]  Optional The date that your product should stop showing. Learn more about the Expiration date [expiration_date] attribute. Example (For UTC+1) 2016-07-11T11:07+0100 Syntax • Max 25 alphanumeric characters • ISO 8601 • YYYY-MM-DDThh:mm [+hhmm] • YYYY-MM-DDThh:mmZ Schema.org property: No	• Use a date less than 30 days in the future. • Note that a latency of several hours may occur.
Price [price]  Required Your products price. Learn more about the Price [price] attribute. Example 15.00 USD Syntax • Numeric • ISO 4217 Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Accurately submit the product's price and currency, and match with the price from your landing page, structured data, and at checkout. • Make sure that your landing page and the checkout pages include the price in the currency of the target country in a place that's straightforward to find. For ambiguous currency symbols such as "\$", use explicit symbols (for example, "\$S" for Singapore Dollars, "C\$" for Canadian Dollars) on your landing page. • Ensure that the product can be purchased online for the submitted price. • Make sure that any customer can buy the product for the submitted price, without having to sign up for a membership program (free or paid).

- If you are targeting a combination of supported and non-supported regions for loyalty programs with a free-to-join tier, [you can choose how to submit these free member prices](#).
- Don't submit a price of 0 (a price of 0 is allowed for mobile devices sold with a contract and physical goods sold with a subscription only).
- For products sold in bulk quantities, with minimum order quantities, bundles, or multipacks.
 - Submit the total price of the minimum purchasable quantity. This total price should also be prominently displayed on the landing page.
- For the US and Canada:
 - Don't include any taxes, such as sales tax, Goods and Services Tax (GST), value-added tax (VAT), or import tax, in the price [price] attribute.
- For all other countries:
 - Include value added tax (VAT) or Goods and Services Tax (GST) in the price.
- For additional options to submit price-related information, check the following attributes:
 - Unit pricing measure [unit_pricing_measure]
 - Unit pricing base measure [unit_pricing_base_measure]
 - Sale price [sale_price]
 - Subscription cost [subscription_cost]
 - Installment [installment]
 - Loyalty program [loyalty_program]

Sale price [sale_price]



Optional

Your product's sale price. Learn more about the [Sale price \[sale_price\]](#) attribute.

Example

15.00 USD

- Meet the requirements for the price [price] attribute.
- Submit this attribute (sale price) in addition to the price [price] attribute set to the non-sale price.
- Accurately submit the product's sale price, and match the sale price with your landing page and the checkout pages.

Syntax - Numeric - ISO 4217 Schema.org property: Learn more about Merchant listing (sale pricing) structured data on Google Search Central.	Don't use the sale price <code>[sale_price]</code> for loyalty prices requiring membership in a loyalty program, free or paid, in countries where the loyalty program is supported. Instead, use the loyalty_program <code>[loyalty_program]</code> attribute. If you are targeting a combination of supported and non-supported regions for loyalty programs with a free-to-join tier, you can choose how to submit these free member prices.
Sale price effective date <code>[sale_price_effective_date]</code>  Optional The date range during which the sale price applies. Learn more about the Sale price effective date <code>[sale_price_effective_date]</code> attribute. Example (For UTC+1) <code>2016-02-24T11:07+0100 / 2016-02-29T23:07+0100</code> Syntax - Max 51 alphanumeric characters - ISO 8601 <code>YYYY-MM-DDThh:mm [+hhmm]</code> <code>YYYY-MM-DDThh:mmZ</code> - Separate start date and end date with <code>/</code> Schema.org property: No	- Use together with the sale price <code>[sale_price]</code> attribute. - If you don't submit this attribute (sale price effective date), the sale price always applies. - Use a start date before the end date.
Unit pricing measure <code>[unit_pricing_measure]</code>  Optional (except when required by local laws or regulations) The measure and dimension of your product as it is sold. Learn more about the Unit pricing measure <code>[unit_pricing_measure]</code> attribute. Example	- Use the measure or dimension of the product without packaging. - Use a positive number. - For variants: - Include the same value for item_group_id <code>[item_group_id]</code> and different values for unit pricing measure.

1.5kg

Syntax

Numerical value + unit

Supported units

- Weight: oz, lb, mg, g, kg
- Volume US imperial: floz, pt, qt, gal
- Volume metric: ml, cl, l, cbm
- Length: in, ft, yd, cm, m
- Area: sqft, sqm
- Per unit: ct

Schema.org property: Yes (Learn more about [Merchant listing \(Product, Offer\) structured data](#) on Google Search Central)

Unit pricing base measure

[unit_pricing_base_measure]

 Optional (except when required by local laws or regulations)

The product's base measure for pricing (for example, 100ml means the price is calculated based on a 100ml units). Learn more about the [Unit pricing base measure \[unit_pricing_base_measure\]](#) attribute.

Example

100g

Syntax

Integer + unit

Supported integers

1, 10, 100, 2, 4, 8

Supported units

- Weight: oz, lb, mg, g, kg
- Volume US imperial: floz, pt, qt, gal
- Volume metric: ml, cl, l, cbm
- Length: in, ft, yd, cm, m
- Area: sqft, sqm
- Per unit: ct

- Optional when you submit the unit pricing measure [unit_pricing_measure] attribute.
- Use the same unit of measure for this attribute (unit pricing measure) and unit pricing base measure.
- Keep in mind that the price (or sale price, if active) is used to calculate the unit price of the product. For example, if the price [price] attribute is set to 3 USD, unit pricing measure is 150ml, and unit pricing base measure is set to 100ml, then the unit price is 2 USD / 100ml.

Additional supported metric integer + unit combinations

75c1, 750ml, 50kg, 1000kg

Schema.org property: Yes (Learn more about [Merchant listing \(Product, Offer\) structured data](#) on Google Search Central).

Installment [installment]



Optional

Details of an installment payment plan. Learn more about the [Installment \[installment\]](#) attribute.

Note:

- Not available for Display Ads.
- For **Vehicle Ads**: only available in certain European countries.
- For **Shopping Ads and Free listings**: Available in Latin America for all product categories and in certain other countries for showing wireless products and services only.

Example (implies a 199 EUR down payment and a "finance" credit type)

6:30 EUR:199 EUR

Syntax

This attribute uses 4 sub-attributes:

- Months [months] (Required) Integer, the number of installments the buyer has to pay.
- Amount [amount] (Required) ISO 4217, the amount the buyer has to pay per month
- Downpayment [downpayment] (Optional, not available in Latin America) ISO 4217, the amount the buyer has to pay upfront as a one time payment. Note: if you don't submit the sub-attribute, the default value is 0 or "no down payment".
- Credit type [credit_type] (Optional). This sub-attribute uses the following supported values:
 - Finance [finance]

- Match the installment option that's visible on your landing page.
- Don't require a loyalty card.
- Make sure the price [price] attribute is the total price when paid in full up-front and use the installment [installment] attribute to indicate an alternative payment option using installments with an optional initial down payment.

- Lease [\[lease\]](#)

Note: if you don't submit the sub-attribute, the default value is finance [\[finance\]](#). This sub-attribute is only applicable for Vehicle Ads.

Schema.org property: No

Subscription cost

[\[subscription_cost\]](#)



Optional (available only for permitted categories)

For mobile and wireless products details a monthly or annual payment plan that bundles a communications service contract with a wireless product.

For Physical Goods Subscriptions details a weekly, monthly, or annual subscription amount for a range of hard goods and physical products that can be delivered to an address.

Learn more about the [Subscription cost](#) [\[subscription_cost\]](#) attribute.

Note:

- Mobile and wireless subscriptions are available for Shopping ads and free listings in certain countries.
- Physical Goods Subscriptions are available for Shopping ads in the United States on Google Search.

Example

`month:12:35.00USD`

Syntax

- Period [\[period\]](#) (Required) The duration of a single subscription period. This sub-attribute uses the following supported values:
 - Week [\[week\]](#) (Physical Goods Subscriptions only)
 - Month [\[month\]](#)
 - Year [\[year\]](#)

For all products:

- Specify the offer terms of the subscription on your landing page.
- The Google Product Category [\[google_product_category\]](#) attribute must be present.

For mobile and wireless products:

- Include the total amount due at checkout in the price [\[price\]](#) attribute.
- When used in combination with the installment [\[installment\]](#) attribute, also include the total amount due at checkout in the downpayment [\[downpayment\]](#) sub-attribute of the installment [\[installment\]](#) attribute.
- Match the communications payment plan that you display on your landing page. The plan must be easy to find on the landing page.
- This attribute is only supported for mobile products with the following Google product category:
 - Watches (ID: 201)
 - Mobile Phone (ID: 267)
 - Tablet Computers. (ID: 4745)
 - Mobile Phone Prepaid Cards & SIM Cards (ID: 6030)
 - GPS Tracking Devices (ID: 6544)

For Physical Goods Subscriptions:

- The [\[price\]](#) attribute must be present and provided as 0. The price value will be ignored and not shown.
- The [\[sale_price\]](#) attribute, if provided, will be ignored and not shown
- This attribute is only supported for Physical Goods Subscriptions with the following

- Period length `[period_length]` (Required) Integer, the number of subscription periods (weeks, months or years) that the buyer must pay. Must be greater than 0.
- Amount `[amount]` (Required)
- ISO 4217, the amount the buyer must pay per month. When displaying this amount, Google may round up to the nearest whole unit of local currency to save space. The provided value must still exactly match the amount as shown on your site.

Schema.org property: No

Google product category:

- Personal Care (ID: 2915)
- Health Care (ID: 491)
- Home & Garden (ID: 536)
- Pet Supplies (ID: 2)
- Toys (ID: 1253)
- Prepared Foods (ID: 5814)
- Apparel & Accessories (ID: 166)
- Coffee (ID: 1868)
- Alcoholic Beverages (ID: 499676)
- Medicine & Drugs (ID: 518)

Loyalty program `[loyalty_program]`

 Optional (available for Australia, Japan, United Kingdom, Germany, France, Canada, Mexico, Brazil, and the United States only)

The loyalty program `[loyalty_program]` attribute allows setting up of member prices, loyalty points, and loyalty shipping.

Learn more about the [Loyalty program `\[loyalty\_program\]`](#) attribute.

Example

```
my_loyalty_program:silver:10
USD::10::free_member_shipping
```

Syntax

This attribute uses 7 sub-attributes:

- Program label `[program_label]` (Optional for single tier merchants) The loyalty program label set in your loyalty program settings in Merchant Center.
- Tier label `[tier_label]` (Optional for single tier merchants) The tier label set in your program settings in Merchant Center, used to differentiate benefits between each tier.
- Price `[price]` (Optional) The member specific price for the program and tier. This will display alongside the non-member price to give shoppers an idea of the benefits of joining your program. This attribute should be used for free and paid memberships.

- Submit the loyalty program `[loyalty_program]` attribute to match the loyalty program label and tiers configured under your Merchant Center account.
- Ensure member prices are clearly accessible on your website for members, whether through a loyalty overview page, a dedicated event page, or otherwise clearly communicated to members.
- Ensure that member prices match between your product data source, landing page, and checkout.
- Member price for free and paid tiers needs to be submitted via this attribute. Submitting member price using price `[price]` or sale price `[sale_price]` is not allowed in countries where the loyalty program is supported. If you are targeting a combination of supported and non-supported regions for loyalty programs with a free-to-join tier, [you can choose how to submit these free member prices](#).
- If you only have one tier in your loyalty program, you don't need to submit program label `[program_label]` and tier label `[tier_label]`.
- Program label `[program_label]` and tier label `[tier_label]` are case-insensitive.

• Cashback [cashback_for_future_use] (optional): Reserved for future use. • Loyalty points [loyalty_points] (Optional) The points that the members gain on purchasing the product on your website. This needs to be a whole number. • Member price effective date [member_price_effective_date] (Optional): This sub-attribute allows merchants to specify when their member pricing benefit begins and ends. • Shipping label [shipping_label] (Optional): This sub-attribute allows merchants to specify which offers are eligible for loyalty shipping. Choose your own definition for this value. Schema.org property: Yes (Learn more about Merchant listing (Member prices) structured data on Google Search Central)	
Minimum price [auto_pricing_min_price]  Optional The lowest price to which a product's price can be reduced. Google uses this information for features such as sale price suggestions, automated discounts or dynamic promotions. Learn more about the Minimum price [auto_pricing_min_price] attribute. Example 15.00 USD Syntax • Numeric • ISO 4217 Schema.org property: No	• Submit a minimum price [auto_pricing_min_price] attribute. • If you are using the automated discounts or dynamic promotions feature, to specify the minimum price to which your product can be reduced. • If you want to limit sale price suggestions to a minimum price, for example, to comply with local pricing laws or to indicate a MAP (minimum advertised price).
Maximum retail price [maximum_retail_price]  Optional (available only in IN)	Accurately submit the product's maximum retail price and currency, and match with the price from your landing page and at checkout. Make sure that your landing page includes the price in the currency of the target country in a

Your product's price. Learn more about the Maximum retail price <code>[maximum_retail_price]</code> attribute. Example 15.00 INR Syntax - Numeric - ISO 4217 Schema.org property: No	place that's straightforward to find. Don't submit a price of 0 (a price of 0 is allowed for mobile devices sold with a contract). - For the US and Canada: - Don't include tax in the price. - For all other countries: - Include value added tax (VAT) or Goods and Services Tax (GST) in the price.
--	---

Product category

You can use these attributes to organize your advertising campaigns in Google Ads and to override Google's automatic product categorization in specific cases.

Attribute and format	Minimum requirements at a glance
Google product category <code>[google_product_category]</code>  Optional Google-defined product category for your product. Learn more about the Google product category <code>[google_product_category]</code> attribute. Example Apparel & Accessories > Clothing > Outerwear > Coats & Jackets or 371 Syntax Value from the Google product taxonomy - The numerical category ID, or - The full path of the category Supported values Google product taxonomy Schema.org property: No	- Include only one category. - Include the most relevant category. - Include either the full path of the category or the numerical category ID, but not both. It is recommended to use the category ID. - Include a specific category for certain products. - Alcoholic beverages must be submitted to only certain categories. - Mobile devices sold with contract must be submitted as: - Electronics > Communications > Telephony > Mobile Phones (ID: 267) - Apparel & Accessories > Jewelry > Watches (ID: 201) - Electronics > Communications > Telephony > Mobile Phone Accessories > Mobile Phone Pre-Paid Cards & SIM Cards (ID: 6030) - Electronics > GPS Tracking Devices (ID: 6544) - For tablets: Electronics > Computers > Tablet Computers (ID:

Attribute and format	Minimum requirements at a glance
	4745) • Gift Cards must be submitted as Arts & Entertainment > Party & Celebration > Gift Giving > Gift Cards & Certificates (ID: 53) • Physical Goods Subscriptions must be submitted under: • Health & Beauty > Personal Care (ID: 2915) • Health & Beauty > Health Care (ID: 491) • Home & Garden (ID: 536) • Animals & Pet Supplies > Pet Supplies (ID: 2) • Toys & Games > Toys (ID: 1253) • Food, Beverages & Tobacco > Food Items > Prepared Foods(ID: 5814) • Apparel & Accessories (ID: 166) • Food, Beverages & Tobacco > Beverages > Coffee (ID: 1868)
Product type [product_type]  Optional Product category that you define for your product. Learn more about the Product type [product_type] attribute. Example Home > Women > Dresses > Maxi Dresses Syntax Max 750 alphanumeric character Schema.org property: No	• Include the full category. For example, include Home > Women > Dresses > Maxi Dresses instead of just Dresses • Only the first product type value will be used to organize bidding and reporting in Google Ads Shopping campaigns

Product identifiers

These attributes are used to provide product identifiers that define the products you're selling in the global marketplace and can help boost the performance of your ads and free listings.

Attribute and format	Minimum requirements at a glance
Brand [brand] Your product's brand name  Required (For all new products, except movies, books, and musical recording brands)  Optional for all other products Your product's brand name. Learn more about the Brand [brand] attribute. Example Google Syntax Max 70 characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Provide the brand name of the product generally recognized by consumers. • Providing the correct brand for a product will ensure the best user experience and result in the best performance. • Only provide your own brand name as the brand if you manufacture the product or if your product falls into a generic brand category. • For example, you could submit your own brand name as the brand if you sell private-label products or customized jewelry. • For products that truly don't have a brand (for example, a vintage dress without a label, generic electronics accessories, and other examples), leave this field empty. • Don't submit values such as "N/A", "Generic", "No brand", or "Does not exist". • For compatible products: • Submit the GTIN and brand from the manufacturer who actually built the compatible product. • Don't provide the Original Equipment Manufacturer (OEM) brand to indicate that your product is compatible with or a replica of the OEM brand's product.
GTIN [gtin]  It Depends (strongly recommended if available) Your product's Global Trade Item Number (GTIN). Learn more about the GTIN [gtin] attribute. Example 3234567890126 Syntax Max 50 numeric characters (max 14 per value - added spaces and dashes are ignored) Supported values	• Exclude dashes and spaces. • Submit only valid GTINs as defined in the official GS1 validation guide, which includes these requirements: • The checksum digit is present and correct • The GTIN is not restricted (GS1 prefix ranges 02, 04, 2) • The GTIN is not a coupon (GS1 prefix ranges 98 - 99) • Providing the correct GTIN for a product will ensure the best user experience and result in the best performance. Products with a GTIN but submitted without one may have limited visibility. • Only provide a GTIN if you're sure it is correct. When in doubt don't provide this

Attribute and format	Minimum requirements at a glance
• UPC (in North America / GTIN-12) 12-digit number like 323456789012 8-digit UPC-E codes should be converted to 12-digit codes • EAN (in Europe / GTIN-13) 13-digit number like 3001234567892 • JAN (in Japan / GTIN-13) 8 or 13-digit number like 49123456 or 4901234567894 • ISBN (for books) 10 or 13-digit number like 1455582344 or 978-1455582341. If you have both, only include the 13-digit number. ISBN-10 are deprecated and should be converted to ISBN-13 • ITF-14 (for multipacks / GTIN-14) 14-digit number like 10856435001702 Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	attribute (for example, do not guess or make up a value). If you submit a product with an incorrect GTIN value, your product will be disapproved. • For compatible products: • Submit the GTIN and brand from the manufacturer who actually built the compatible product. • Don't provide the Original Equipment Manufacturer (OEM) brand to indicate that your product is compatible with or a replica of the OEM brand's product. • For multipacks: • Use the product identifiers that relates to the multipack. • For bundles: • Use the product identifiers for the main product in the bundle. • If you offer customization, engraving, or other personalization of a product that's been assigned a GTIN by the manufacturer: • Submit the GTIN and use the bundle [is_bundle] attribute to let Google know that the product includes customization.

Attribute and format	Minimum requirements at a glance
MPN [mpn] Your product's Manufacturer Part Number (MPN)  Required (Only if your product does not have a manufacturer assigned GTIN)  Optional for all other products Your product's Manufacturer Part Number (MPN). Learn more about the MPN [mpn] attribute. Example G01234500GLE Syntax Max 70 alphanumeric characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Only submit MPNs assigned by a manufacturer. • Use the most specific MPN possible. • For example, different colors of a product should have different MPNs. • Providing the correct MPN for a product (when required) will ensure the best user experience and result in the best performance. • Only provide an MPN if you're sure it's correct. When in doubt don't provide this attribute (for example, don't guess or make up a value). • If you submit a product with an incorrect MPN value, your product will be disapproved.
Identifier exists [identifier_exists]  Optional Use to indicate whether or not the unique product identifiers (UPIs) GTIN, MPN, and brand are available for your product. Learn more about the Identifier exists [identifier_exists] attribute. Example no Supported values • Yes [yes] Product identifiers are assigned to the new product by the manufacturer • No [no] Product lacks a brand, GTIN, or MPN (view requirements to the right). If set to no, still provide the UPIs you have. Schema.org property: No	• If you don't submit the attribute, the default value is yes. • Your product's category type determines which unique product identifiers (GTIN, MPN, brand) are required. • Submit the identifier exists attribute and set the value to no if: • Your product is a media item and the GTIN is unavailable (Note: ISBN and SBN codes are accepted as GTINs) • Your product is an apparel (clothing) item and the brand is unavailable • In all other categories, your product doesn't have a GTIN, or a combination of MPN and brand • If a product does have unique product identifiers, don't submit this attribute with a value of "no" or the product may be disapproved.

Detailed product description

These attributes are used to provide product identifiers that define the products you're selling in the global marketplace and can help ensure relevance of ad content while boosting the performance of your ads and free listings.

Attribute and format	Minimum requirements at a glance
Adult [adult]  Required(If a product contains adult content) Indicate a product includes sexually suggestive content. Learn more about the Adult [adult] attribute. Example yes Supported values • Yes [yes] • No [no] Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Set the value of this attribute to yes if this individual product contains nudity or sexually suggestive content. If you don't submit the attribute, the default value is no. Learn more about Adult-oriented content • If your website is generally focused on an adult audience and contains adult-oriented content with or without nudity, indicate that in your Merchant Center settings. Find these settings in the "Business details" tab.
Age group [age_group]  Required(For all apparel products that are targeted to people in Brazil, France, Germany, Japan, the UK, and the US as well as all products with assigned age groups)  Required for free listings for all Apparel & Accessories (ID: 166) products  Optional for all other products and target countries The demographic for which your product is intended. Learn more about the Age group [age_group] attribute. Example infant Supported values • Newborn [newborn] 0-3 months old • Infant [infant] 3-12 months old	• Include one value per product. • For variants: • Include the same value across all variants for item group ID [item_group_id] and the same value across all variants for item group title [item_group_title] and different values for age group. • If age group is a variant-identifying property, then we recommend you provide it using both the variant option [variant_option] attribute and the age group [age_group] attribute.

• Toddler [toddler] 1-5 years old • Kids [kids] 5-13 years old • Adult [adult] Teens or older Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Bundle [is_bundle]  Required(For bundles in Australia, Brazil, Czechia, France, Germany, Italy, Japan, Netherlands, Spain, Switzerland, the UK and the US)  Required for free listings on Google if you've created a bundle containing a main product  Optional for all other products and target countries Indicates a product is a merchant-defined custom group of different products featuring one main product. Learn more about the Bundle [is_bundle] attribute. Example yes Supported values • Yes [yes] • No [no] Schema.org property: No	• Submit yes if you're selling a custom bundle of different products that you created, and the bundle includes a main product (for example, a camera combined with a lens and bag). If you don't submit the attribute, the default value is no. • Don't use this attribute for bundles without a clear main product (for example, a gift basket containing cheese and crackers).
Certification [certification]  Required for products that require certain certification information to be shown in your Shopping ads or free listings, for example due to local energy efficiency labeling regulations  Optional for all other products Certifications, such as energy efficiency ratings, associated with your product. Available for the EU and EFTA countries and the UK. Certification [certification].	Consult EU energy efficiency regulations or any applicable local law to determine if you need to provide this attribute. This includes products covered by EU energy labels , for example: • Domestic ovens • Electronic displays such as televisions and other external monitors • Fridges and freezers • Household dishwashers • Household tumble dryers (rescaled as of July 1, 2025)

Note: Starting April 2025, for products targeting countries in the European Union and that are required to show graphical energy efficiency class labels, use the [certification](#) [\[certification\]](#) attribute, which references the necessary graphical energy efficiency source data through the EU [EPREL](#) database. The [energy_efficiency_class](#) [\[energy_efficiency_class\]](#) attributes are now only available for products that target Switzerland, Norway, or the United Kingdom.

Example

EC:EPREL:123456

Syntax

This attribute uses the following sub-attributes:

- Authority [\[certification_authority\]](#) Certification authority. Only "EC" or "European_Commission" supported.
- Name [\[certification_name\]](#) Name of the certification. Only "EPREL" supported.
- Code [\[certification_code\]](#) Code of the certification. For example, for the EPREL certificate with the link <https://eprel.ec.europa.eu/screen/product/dishwashers2019/123456> the code is 123456

Schema.org property: No

- Household washing machines and washer-dryers
- Light sources
- Range hoods
- Refrigerating appliances with a direct-sales function
- Smartphones and tablets (starting June 20, 2025)
- Solid fuel boilers
- Space heaters
- Tyres
- Ventilation units
- Water heaters

Gender [\[gender\]](#)

 **Required**(Required for all apparel items that are targeted to people in Brazil, France, Germany, Japan, the UK, and the US as well as all gender-specific products)

 **Required** for free listings for all Google [Apparel & Accessories](#) (ID: 166) products

 **Optional** for all other products and target countries

The gender for which your product is intended.

Learn more about the [Gender](#) [\[gender\]](#) attribute.

Example

- For some [Apparel & Accessories](#) (ID:166) categories like [Shoelaces](#) (ID:1856), this attribute is recommended instead of required since these categories aren't dependent on gender.
- For variants:
 - Include the same value across all variants for item group ID [\[item_group_id\]](#) and the same value across all variants for item group title [\[item_group_title\]](#) and different values for gender.
 - If gender is a variant-identifying property, then we recommend you provide it using both the variant

Unisex Supported values • Male [male] • Female [female] • Unisex [unisex] Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	option [variant_option] attribute and the gender [gender] attribute.
Color [color]  Required(For all apparel products that are targeted to Brazil, France, Germany, Japan, the UK, and the US as well as all products available in different colors)  Required for free listings for all Apparel & Accessories (ID: 166) products  Optional for all other products and target countries Your product's color(s). Learn more about the Color [color] attribute. Example Black Syntax Max 100 alphanumeric characters (max 40 characters per color) Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Don't use a number such as "0", "2", or "4". • Don't use characters that aren't alphanumeric such as "#fff000". • Don't use only one letter such as R. (For Chinese, Japanese, or Korean languages, you can include a single character such as 紅.) • Don't reference the product or image such as "see image". • Don't combine several color names into one word, such as "RedPinkBlue". Instead, separate them with a /, such as "Red/Pink/Blue". Don't use a value that isn't a color, such as "multicolor", "various", "variety", "men's", "women's", or "N/A". • If your product features multiple colors, list the primary color first. • For variants: • Include the same value across all variants for item group ID [item_group_id] and the same value across all variants for item group title [item_group_title] and different values for color [color]. • If color is a variant-identifying property, then we recommend you provide it using both the variant option [variant_option] attribute and the color [color] attribute.

Condition [condition]  Required if your product is used or refurbished  Optional for new products The condition of your product at time of sale. Learn more about the Condition [condition] attribute. Example new Supported values • New [new] Brand new, original, unopened packaging • Refurbished [refurbished] Professionally restored to working order, comes with a warranty, may or may not have the original packaging • Used [used] Previously used, original packaging opened or missing Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Document link [document_link]  Optional The URL to a PDF document about your product. Learn more about the Document link [document_link] attribute. Example https://example.com/manual.pdf Syntax URL (Must start with "http://" or "https://") Max 5 values Up to 2000 characters Schema.org property: No	For the URL: • All document links must be a URL to a valid PDF file, starting with "http://" or "https://". • Replace any special characters with their URL-encoded equivalents. For example, replace commas with %2C. Refer to a URL encoding reference for a complete list. Ownership: • Merchants must own the content licensing rights for marketing purposes.
Energy efficiency class [energy_efficiency_class]	• Include the legally required energy class. • To be used in combination with minimum energy efficiency class [min_energy_efficiency_class] and

9/29/26, 1:19 PM Product data specification - Google Merchant Center Help  Optional(except when required by local law or regulations) Your product’s energy efficiency class. Only available for products that target Switzerland, Norway, or the United Kingdom. Learn more about the Energy efficiency class <code>[energy_efficiency_class]</code> attribute. Note: Starting April 2025, the energy efficiency class <code>[energy_efficiency_class]</code> attributes are only available for products that target Switzerland, Norway, or the United Kingdom and are not sold in the EU. For products targeting countries in the European Union and are required to show the graphical energy efficiency class, use the certification <code>[certification]</code> attribute, which references the necessary graphical energy efficiency source data from the EU through the EPREL database. Example A+ Supported values • A+++ • A++ • A+ • A • B • C • D • E • F • G Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	maximum energy efficiency class <code>[max_energy_efficiency_class]</code> to create an energy efficiency label, for example, A+ (A+++ to G).
Item group ID <code>[item_group_id]</code>	• Use a unique value for each group of variants.

 Required(Brazil, France, Germany, Japan, the United Kingdom, and the US if the product is a variant)  Required for free listings for all product variants  Optional for all other products and target countries ID for a group of products that come in different versions (variants). Learn more about the Item group ID <code>[item_group_id]</code> attribute. Example AB12345 Syntax Max 50 alphanumeric characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Use the parent SKU where possible. • Keep the value the same when updating your product data. • Use only valid unicode characters. • Specify item group title <code>[item_group_title]</code> together with item group ID <code>[item_group_id]</code> to define a unique name for your product group. • Specify variant option <code>[variant_option]</code> in combination with item group ID <code>[item_group_id]</code> to define all variant-identifying properties of the product, for example a t-shirt with different sizes and colors, or a laptop with different memory sizes, display sizes, processors, and graphics options. • Specify the color <code>[color]</code>, pattern <code>[pattern]</code>, material <code>[material]</code>, age group <code>[age_group]</code>, gender <code>[gender]</code>, and size <code>[size]</code> attributes in addition to variant option <code>[variant_option]</code> when these attributes are part of the set of variant-identifying properties.
Item group title <code>[item_group_title]</code>  Optional, use if the product is a variant A title for the parent product (product group) to which this variant belongs. Learn more about the Item group title <code>[item_group_title]</code> attribute. Example My Brand Brilliance line Laptop Syntax Text. Max 150 characters Schema.org property: No	• If you provide item group ID <code>[item_group_id]</code> also provide the same item group title <code>[item_group_title]</code> for all variants that are part of the same product group.
Material <code>[material]</code>	• To indicate multiple materials for a single product (not variants), add a primary material, followed by up to 2 secondary materials, separated by a /.

 Required (if relevant for distinguishing different products in a set of variants)  Optional for all other products Your product's fabric or material. Learn more about the Material <code>[material]</code> attribute. Example leather Syntax Max 200 characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	- For example, instead of "CottonPolyesterElastane", use "cotton/polyester/elastane". - For variants: - Include the same value across all variants for item group ID <code>[item_group_id]</code> and the same value across all variants for item group title <code>[item_group_title]</code> and different values for the material attribute. - If material is a variant-identifying property, then we recommend you provide it using both the variant option <code>[variant_option]</code> attribute and the material <code>[material]</code> attribute.
Minimum energy efficiency class <code>[min_energy_efficiency_class]</code>  Optional (except when required by local laws or regulations) The minimum energy efficiency class in this products's category. Only available for products that target Switzerland, Norway, or the United Kingdom. Learn more about the Minimum energy efficiency class <code>[min_energy_efficiency_class]</code> attribute. Note: Starting April 2025, the minimum energy efficiency class <code>[min_energy_efficiency_class]</code> attribute is only available for products that target Switzerland, Norway, or the United Kingdom and are not sold in the EU. For products targeting countries in the European Union and are required to show the graphical energy efficiency class, use the certification <code>[certification]</code> attribute, which references the necessary graphical energy efficiency source data from the EU through the EPREL database.	- Include the legally required minimum energy efficiency class. - To be used in combination with energy efficiency class <code>[energy_efficiency_class]</code> and maximum energy efficiency class <code>[max_energy_efficiency_class]</code> to create an energy efficiency label, for example, A+ (A+++ to D).

9/29/26, 1:19 PM Product data specification - Google Merchant Center Help Example A+++ Supported values • A+++ • A++ • A • B • C • D • E • F • G Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	Maximum energy efficiency class [max_energy_efficiency]  Optional (except when required by local laws or regulations) The maximum energy efficiency class in this product's category. Only available for products that target Switzerland, Norway, or the United Kingdom. Learn more about the Maximum energy efficiency class [max_energy_efficiency] attribute. Note: Starting April 2025, the maximum energy efficiency class [max_energy_efficiency] attribute is only available for products that target Switzerland, Norway, or the United Kingdom and are not sold in the EU. For products targeting countries in the European Union and are required to show the graphical energy efficiency class, use the certification [certification] attribute, which references the necessary graphical energy efficiency • Include the legally required maximum energy efficiency class. • To be used in combination with energy efficiency class [energy_efficiency_class] and minimum energy efficiency class [min_energy_efficiency_class] to create a textual or graphical energy efficiency label, for example, A+ (G to A+++).
https://support.google.com/merchants/answer/7052112	32/58

source data from the EU through the [EPREL](#) database.

Example

D

Supported values

- A+++
- A++
- A
- B
- C
- D
- E
- F
- G

Schema.org property: **Yes** (Learn more about [Merchant listing \(Product, Offer\) structured data](#) on Google Search Central)

Multipack [[multipack](#)]

 **Required** (For multipack products in Australia, Brazil, Czechia, France, Germany, Italy, Japan, Netherlands, Spain, Switzerland, the UK and the US)

 **Required** for free listings on Google if you've created a multipack

 **Optional** for all other products and target countries

The number of identical products sold within a merchant-defined multipack. Learn more about the [Multipack \[\[multipack\]\(#\)\]](#) attribute.

Example

6

Syntax


Integer

Schema.org property: No

- Submit this attribute if you defined a custom group of identical products and are selling them as a single unit of sale (for example, you're selling 6 bars of soap together).
- Submit the number of products in your multipack. If you don't submit the attribute, the default value is 0.
- If the product's manufacturer assembled the multipack instead of you, don't submit this attribute.

Pattern [pattern]  Required (if relevant for distinguishing different products in a set of variants)  Optional for all other products Your product's pattern or graphic print. Learn more about the Pattern [pattern] attribute. Example • Striped • polka dot • paisley Syntax Max 100 characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	For variants: • Include the same value across all variants for item group ID [item_group_id] and the same value across all variants for item group title [item_group_title] and different values for the pattern attribute. • If pattern is a variant-identifying property, then we recommend you provide it using both the variant option [variant_option] attribute and the pattern [pattern] attribute.
Popularity rank [popularity_rank]  Optional The popularity of the product as assessed by you. Learn more about the Popularity rank [popularity_rank] attribute. Example 76.5 Syntax Float Range 0-100.0 • Decimal values are supported • The decimal point must be a period (.) Schema.org property: No	• Use to rank the popularity of this product in your entire inventory as a percentage. The higher the number the more popular your product is. • Note that this reflects the popularity of this product on your platform as assessed by you. It does not reflect user ratings of the product.

Product detail [\[product_detail\]](#)



Optional

Technical specifications or additional details of your product. Learn more about the [Product detail \[\\[product_detail\\]\]\(#\)](#) attribute.

Example

General:Product Type:Digital player

Syntax


This attribute uses 3 sub-attributes:

- Section name [\[section_name\]](#): Max 140 characters
- Attribute name [\[attribute_name\]](#): Max 140 characters
- Attribute value [\[attribute_value\]](#): Max 1000 characters

Schema.org property: No

- Submit up to 100 product details.
- Don't add information covered in other attributes, all capital letters, gimmicky foreign characters, promotion text, or list keywords or search terms.
- Don't add information such as price, sale price, sale dates, shipping, delivery date, other time-related information, or your company's name.
- Only provide an attribute name and value when the value is confirmed. For example, provide "Vegetarian:False" if a food product is not vegetarian.
- Do not repeat information already provided in [product highlight \[\\[product_highlight\\]\]\(#\)](#), [Question and answer \[\\[question_and_answer\\]\]\(#\)](#), or [description \[\\[description\\]\]\(#\)](#).

Product length [\[product_length\]](#)



Optional

Your product's length. Learn more about the [Product length \[\\[product_length\\]\]\(#\)](#) attribute.

Example

20 in

Syntax

Number + unit

Supported values

1-3000

- Decimal values are supported

Supported units

- cm
- in

Schema.org property: Yes (Learn more about [Merchant listing \(Product, Offer\) structured data](#) on Google Search Central)

- Include as many of the product measurement attributes as possible.
- Use the same unit of measurement for each product dimension attribute (including product length, width, and height). Otherwise, the information won't be displayed.

Product width [[product_width](#)]



Optional

Your product's width. Learn more about the [Product width](#) [[product_width](#)] attribute.

Example

20 in

Syntax

Number + unit

Supported values

1-3000

- Decimal values are supported

Supported units

- cm
- in

Schema.org property: [Yes](#) (Learn more about [Merchant listing \(Product, Offer\) structured data](#) on Google Search Central)

- Include as many of the product measurement attributes as possible.
- Use the same unit of measurement for each product dimension attribute (including product length, width, and height). Otherwise, the information won't be displayed.

Product height [[product_height](#)]



Optional

Your product's height. Learn more about the [Product height](#) [[product_height](#)] attribute.

Example

20 in

Syntax

Number + unit

Supported values

1-3000

- Decimal values are supported

Supported units

- cm

- Include as many of the product measurement attributes as possible.
- Use the same unit of measurement for each product dimension attribute (including product lengths, width, and height). Otherwise, the information won't be displayed.

• in Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Product highlight [product_highlight]  Optional The most relevant highlights of your products. Learn more about the Product highlight [product_highlight] attribute. Example Supports thousands of apps, including Netflix, YouTube, and HBO Max Syntax Max 150 characters Schema.org property: No	• Use between 2 and 100 product highlights. • Describe only the product itself. • Don't list keywords or search terms. • Don't include promotional text, all capital letters, or gimmicky foreign characters. • Do not repeat information already provided in product detail [product_detail], Question and answer [question_and_answer] or description [description].
Product weight [product_weight]  Optional Your product's weight. Learn more about the Product weight [product_weight] attribute. Example 3.5 lb Syntax Number + unit Supported values 0-2000 • Decimal values are supported Supported units • lb • oz • g • kg	• Use the actual assembled product weight for this attribute. • If your product comes in multiple pieces, for example, as part of a bundle, use the complete weight of all the pieces in the listing.

Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Question and answer [question_and_answer]  Optional User-, merchant-, and manufacturer-authored questions and answers about the product. Learn more about the Question and answer [question_and_answer] attribute. Example (2 Q&As): "Does it have a headphone jack?": "This version doesn't have a headphone jack.", "Does it support Bluetooth?": "It has full Bluetooth 6.0 support." Syntax Group attribute. Max 30 values. Max 10000 characters total. This attribute uses 2 sub-attributes (both are required): - Question [question]: Text. Max. 1000 characters. - Answer [answer]: Text. Max. 1000 characters. Schema.org property: No	- Don't add information covered in other attributes, all capital letters, gimmicky foreign characters, promotion text, or list keywords or search terms. - Don't add information such as price, sale price, sale dates, shipping, delivery date, other time-related information, or your company's name. Do not repeat information already provided in product detail [product_detail], product highlight [product_highlight], or description [description].
Related product [related_product]  Optional Specifies how other products are related to this product. Learn more about the Related product [related_product] attribute. Example required_part:id:AZ7A, required_part:id:AZ7B, accessory:gtin:811571013579 Syntax Group attribute. Max 30 values	- If a relationship type [relationship_type] has multiple applicable related products, provide a separate related product[related_product] attribute for each of these related products. Do not comma-separate the identifiers as part of the identifier [identifier] sub-attribute. - A product can have multiple relationship types with other products, for example, it can have one or more substitutes, one or more accessories, and one or more required parts. Provide all of these relationship types and their related products with that relationship type.

This attribute uses three sub-attributes (all three are required):

- **Relationship type** `[relationship_type]`. This sub-attribute supports the following values:
 - **Part of set** `[part_of_set]` Part of a set of products that are often purchased together
 - **Required part** `[required_part]` Part that is necessary for the product to function, for example a battery for a battery-operated lamp.
 - **Often bought with** `[often_bought_with]` A product that this product is often purchased together with, for example a phone case with a phone.
 - **substitute** `[substitute]` Product that this product can be substituted for, for example a cheaper alternative.
 - **Different brand** `[different_brand]` An identical product sold under a different brand, for example a cheaper house brand.
 - **Accessory** `[accessory]` An accessory to this product, for example a side table that matches the style of a couch.
- **Identifier type** `[identifier_type]`. This sub-attribute supports the following values:
 - **GTIN** `[gtin]` The identifier is a GTIN
 - **ID** `[id]` The identifier is a product ID in the feed
- **Identifier** `[identifier]`. This sub-attribute specifies the actual identifier value of the other product that is related to this product. The identifier value should match the type specified in identifier type `[identifier_type]`.

Schema.org property: No

Size `[size]`

 **Required** (Required for all apparel products in **Apparel & Accessories > Clothing** (ID:1604) and **Apparel & Accessories > Shoes** (ID:187) categories targeted to people in Brazil, France, Germany, Japan, the UK, and the US as well as all products available in different sizes)

 **Required** for free listings for all **Apparel & Accessories > Clothing** (ID:1604) and **Apparel & Accessories > Shoes** (ID:187) products

 **Optional** for all other products and target countries

- For variants:
 - Include the same value across all variants for item group ID `[item_group_id]` and the same value across all variants for item group title `[item_group_title]` and different values for size `[size]`.
 - If size is a variant-identifying property, then we recommend you provide it using both the variant option `[variant_option]` attribute and the size `[size]` attribute.

Your product's size. Learn more about the Size [size] attribute. Example XL Syntax Max 100 characters Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• If sizes contain multiple dimensions, condense them into one value. For example, "16/34 Tall" is for neck size of 16 inches, sleeve length of 34 inches, and "Tall" fit • If your item is one size fits all or one size fits most, you can use one_size, OS, one_size_fits_all, OSFA, one_size_fits_most, or OSFM. • For merchant-defined multipack products, submit the multipack quantity using the multipack [multipack] attribute. Don't submit the multipack quantity under the size attribute.
Size type [size_type]  Optional (Available for apparel products only) Your apparel product's cut. Learn more about the Size type [size_type] attribute. Example maternity Supported values • Regular [regular] • Petite [petite] • Maternity [maternity] • Big [big] • Tall [tall] • Plus [plus] Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	• Submit up to 2 values. • If you don't submit the attribute, the default value is regular.
Size system [size_system]  Optional (Available for apparel products only) The country of the size system used by your product. Learn more about the Size system [size_system] attribute. Example	• Submit up to 2 values. • If you don't submit the attribute, the default value is regular.

US Supported values • US • UK • EU • DE • FR • JP • CN • IT • BR • MEX • AU Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Variant option [variant option]  Optional. Use if the product is a variant Variant-identifying dimensions and their values. Learn more about the Variant option [variant option] attribute. Example Memory size:128 GB,Screen size:XL Syntax Group attribute. Max 30 values. Max 5000 characters total. This attribute uses two sub-attributes (both are required): • Name [name]. Text. Max. 250 characters. • Value [value]. Text. Max. 250 characters. Schema.org property: No	• Specify variant option [variant option] in combination with item group ID [item_group_id] and Item group title [item_group_title] to define all variant-identifying properties of the product. • Specify the color [color], pattern [pattern], material [material], age group [age_group], gender [gender] and size [size] attributes in addition to variant option [variant option] when these attributes are part of the set of variant-identifying properties.

Shopping campaigns and other configurations

These attributes are used to control how your product data is used when you create advertising campaigns in Google Ads.

Attribute and format	Minimum requirements at a glance
Ads redirect <code>[ads_redirect]</code>  Optional A URL used to specify additional parameters for your product page. Customers will be sent to this URL rather than the value that you submit for the link <code>[link]</code> or mobile link <code>[mobile_link]</code> attributes. Learn more about the Ads redirect <code>[ads_redirect]</code> attribute. Example http://www.example.com/product.html Syntax Max 2000 characters Schema.org property: No	• Submit the same registered domain as for the link <code>[link]</code> attribute (and the mobile link <code>[mobile_link]</code> attribute, if present). • Valid registered domains include "example.com", "m-example.com", "example.co.uk", "example.com.ai", and "bar.tokyo.jp". • URLs submitted with invalid domains, such as "example.zz" or "example.comic", will not be accepted. For more details on valid registered domains, check ads redirect.
Custom label 0-4 <code>[custom_label_0-4]</code>  Optional Label that you assign to a product to help organize bidding and reporting in Shopping campaigns. Learn more about the Custom label 0-4 <code>[custom_label_0-4]</code> attribute. Example • Seasonal • Clearance • Holiday • Sale • Price range Syntax Max 100 characters Schema.org property: No	• Use a value that you'll recognize in your Shopping campaign. The value won't be shown to customers who view your ads and free listings. • Submit up to 5 custom labels per product by including this attribute multiple times: • <code>custom_label_0</code> • <code>custom_label_1</code> • <code>custom_label_2</code> • <code>custom_label_3</code> • <code>custom_label_4</code> • Use only 1,000 unique values for each custom label across your Merchant Center account.
Promotion ID <code>[promotion_id]</code>	• Use a unique and case sensitive ID without spaces or symbols (for example, %, !). • To map specific promotions to specific products, submit the same promotion ID in your product

Attribute and format	Minimum requirements at a glance
 Optional (Required for promotions in Australia, France, Germany, India, the UK and the US) An identifier that allows you to match products to promotions. Learn more about the Promotion ID <code>[promotion_id]</code> attribute. Example ABC123 Syntax Max 50 characters Schema.org property: No	data and promotion data. Submit up to 10 promotion IDs for one product by including this attribute multiple times.
Lifestyle image link <code>[lifestyle_image_link]</code>  Optional Attribute used to include the URL for a lifestyle image for your product Only available for browsy surfaces. Learn more about the Lifestyle image link <code>[lifestyle_image_link]</code> attribute. Example <code>https://www.example.com/image1.jpg</code> Syntax Max 2000 characters Schema.org property: No	- Use a URL that points to an image in a supported file format - Start with <code>http</code> or <code>https</code> and comply with RFC 3986 - Replace any symbols or spaces with URL encoded entities - Make sure Google can crawl your URL - All images created using generative AI must contain meta data indicating that the image was AI-generated (for example, the IPTC DigitalSourceType TrainedAlgorithmicMedia metadata tag). Don't remove embedded metadata tags such as the IPTC DigitalSourceType property from images created using generative AI tools, for example Product Studio. The following IPTC NewsCodes specify the type of digital source that was used to create the image, and should be preserved: TrainedAlgorithmicMedia : The image was created using a model derived from sampled content. CompositeSynthetic : The image is a composite that includes synthetic elements. AlgorithmicMedia : The image was created purely by an algorithm not based on any sampled training data (for example, an image created by software using a mathematical formula).

Attribute and format	Minimum requirements at a glance
Short title [short_title]  Optional Short product name. Learn more about the Short title [short_title] attribute. Only available for Demand Gen Ads, including YouTube, Gmail, Maps, Discover app, Google Display Network, and Google Video Partners. Learn more About Demand Gen campaigns. Example Running shoes Syntax Plain text. Max 150 characters (Recommended: 5–65 characters) Schema.org property: No	[short_title] can optionally be provided for Demand Gen campaigns. [title] must still be provided.

Marketplaces

These attributes are used to control how your product data is used if you are a marketplace and are using a multi-seller account.

Attributes and format	Requirements at a glance
External seller ID [external_seller_id]  Required for multi-seller account Used by a marketplace to externally identify a seller. (For example, on a website). Learn more about the External seller ID [external_seller_id] attribute Example SellerPublicName1991 Syntax 1 - 50 characters Schema.org property: No	- Use a unique value for each seller. - Keep the ID the same when updating your data - Use only valid characters. Avoid invalid characters like control, function, or private area characters - Use the same ID for the same seller across countries or languages

Destinations

These attributes can be used to control the different locations where your content can appear. For example, you could use this attribute if you want a product to appear in a dynamic remarketing campaign, but not in a Shopping ads campaign.

Attributes and format	Minimum requirements at a glance
Excluded destination [excluded_destination]  Optional A setting that you can use to exclude a product from participating in a specific type of advertising campaign. Learn more about the Excluded destination [excluded_destination] attribute. Example Shopping_ads Supported values • Shopping_ads • Display_ads • Local_inventory_ads • Free_listings • Free_local_listings • Cloud_retail • Local_cloud_retail • Youtube_affiliate • Youtube_merchandise Schema.org property: No	• The excluded destination [excluded_destination] and the included destination [included_destination] attributes are mutually exclusive. • If both attributes have conflicting information, the excluded destination [excluded_destination] attribute takes precedent. • Only use the excluded destination [excluded_destination] attribute for products you want to exclude for an extended time. • If you want to temporarily stop a product from showing,, use the pause [pause] attribute instead.
Included destination [included_destination]  Optional A setting that you can use to include a product in a specific type of advertising campaign. Learn more about the Included destination [included_destination] attribute. Example Shopping_ads	• The excluded destination [excluded_destination] and the included destination [included_destination] attributes are mutually exclusive. • If both attributes have conflicting information, the excluded destination [excluded_destination] takes precedent.

Attributes and format	Minimum requirements at a glance
Supported values • Shopping_ads • Display_ads • Local_inventory_ads • Free_listings • Free_local_listings • Cloud_retail • Local_cloud_retail • Youtube_affiliate • Youtube_merchandise Schema.org property: No	
Excluded countries for Shopping ads [shopping_ads_excluded_country] A setting that allows you to exclude countries where your products are advertised on Shopping ads  Optional Only available for Shopping ads. A setting that allows you to exclude countries where your products are advertised on Shopping ads. Learn more about the Excluded countries for Shopping ads [shopping_ads_excluded_country] attribute. Example DE Syntax 2 characters. Must be an ISO_3166-1_alpha-2 country code. Schema.org property: No	
Pause [pause]  Optional A setting you can use to pause and quickly reactivate a product for all ads (including Shopping ads, Display ads, and local inventory ads). A product can be paused for up to 14 days. If a	• Submit the attribute with a supported value. • Only pause a product for 14 days or less. If you need to stop showing your product for more than 14 days, use the excluded destination [excluded_destination] attribute.

Attributes and format	Minimum requirements at a glance
product is paused for more than 14 days it will be disapproved. To re-approve, remove the attribute. Learn more about the Pause [pause] attribute. Example ads Supported values ads all Schema.org property: No	- Use the excluded destination [excluded_destination] attribute for products you want to pause only for free listings. - Avoid using availability to pause ads or free listings. Don't attempt to set the availability [availability] attribute to "out_of_stock" to pause your products.

Shipping and returns

These attributes can be used together with the account shipping settings and return settings to help you provide accurate shipping and return costs. People who are shopping online rely on shipping costs and speeds, as well as return policies, to help them make choices about what to buy, so it's important to take the time to submit quality information.

Attribute and format	Minimum requirements at a glance
Shipping [shipping] Your product's shipping cost, shipping speeds, and the locations your product ships to  It depends  Shipping costs are required for Shopping ads and free listings for the following countries: Australia, Austria, Belgium, Canada, Czechia, France, Germany, India, Ireland, Israel, Italy, New Zealand, Japan, the Netherlands, Poland, Romania, South Korea, Spain, Switzerland, the UK, and the US You may also be required to provide shipping costs based on local laws or regulations.  Optional (to specify additional countries your product ships to or destinations where shipping costs are not required) Supported prices 0–1000 USD (check for other currencies)	- Use this setting when shipping costs for your product are not defined in your Merchant Center account or when you need to override shipping costs or speeds defined in your Merchant Center account. Don't include government- imposed fees such as import duties, recycling fees, copyright fees, or state-specific retail delivery fees in the shipping cost. Include all additional fees that you charge as a merchant if they are not included in the product price. Include the charges that aren't directly related to shipping but relevant for the purchase during checkout. For example, service, processing, activation, and handling fees that you charge.

Attribute and format	Minimum requirements at a glance
Example US:CA:Overnight:16.00 USD:1:1:2:3 Syntax This attribute uses the following sub-attributes: • Country [country] (Required) • ISO 3166 country code • Region [region] (Optional) • Postal code [postal_code] (Optional) • Location ID [location_id] (Optional) • Location group name [location_group_name] (Optional) • Service [service] (Optional) • Service class or shipping speed • Price [price] (Optional) • Fixed shipping cost, including VAT if required • Minimum handling time [min_handling_time] and maximum handling time [max_handling_time] (Optional) • To specify handling time • Minimum transit time [min_transit_time] and maximum transit time [max_transit_time] (Optional) • To specify transit time • Shipping transit business days [shipping_transit_business_days] (Optional) • Shipping handling business days [shipping_handling_business_days] (Optional) • Loyalty program label [loyalty_program_label] (Optional) • Loyalty program tier label [loyalty_tier_label] (Optional) Schema.org property: Yes (Learn more about Merchant listing (Product, Offer) structured data on Google Search Central)	
Carrier shipping [carrier_shipping]. Shipping services you use when delivering a product.  Optional Example	• For general delivery details, use account settings in Merchant Center. Use this setting only as a last resort. • Don't include government- imposed fees such as import duties, recycling fees,

Attribute and format	Minimum requirements at a glance
US:80302:USPS_MEDIA_MAIL:1:3:2:5 Syntax This attribute uses the following sub-attributes: • Country [country] (Required) • ISO 3166 country code • Region [region] (Optional) • Postal code [postal_code] (Optional) • Origin Postal code [origin_postal_code] (Required) • The domestic ZIP postal code. For the UK use outward code. • Location ID [location_id] (Optional) • Shipping Price (Required) Choose only one from below: • Manual Price [flat_price] • Carrier price [carrier_price] • Flat price adjustment [carrier_price_flat_adjustment] and Percentage price adjustment [carrier_price_percentage_adjustment] (Optional) • To specify carrier rate discounts or added fees • Minimum handling time [min_handling_time] and maximum handling time [max_handling_time] (Optional) • To specify handling time • Shipping transit time (Optional) Choose only one from below: • Fixed transit time • Minimum transit time [fixed_min_transit_time], maximum transit time [fixed_max_transit_time] (Optional) • Carrier transit time [carrier_transit_time] • Loyalty program label [loyalty_program_label](Optional) • Loyalty program tier label [loyalty_tier_label](Optional) Schema.org property: No	copyright fees, or state-specific retail delivery fees in the shipping cost.

Attribute and format	Minimum requirements at a glance
Handling cutoff time [handling_cutoff_time]. Daily deadline for processing online orders  Optional Example US:16.00 USD Syntax This attribute uses the following sub-attributes: • Country [country] (Optional): ISO 3166-1 country code • Cutoff time [cutoff_time] (Required): time of day by which an order must be placed to be processed on that same business day. • Cutoff timezone [cutoff_timezone] (Optional): Timezone for the specified cutoff_time in IANA Timezone format (for example, "America/Los_Angeles". If not provided, the system will default to the timezone of the shipping destination. • Disable delivery after cutoff [disable_delivery_after_cutoff] (Optional): This boolean setting controls the visibility of delivery options after the cutoff time has passed. Default=False Schema.org property: No	• Use 24-hour format for cutoff time. Specify "23:59" for no cutoff time. • Specify Cutoff timezone [cutoff_timezone] for a cutoff time based on the shipping origin's timezone (for example, a warehouse). If not specified the user's (destination) timezone is used.
Minimum order value [minimum_order_value]. Minimum spend required for an order including this product.  Optional Example US:16.00 USD Syntax This attribute uses the following sub-attributes: • Country [country] (Required) • ISO 3166-1 country code • Service [service] (Optional)	• The minimum order value currency must be the same as the offer's price currency. • The currency must be in the ISO 4217 format. For example, USD for US dollars. • The decimal point must be a period (.). For example, 10.00 USD.

Attribute and format	Minimum requirements at a glance
• Service class or shipping speed • Surface [surface] (Optional) • The destinations the specified minimum order value applies to. Either Online [online], Local [local], or online plus local [online_local]. Default is online plus local [online_local]. • Price [price] (Required) • The minimum spend required to place an order Schema.org property: No	
Shipping label [shipping_label]. Label that you assign to a product to help assign correct shipping times and transit costs in Merchant Center account settings  Optional Example perishable Syntax Max 100 characters Schema.org property: No	• Use a value that you'll recognize in your account shipping settings. The value won't be shown to customers. Examples: • Sameday • Oversize • Only FedEx
Shipping weight [shipping_weight]. The weight of the product used to calculate the shipping cost  Optional (Required for carrier-calculated rates in your account shipping settings) Supported weights • 0–2000 lbs for imperial • 0–1000 kgs for metric Example 3 kg Syntax Number + unit Supported units • lb	• Submit this value if you set up account shipping settings for carrier-calculated rates or weight-based shipping services

Attribute and format	Minimum requirements at a glance
• oz • g • kg Schema.org property: No	
Shipping length [shipping_length]. The length of the product used to calculate the shipping cost by dimensional weight  Optional (Required for carrier-calculated rates in your account shipping settings) Example 20 in Syntax Number + unit Supported values • 1 - 150 for inches • 1 - 400 for cm Supported units • in • cm Schema.org property: No	• Submit this value if you set up account shipping settings for carrier-calculated rates. • If you don't provide shipping dimension attributes while using carrier-calculated rates, Google won't be able to calculate rates based on the dimensional weight of the product. If that's the case, we'll just calculate the rates based on the value you provided in the shipping weight [shipping_weight] attribute. • If you submit this attribute, submit all shipping dimension attributes: • Shipping length [shipping_length] • Shipping width [shipping_width] • Shipping height [shipping_height] • Use the same unit for all shipping dimension attributes that apply to a single product. • Google doesn't automatically calculate additional shipping cost for oversized products. If your package would be considered large or oversized by your carrier, you should use the shipping [shipping] attribute to set shipping cost for an individual product.
Shipping width [shipping_width]. The width of the product used to calculate the shipping cost by dimensional weight  Optional (Required for carrier-calculated rates in your account shipping settings) Example 20 in Syntax Number + unit Supported values	• Meet the requirements for the shipping length [shipping_length] attribute.

Attribute and format	Minimum requirements at a glance
• 1 - 150 for inches • 1 - 400 for cm Supported units • in • cm Schema.org property: No	
Shipping height [shipping_height]. The height of the product used to calculate the shipping cost by dimensional weight  Optional (Required for carrier-calculated rates in your account shipping settings) Example 20 in Syntax Number + unit Supported values • 1 - 150 for inches • 1 - 400 for cm Supported units • in • cm Schema.org property: No	• Meet the requirements for the shipping length [shipping_length] attribute.
Ships from country [ships_from_country]. A setting that allows you to provide the country from which your product will typically ship  Optional Example DE Syntax 2 characters. Must be an ISO_3166-1_alpha-2 country code. Schema.org property: No	• Provide only the country from which you typically ship this product.

Attribute and format	Minimum requirements at a glance
Maximum handling time [max_handling_time] The longest amount of time between when an order is placed for a product and when the product ships  Optional Example 3 Syntax Integer, greater than or equal to 0 Schema.org property: No	• Submit this attribute if you want to display the overall time it takes for a product to arrive at its destination. • Submit the number of business days (as configured in Merchant Center). • For products ready to be shipped the same day, submit 0. • For submitting a time range submit maximum handling time [max_handling_time] in combination with minimum handling time [min_handling_time].
Minimum handling time [min_handling_time] The shortest amount of time between when an order is placed for a product and when the product ships  Optional Example 1 Syntax Integer, greater than or equal to 0 Schema.org property: No	• Meet the requirements for the maximum handling time [max_handling_time] attribute.
Shipping transit business days [shipping_transit_business_days] Days of the week that your product is in transit when shipped to a customer.  Optional Example Mon-Fri;Sun US:Mon-Sat Syntax This attribute uses the following sub-attributes: • Country [country] (Required) • ISO 3166 country code • Business Days [business_days] (Required)	• Submit this attribute with Shipping handling days [shipping_handling_business_days] to calculate shipment delivery. • Defaults to Mon-Sat when not filled. Configuration applies to all countries when not specified. • A maximum of 10 transit business day configurations are allowed.

Attribute and format	Minimum requirements at a glance
- Semicolon separated attributes for each day of the week, or a range of days separated by a dash. Supported values - M, Mon, Monday for Monday - T, Tue, Tuesday for Tuesday - W, Wed, Wednesday for Wednesday - R, Thu, Thursday for Thursday - F, Fri, Friday for Friday - S, Sat, Saturday for Saturday - U, Sun, Sunday for Sunday Schema.org property: No	
Shipping handling business days [shipping_handling_business_days] Days of the week that your business is operational. Use this to help calculate handling time.  Optional Example Mon-Fri;U US:Tue-Fri;Sun Syntax Semicolon separated attributes for each day of the week, or a range of days separated by a dash. Supported values - M, Mon, Monday for Monday - T, Tue, Tuesday for Tuesday - W, Wed, Wednesday for Wednesday - R, Thu, Thursday for Thursday - F, Fri, Friday for Friday - S, Sat, Saturday for Saturday - U, Sun, Sunday for Sunday Schema.org property: No	- Submit this attribute if you want to customize your business operational days for handling time. - Defaults to Mon-Sat when not filled. - A maximum of 10 handling business days configurations are allowed.
Free shipping threshold [free_shipping_threshold]	The free shipping threshold currency must be the same as the offer's price currency.

Attribute and format	Minimum requirements at a glance
Order cost above which shipping is free.  Optional Example US:16.00 USD Syntax This attribute uses the following sub-attributes: • Country [country] (Required) • ISO 3166 country code • Price threshold [price_threshold] (Required) • Order cost above which shipping is free. Schema.org property: No	• The currency must be in the ISO 4217 format. For example, USD for US dollars. • The decimal point must be a period (.). For example, 10.00 USD.
Return[return]. Used to configure your return policy at the product level.  Optional (Strongly recommended for each product) Example US:90:IN_STORE:BY_MAIL:REFUND:EXCHANGE Syntax This attribute uses the following sub-attributes: • Country [country] (Required) • ISO 3166-1 country code • Item condition [item_condition] (Required): The condition of the product that's accepted for return. • Supported values: • NEW • LIKE_NEW • USED • DEFECTIVE_ONLY • Window days [window_days] (Optional, Required if [window_type] is FINITE_RETURN_WINDOW) • Window type [window_type] (Optional) • Supported values: • FINITE_RETURN_WINDOW	• Submit this attribute if you want to override any account-level return policies for a single product. • Products with offer-level returns don't require account-level return policies. • Name the sub-attributes you are using in the attribute header. • Return[return] attributes without an attribute header will assume the default attribute format: 1. Country[country] 2. Window days>window_days] 3. Item condition[item_condition] 4. Method[method] 5. Shipping fee [shipping_fee] • Use the Return[return] attribute sparingly. Use account-level return policies instead to manage the majority of your product catalog.

Attribute and format	Minimum requirements at a glance
• NO_RETURNS • LIFETIME • Default is FINITE_RETURN_WINDOW. • Method [method] (Required) • Supported values: • BY_MAIL • IN_STORE • AT_A_KIOSK • DROP_OFF_LOCATION • Outcome [outcome] (Optional): The outcome of the return. • Supported values: • REFUND • EXCHANGE • STORE_CREDIT • Shipping fee [shipping_fee] (Required) • Default return shipping cost is 0. • Shipping fee type [shipping_fee_type] (Optional, Required if [shipping_fee] is submitted) • Supported values: • DEDUCTED_FROM_REFUND • CUSTOMER_RESPONSIBILITY • Restocking fee [restocking_fee] (Optional) • Submit only one of restocking_fee or restocking_percentage_fee. • Default restocking fee is 0. • Restocking percentage fee [restocking_percentage_fee] (Optional): Submit only one of restocking_fee or restocking_percentage_fee. • Policy url [policy_url] (Optional): The url linking the exact return policy for the product. Schema.org property: No	
Return policy label [return_policy_label]. Label used to assign the correct return policy as defined in Merchant Center account settings	• Apply this attribute for products with non-standard return policies • If no value is provided, the default return policy you configured will be applied

Attribute and format	Minimum requirements at a glance
 Optional Example <code>my_label</code> Syntax Max 100 characters Schema.org property: No	• Use a value that you assigned in your account return policies. The value won't be shown to customers. Examples: • Unlimited • Oversize • FinalSale

Need more help?



Post to the help community

Get answers from community members



Contact us

Tell us more and we'll help you get there