



Run Summary

Sample ID: 153

Run Date: 27 Jun 2017

1:05 PM

Detected: *Clostridium difficile* toxin A/B
Sapovirus

Controls: Passed

Result Summary

Bacteria

Not Detected	<i>Campylobacter</i>
✓ Detected	<i>Clostridium difficile</i> toxin A/B
Not Detected	<i>Plesiomonas shigelloides</i>
Not Detected	<i>Salmonella</i>
Not Detected	<i>Vibrio</i>
Not Detected	<i>Vibrio cholerae</i>
Not Detected	<i>Yersinia enterocolitica</i>

Diarrheagenic *E. coli*/Shigella

Not Detected	Enteraggregative <i>E. coli</i> (EAEC)
Not Detected	Enteropathogenic <i>E. coli</i> (EPEC)
Not Detected	Enterotoxigenic <i>E. coli</i> (ETEC) <i>lt/st</i>
Not Detected	Shiga-like toxin-producing <i>E. coli</i> (STEC) <i>stx1/stx2</i>
⊗ N/A	<i>E. coli</i> O157
Not Detected	<i>Shigella</i> /Enteroinvasive <i>E. coli</i> (EIEC)

Parasites

Not Detected	<i>Cryptosporidium</i>
Not Detected	<i>Cyclospora cayetanensis</i>
Not Detected	<i>Entamoeba histolytica</i>
Not Detected	<i>Giardia lamblia</i>

Viruses

Not Detected	Adenovirus F 40/41
Not Detected	Astrovirus
Not Detected	Norovirus GI/GII
Not Detected	Rotavirus A
✓ Detected	Sapovirus

Run Details

Pouch: GI Panel v2.1
Run Status: Completed
Serial No.: 09937928
Lot No.: 558417

Protocol: Stool FA v3.3
Operator: Laura Johnson (laj)
Instrument: 2FA00539