

Run Summary
Sample ID: 301

Run Date: 28 Jun 2017

8:07 AM

Detected: None

Controls: Passed

Result Summary
Bacteria

Not Detected *Campylobacter*
 Not Detected *Clostridium difficile* toxin A/B
 Not Detected *Plesiomonas shigelloides*
 Not Detected *Salmonella*
 Not Detected *Vibrio*
 Not Detected *Vibrio cholerae*
 Not Detected *Yersinia enterocolitica*

Diarrheagenic *E. coli*/Shigella

Not Detected Enteropathogenic *E. coli* (EPEC)
 Not Detected Enterotoxigenic *E. coli* (ETEC) *lt/st*
 Not Detected Shiga-like toxin-producing *E. coli* (STEC) *stx1/stx2*
 ☐ N/A *E. coli* O157
 Not Detected *Shigella*/Enteroinvasive *E. coli* (EIEC)

Parasites

Not Detected *Cryptosporidium*
 Not Detected *Cyclospora cayetanensis*
 Not Detected *Entamoeba histolytica*
 Not Detected *Giardia lamblia*

Viruses

Not Detected Adenovirus F 40/41
 Not Detected Astrovirus
 Not Detected Norovirus GI/GII
 Not Detected Rotavirus A
 Not Detected Sapovirus

Run Details

Pouch: GI Panel v2.1
Run Status: Completed
Serial No.: 09937893
Lot No.: 558417

Protocol: Stool FA v3.3
Operator: Laura Johnson (laj)
Instrument: 2FA00539