Aim: Study the use of network reconnaissance tools like WHOIS, dig, traceroute, nslookup, nikto, dmitry, to gather information about networks and domain registrars.

LO Mapped: LO3

Theory:

WHOIS

The whois command displays information about a website's record. You may get all the information about a website regarding its registration and owner's information.

```
lab1006@lab1006-HP-280-G4-MT-Business-PC:~$ whois google.com
  Domain Name: GOOGLE.COM
  Registry Domain ID: 2138514_DOMAIN_COM-VRSN
  Registrar WHOIS Server: whois.markmonitor.com
  Registrar URL: http://www.markmonitor.com
  Updated Date: 2019-09-09T15:39:04Z
  Creation Date: 1997-09-15T04:00:00Z
  Registry Expiry Date: 2028-09-14T04:00:00Z
  Registrar: MarkMonitor Inc.
  Registrar IANA ID: 292
  Registrar Abuse Contact Email: abusecomplaints@markmonitor.com
  Registrar Abuse Contact Phone: +1.2086851750
  Domain Status: clientDeleteProhibited https://icann.org/epp#clientDeleteProhibited
  Domain Status: clientTransferProhibited https://icann.org/epp#clientTransferProhibited Domain Status: clientUpdateProhibited https://icann.org/epp#clientUpdateProhibited Domain Status: serverDeleteProhibited https://icann.org/epp#serverDeleteProhibited
  Domain Status: serverTransferProhibited https://icann.org/epp#serverTransferProhibited
  Domain Status: serverUpdateProhibited https://icann.org/epp#serverUpdateProhibited
  Name Server: NS1.GOOGLE.COM
  Name Server: NS2.GOOGLE.COM
  Name Server: NS3.GOOGLE.COM
  Name Server: NS4.GOOGLE.COM
  DNSSEC: unsigned
  URL of the ICANN Whois Inaccuracy Complaint Form: https://www.icann.org/wicf/
>> Last update of whois database: 2023-08-08T05:48:12Z <<<
```

• dig

dig command stands for **Domain Information Groper**. It is used for retrieving information about DNS name servers. It is basically used by network administrators. It is used for verifying and troubleshooting DNS problems and to perform DNS lookups.

```
lab1006@lab1006-HP-280-G4-MT-Business-PC:~$ dig www.google.com
; <<>> DiG 9.11.3-1ubuntu1.18-Ubuntu <<>> www.google.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 27441</p>
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1
;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 65494
;; QUESTION SECTION:
;www.google.com.
                                         IN
;; ANSWER SECTION:
www.google.com.
                        75
                                 IN
                                         Α
                                                 142.250.192.132
;; Query time: 3 msec
;; SERVER: 127.0.0.53#53(127.0.0.53)
;; WHEN: Tue Aug 08 11:29:33 IST 2023
;; MSG SIZE rcvd: 59
```

Traceroute

traceroute command in Linux prints the route that a packet takes to reach the host. This command is useful when you want to know about the route and about all the hops that a packet takes.

```
Lab1006@lab1006-HP-280-G4-MT-Business-PC:~$ traceroute google.com
traceroute to google.com (142.251.42.14), 30 hops max, 60 byte packets
1 _gateway (192.168.0.1) 0.713 ms 0.711 ms 0.694 ms
2 203.212.25.1 (203.212.25.1) 2.584 ms 2.592 ms 2.813 ms
3 203.212.24.53 (203.212.24.53) 2.560 ms 2.552 ms 3.053 ms
4 * * 10.10.226.153 (10.10.226.153) 4.219 ms
5 72.14.196.213 (72.14.196.213) 8.154 ms 8.143 ms 4.715 ms
6 108.170.248.177 (108.170.248.177) 4.904 ms 5.474 ms 5.204 ms
7 209.85.250.139 (209.85.250.139) 4.781 ms 2.042 ms 2.030 ms
8 bom12s19-in-f14.1e100.net (142.251.42.14) 2.126 ms 2.289 ms 2.755 ms
```

nslookup

The nslookup command queries internet domain name servers in two modes. Interactive mode allows you to query name servers for information about various hosts and domains, or to print a list of the hosts in a domain.

```
lab1006@lab1006-HP-280-G4-MT-Business-PC:~$ nslookup google.com
Server: 127.0.0.53
Address: 127.0.0.53#53

Non-authoritative answer:
Name: google.com
Address: 142.251.42.14
Name: google.com
Address: 2404:6800:4009:82f::200e
```

nikto

Nikto is an open source web server and web application scanner. Nikto can perform comprehensive tests against web servers for multiple security threats, including over 6700 potentially dangerous files/programs. Nikto can also perform checks for outdated web servers software, and version-specific problems.

```
Lab1006QLab1006-HP-280-G4-MT-Business-PC:-$ nikto -h facebook.com

Nikto v2.1.5

+ Target IP: 157.240.192.35
+ Target Hostname: facebook.com

+ Target Port: 80
+ Start Time: 2023-08-08 11:54:26 (GMT5.5)

+ Server: proxygen-bolt
+ The anti-clickjacking X-Frame-Options header is not present.
+ Root page / redirects to: https://facebook.com/
+ No CGI Directories found (use '-c all' to force check all possible dirs)
+ Uncommon header 'proxy-status' found, with contents: http.request error; e_clientaddr="AcLH5J5kd9scY90l-zV7mWz9J6eFGG4gXftcTKNSDdkDmXSUcRbJ2nGiv_7tHmQnA4JVNpHMVbGPy10
SokWa'"; e | Eb vipaddr="AcJWSHMViQCLSif1bfSUkcitle8FfG5YSHILZ7vra_vp/SSUMINAxlRuz2RgV_SM_UZvOiHpaNRo"; e | fb builduser="AcI_kbbo1ZVnsYpGBYc17BqMhEI_isAJnbhpR2IcldqX_6-4g-3]
LGG90z_pY9hS5DE"; e | fb binaryverston="AcJ_73Ihdkg3_X6eWF9Rcd5oVod55-d5K1tGzRZIM4ZISC4BdSRO0YUklod90SlGlaqnI0zfz4A80_JabP5xlR9bxog0y1Yzouc"; e_proxy="AcIFqBFJpc1Eb5F2iXd
TkwMxf83V6HYd5ZYvnGhjfTaS9bCiI_b0fZc2aeZ2HMr5MrsudQwHhi-rKSE"
- 6544 ttens checked: 0 error(s) and 2 tten(s) reported on remote host
+ End Time: 2023-08-08 11:57:25 (GMT5.5) (179 seconds)
```

dmitry

dmitry can find possible subdomains, email addresses, uptime information, perform tcp port scan, whois lookups, and more.

```
lab1006@lab1006-HP-280-G4-MT-Business-PC:~$ dmitry google.com
Deepmagic Information Gathering Tool
"There be some deep magic going on"
HostIP:142.251.42.14
HostName:google.com
Gathered Inet-whois information for 142.251.42.14
inetnum: 142.248.0.0 - 143.46.255.255
netname: NON-RIPE-NCC-MANAGED-ADDRESS-BLOCK
descr: IPv4 address block not managed by the RIPE NCC
remarks:
remarks:
remarks:
              For registration information,
remarks:
                you can consult the following sources:
remarks:
remarks:
                IANA
remarks:
                http://www.iana.org/assignments/ipv4-address-space
remarks:
                http://www.iana.org/assignments/iana-ipv4-special-registry
remarks:
                http://www.iana.org/assignments/ipv4-recovered-address-space
remarks:
                AFRINIC (Africa)
remarks:
remarks:
                http://www.afrinic.net/ whois.afrinic.net
remarks:
remarks:
                APNIC (Asia Pacific)
remarks:
                http://www.apnic.net/ whois.apnic.net
remarks:
remarks:
                ARIN (Northern America)
remarks:
                http://www.arin.net/ whois.arin.net
remarks:
remarks:
                LACNIC (Latin America and the Carribean)
remarks:
                http://www.lacnic.net/ whois.lacnic.net
remarks:
remarks:
country:
admin-c:
                EU # Country is really world wide
               IANA1-RIPE
tech-c:
                IANA1-RIPE
status:
               ALLOCATED UNSPECIFIED
Created: 2023 07
               2023-07-24T14:32:43Z
last-modified: 2023-07-24T14:32:43Z
source:
                RIPE
```

Conclusion: In this experiment we used different network reconnaissance tools to gather information about the network.